ISSN: 1043-3546

200W Merle Hay Centre • 6200 Aurora Avenue Des Moines • Iowa • U.S.A. • 50322 UNIVERSITY MICROFILMS INTERNATIONAL 300 NORTH ZEEB ROAD ANN ARBOR MI 94.12

December • 1993

Vol • 13 • No. 12 • Pages 697-760

48106 -

DAIRY, FOOD AND ENVIRONMENTAL

SANITATION

DECEMBER 1993



A Publication of the International Association of Milk, Food and Environmental Sanitarians, Inc.

"The mission of IAMFES is to provide food safety professionals worldwide with a forum to exchange information on protecting the food supply"

Please circle No. 211 on your Reader Service Card

UNI-LITE"... THE DIRECT HYGIENE SWAB MONITORING SYSTEM

1



Wet the swah with Biotrace's unique swab moistening fluid and swab the surface in the normal way



it's low cost and never been

so easy

Immerse the swab in the enzyme solution using the container provided

Place the swab into the Uni-Lite sample chamber and measure



3



Biotrace Inc, 666 Plainsboro Road, Suite 1116, Plainsboro NJ 08536, USA. Tel: (609) 897 0282 Fax: (609) 897 0289

Name (Mr, Mrs, Miss, Ms)	Position
Department	Company
Products manufactured	Size of company (no. of employees) 1-49 🗆 50-99 🗖 100-499 🗖 500+ 🗖
Address	ZIP Code Tel:

IOTRAC

2

There's more to Hygiene than meets the eye.

Poor hygiene, if undetected, can lead to contaminated production. Reduced product quality, reject batches, delays in supplying important customers, and consequences of a costly product recall, are major risks.

Uni-Lite, the world's first direct Swab Monitor, is 'food factory safe' and can provide hygiene test results in minutes - before production commences.

Rapid results from Uni-Lite help ensure:

- extended shelf life
- reduced sanitizer costs
- confidence

increased customer

UNIOLIT


enhanced compliance with **HACCP** regimes

improved product quality fewer reject batches

Uni-Lite is an award winning, state of the art system from

Biotrace - the industry leader. Send for details now.

QMI helps you identify the source of product contamination









AND helps you avoid it!

With its patented QMI Aseptic Sampling System and Aseptic Transfer System, QMI is a fast, sure and easy solution for the threat of contamination. More importantly, QMI goes a long way to help avoid an even bigger threat—the threat of product recall due to spoiled or unsafe products.

 Using the QMI Aseptic Sampling System, you can effectively document micro-





biological process control, which is critical to an effective HACCP system.

• Using the QMI Aseptic Transfer System, you can avoid contamination during inoculation.

Don't take chances. Take action against contamination. Get all the facts on our aseptic sampling and transfer systems now.

REAL FOOD AND DAIRY QUALITY MANAGEMENT, INC.

245 E. Sixth Street • St. Paul, MN 55101 Phone: (612) 228-0474 • FAX (612) 291-9179

Photographs of bacteria supplied by Dr. Edmund Zottola of the University of Minnesota, St. Paul, MN.

IAMFES Sustaining Members

ABC Research, PO Box 1557, Gainesville, FL 32602; (904)372-0436

ABELL Pest Control, 246 Attwell Drive, Etobicoke, ON M9W 5B4; (416)675-6060

Accurate Metering Systems, Inc., 1651 Wilkening Court, Schaumburg, IL 60173; (708)882-0690

Alfa-Laval Agri, Inc., 11100 North Congress Avenue, Kansas City, MO 64153; (816)891-1565

AMPCO Pumps, Inc., 4000 W. Burnham St, Milwaukee, WI 53215; (414)643-1852

Anderson instrument Co., RD #1, Fultonville, NY 12072; (518)922-5315

Applied Microbiology Inc., 170 53rd Street, Brooklyn, NY 11232; (212)578-0851

APV Crepaco, 9525 W. Bryn Mawr Avenue, Rosemont, IL 60018; (708)678-4300

Babson Bros. Co., 1880 Country Farm Drive, Naperville, IL 60563; (708)369-8100

Becton Dickinson Microbiology Systems, PO Box 243, Cockeysville, MD 21030; (301)584-7188

Bentley Instruments, Inc., 327 Lake Hazeltine Drive, Chaska, MN 55318; (612)448-7600

Biolog, Inc., 3447 Investment Blvd., Suite 2, Hayward, CA 94545; (415)785-2585

bioMérleux Vitek, Inc., 595 Anglum Drive, Hazelwood, MO 63042-2395; (800)638-4835

Borden, Inc., 180 E. Broad Street, Columbus, OH 43215; (614)225-6139

Capitol Vial Corp., PO Box 446, Fultonville, NY 12072; (518)853-3377

Charm Sciences Inc., 36 Franklin Street, Malden, MA 02148; (617)322-1523

Chem-Bio Labs, 5723 W. Fullerton, Chicago, IL 60639; (813)923-8613

Cherry-Burrell Corp., 2400 6th Street, SW, Cedar Rapids, IA 52406; (319)399-3236

Custom Control Products, Inc., 1300 N. Memorial Drive, Racine, WI 53404; (414)637-9225

Dairy Quality Control Inst., 5205 Quincy Street, St. Paul, MN 55112-1400; (612)785-0484

Dairymen, Inc., 10140 Linn Station Road, Louisville, KY 40223; (502)426-6455

Darigoid, Inc., 635 Elliott Avenue, W., Seattle, WA 98119; (206)284-6771

Dean Foods, 1126 Kilburn Avenue, Rockford, IL 61101; (815)962-0647

Decagon Devices, PO Box 835, Pullman, WA 99163; (509)332-2756

Difco Laboratories, PO Box 331058, Detroit, MI 48232; (313)462-8478

Diversey Corp., 12025 Tech Center Drive, Livonia, MI 48150-2122; (313)458-5000

Eastern Crown, inc., PO Box 216, Vernon, NY 13476; (315)829-3505

F&H Food Equipment Co., PO Box 398595, Springfield, MO 65808; (417)881-6114

FRM Chem, Inc., PO Box 207, Washington, MO 63090; (314)583-4360

Alex C. Fergusson, Inc., Spring Mill Drive, Frazer, PA 19355; (215)647-3300

Foss Food Technology Corporation, 10355 W. 70th Street, Eden Prairie, MN 55344; (612)941-8870

H.B. Fuller Co., 3900 Jackson Street, NE, Minneapolis, MN 55421; (612)781-8071

Gardex Chemicals, Ltd, 246 Attwell Drive, Etobicoke, ON M9W 5B4; (416)675-6727

GENE-TRAK Systems, 31 New York Avenue, Framingham, MA 01701; (508)872-3113

General Mills Restaurants, Inc., P. O. Box 593330, Orlando, FL 32859; (407)850-5330

Gist-brocades Food Ingredients, Inc., 2200 Renaissance Boulevard, King of Prussia, PA 19406; (800)662-4478

IBA Inc., 27 Providence Road, Millbury, MA 01527; (508)865-6911

Hess & Clark, Inc./KenAg, 7th & Orange Street, Ashland, OH 44805; (800)338-7953

IDEXX Laboratorles, inc., One Idexx Drive, Westbrook, ME 04092; (207)856-0474

International Dairy Foods Association, 888 16th Street, NW, Washington, DC 20006; (202)296-4250

Klenzade Division, Ecolab Inc., Ecolab Center North, St. Paul, MN 55102; (612)293-2233

Land O'Lakes Inc., PO Box 116, Minneapolis, MN 55440-0116; (612)481-2870

Maryland & Virginia Milk Prod. Assn., Inc., 1985 Isaac Newton Square, Reston, VA 22090; (703)742-6800

Meritech, Inc., 8250 S. Akron Street, Englewood, CO 80112; (303)790-4670

Metz Sales, Inc., 522 W. First Street, Williamsburg, PA 16693; (814)832-2907

Mid America Dairymen, Inc., 3253 E. Chestnut Expressway, Springfield, MO 65802-2584; (417)865-7100

Minnesota Valley Testing Laboratories, PO Box 249, New Ulm, MN 56073-0249; (507)354-8317

Nasco International, 901 Janesville Avenue, Fort Atkinson, WI 53538; (414)563-2446 National Mastitis Council, 1840 Wilson Boulevard, Suite 400, Arlington, VA 22201; (703)243-8268

Nelson-Jameson, Inc., 2400 E. Fifth Street, PO Box 647, Marshfield, WI 54449-0647; (715)387-1151

NESTLE USA, Inc., 800 N. Brand Blvd., Glendale, CA 91203; (818)549-6159

Northland Food Lab., 2415 Western Avenue, PO Box 160, Manitowoc, WI 54221-0160; (414)682-7998

Norton Company Transflow Tubing, PO Box 3660, Akron, OH 44309-3660; (216)798-9240

Organon Teknika, 100 Akzo Avenue, Durham, NC 27704; (919)620-2000

Pail Ultrafine Corp., 2200 Northern Boulevard, East Hills, NY 11548; (516)484-5400

Penn State Creamery, 12 Borland Laboratory, University Creamery, University Park, PA 16802; (814)865-7535

Rio Linda Chemical Co., inc., 410 N. 10th Street, Sacramento, CA 95814; (916)443-4939

Ross Laboratories, 625 Cleveland Avenue, Columbus, OH 43216; (614)227-3333

Seiberling Associates, Inc., 11415 Main Street, Roscoe, IL 61073; (815)623-7311

Silliker Laboratories Group, Inc., 900 Maple Drive, Homewood, IL 60430; (708)957-7878

SmithKline Beecham Animal Health, 812. Springdale Drive, Exton, PA 19341; (800)877-6250, ext. 3756

Sparta Brush Co. Inc., PO Box 317, Sparta, WI 54656; (608)269-2151

Tekmar Co., PO Box 371856, Cincinnati, OH 45222-1856; (513)761-0633

3M/Medicai-Surgical Div., 3M Center, St. Paul, MN 55144-1000; (612)736-9593

Unipath Co., Oxoid Div., P.O. Box 691, Ogdensburg, NY 13669; (800)567-8378

Viatran Corporation, 300 Industrial Drive, Grand Island, NY 14072; (716)773-1700

VICAM, 313 Pleasant Street, Watertown, MA 02172; (617)926-7045

Walker Stainless Equipment Co., 618 State Street, New Lisbon, WI 53950; (608)562-3151

West Agro Inc., 11100 N. Congress Avenue, Kansas City, MO 64153; (816)891-1558

World Dryer Corp., 5700 McDermott Dr., Berkeley, iL 60163; (708)449-6950

Mike Yurosek & Son, Inc., 6900 Mountain View Road, Lamont, CA 93241; (805)845-3764

Vol. 13

No. 12

DECEMBER 1993

Dairy, Food and Environmental Sanitation CONTENTS

Articles:

Foodborne Illness (Part 2): Salmonellosis	
Recovery of Short Chain-Length Fatty Acids from Milk by Several Methods	
The Use of Conductivity for Controlling Cleaning Solution Strength710 Gerald Harsma	lı L
Biological Effects of 137C Uptake in Carp (Cyprinus carpio, L.) and Eel (Anguilla anguilla, L.): A Comparative Study	
News714 Dairy Leaders Develop Plan for Farm Financing Demonstration; West Agro Acquires Chemland *** and much more***	E 3
Federal Register716	
Updates717	C
Food and Environmental	4
Hazards to Health718	L
HAZCON-Based Total	L

Association News:

Sustaining Members	698
From the President	702
On My Mind	
Affiliate News	
Affiliate Officers	
New IAMFES Members	730

ndustry	Products	
---------	----------	--

Dairy, Food and Environmental Sanitation Index for Vol. 13

Author	
Subject	
Advertis	ing734

Business Exchange736 "Classifieds"

3-A Sanitary Standards

Number 63-00	
Number 59-00	751

Coming	Events		758
--------	---------------	--	-----

Advertising	Index	758
-------------	-------	-----

AMFES Booklet Form759

AMFES Membership Application760

ABOUT THE COVER ... Photo courtesy of Silliker Laborator i, chemistry supervisor at Silliker's IL facility, checks the Vitamin D content in a milk sample using the HPL

> The publishers do not warrant, either expr icles or descriptions herein nor do they so warrant any views descriptions.

Dairy, Food and Environmental Sanita-ISSN-1043-3546) is published monthly beginning with the January number by the International Association of Milk, Food and Environmental Saniterians, Inc. executive offices at 200W Mefe Hey Centre, 6200 Aurora Avenue, Des Moines, IA 50322-2838 USA. Each volume comprises 12 numbers. Printed by Heuss Printing, Inc. 911 N. Second Street, Ames, IA 50010 USA. Second Class Postege paid et Des Moines, IA 50318 and edditional entry offices.

Postmaster: Send address changes to Delry, Food and Environmental Sanita-tion, 200W Merle Hey Centre, 6200 Aurora Avenue, Des Moines, IA 50322-2838 USA. Manuscripts: Correspondence regarding manuscripts. Contespondence regarding manuscripts and other reading materials should be addressed to Margeret Merble, 200W Merle Hay Centre, 6200 Aurora Ave., Des Moines, IA 50322, 515-276-3344. "Instructions to Contributors" can be ob-

Interfuctions to controlutors can be ob-tained from the editor. Orders for Reprints: All orders should be senito DAIRY, FOOD AND ENVIRONMEN-TAL SANITATION, IAMPES, Inc., 200W Merle Hay Centre, 6200 Aurora Ave., Des

Moines, IA 50322, Note: Single copies of Moines, IA 50322. Note: Single copies of reprints are not available from this address; eddress reprint requests to principal euthor. Business Matters: Correspondence re-garding business matters should be ed-dressed to Steven K. Helstead, IAMFES, 200W Meris Hay Centre, 5200 Aurore Ave. Des Moines IA 50322.

Quality Management......720

Les momes lA 50522. Subscription Retes: \$100.00 per year. Single copies \$10.00 eech. No cancella-tions accepted. U.S. FUNDS ONLY. ining

Sustaining Membership: A sustaining membership in IAMFES is evailable to companies at a rate of \$450 per year, which includes \$100 credit toward an ed in the "annual meeting issue" of the Journal, the July issue. For more information, contact IAMFES, 200W Merle Hay Centre, 6200 Aurora Ave., Des Moines, IA 50322, 515-276-3344. Membership Dues: Membership in the

Association is available to individuals only. Direct dues are \$50 per year and include e subscription to Dairy, Food and Environ-mental Sanitation. Direct dues and the Journal of Food Protection are \$80.00. Affiliats and International Membership include both journale for \$80, plus effiliats dues, Student membership is \$25.00 per

yeer, with verification of student status, and includes Dairy. Food and Environmental

Inclues Dairy, Food and Environmental Sanitation or Journal of Pood Protection. No cancellations accepted. Claims: Notice of failure to receive copies must be reported within 30 days domestic, 90 days foreign. All correspondence re-garding changes of address and dues must be sent to IAMFES, Inc. 200W Methe Hay Centre, 6200 Aurora Ave., Des Moines, IA 50322, 515-276-3344. Postage: Canada and foreign add \$15 PER journal subscrption. U.S. FUNDS ONLY-ON U.S. BANK. Single copies add \$7.00.

\$7.00.

IAMFES EXECUTIVE BOARD

President, Herold Bengsch, Springfield/ Greene Co. Health Dept., 921 W. Turner, Greene Co. Health Dept., 921 W. Turner, Springfield, Mo 65803, 417-864-1657. President-Elect, C. Dee Clingman, Gen-eral Mills Rustaurants, 5313 Foxshire Court, Orlando, FL. 23619; (407)860-5330. Vice-President, F. Ann Draughon, Univer-sity of Tennesse, PO Box 1071, Knoxville, TN 37901-1071, 615-974-7147. e. cretary, Michael H. Brodsky, Ontario Min-

istry of Heelth, PO Box 9000, Terminal A, to, Ontario, Canada M5W 1R5; 416-235-5717 Past President, Michael P. Doyle, Dept. of Food Science, GA Exper. Station, Univer-sity of Georgie, Gnffin, GA 30223; 404-228-7284 Affiliate Council Chairperson, Charles Price, US FDA, 508 S. Brawster Avenue,

Lombard, IL. 60148; 312-353-9407 Executive Mgr., Steven K. Helstead, CAE, 200W Merle Hay Centre, 6200 Aurora Ave., Des Moines, IA 50322, 515-276-3344. EDITORS

STEVEN K. HALSTEAD, Managing Editor, 200W Merie Hay Centre, 6200 Aurora Ave., Des Moines, IA 50322, 515-278-3344. MARGARET THORNTON MARBLE, Asso-ciate Editor, 200W Merle Hay Centre, 6200 Aurora Ave., Des Moines, IA 50322, 515-276-3344.

EDITORIAL BOARD

K. ANDERSON ...

H.V. ATHERTON ...

.... Chicago, IL ... St. Paul, MN W.W. COLEMAN O.D. COOK Rockville, MD N. COX . .. Athens, GA F. FELDSTEIN Laurel, MD R. FUOUA Mt Juliet TN GILMORE Rockville, MD P. HARTMAN Ames, IA C HINZ ... Le Roy, WI D. JOLLEY .. Bradenton, FL W. LAGRANGE Ames, IA J. LITTLEFIELD Austin, TX P. MARTIN Warrenville, IL J. MIRANDA Cerritos CA D. NEWSLOW Plymouth, FL D. PEPER Sigux City, IA M. PULLEN .. White Bear Lake, MN Reston, VA J. REEDER . R. SANDERS P.C. VASAVADA

S. BARNARD University Park, PA

. Springfield, MO Corvallis, OR

... Davis, CA

Sioux City, IA

.... Bella Vista, AR

H. BENGSH

J. BRUHN

W. CLARK ...

J. BURKETT

E.O. WRIGHT ...

F. BODYFELT

...... Burlington, VT DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993 699

. Ames, IA

ries Group, Inc., Homewood, IL. Zubair Kirmar C method.
essly or by implication, the factual accuracy of the ar or opinions offered by the authors of said articles and

Piease circle No. 134 on your Reader Service Card

Protect Against

Food-Borne

Illnesses

Temperature is

critical to food safety and quality inspections-rely on Atkins

Thermometers and Recorders! Ideal

accuracy digital thermometers have

Recorder Thermometer with Probe

1-800-284-2842 ext. 404

Thermometer Manufacturing

Gainesville, FL USA • (904) 378-5555

FAX to (904) 335-6736 • Dept. 404

24 Hour Auto-Faxed Information

Call 1-800-888-1335, key in Info Pak #404,

for wet processing environments,

they are O-ring sealed against

moisture. These rugged, high

several probe designs available.

Atkins 330 Series with Probe

Priced from \$115

Priced from \$325




information will be immediately faxed to you.



GARDEX CHEMICALS LTD

Please circle No. 122 on your Reader Service Card

quantitative results in



300-item catalog

No Prior

Enrichment Needed

Know your product is Listeria-free the day after you make it. Be confident that your production environment is clean with Listertest from VICAM – the only test which gives you accurate, confirmed quantitative results within 24 hours.

Listertest eliminates enrichment which is not only time consuming, but can produce false negatives if the Listeria are killed by harsh selective agents. And, Listertest won't produce false positives either – eliminating the need and cost of confirmation. In our test, *live* Listeria are bound to antibodies on microscopic magnetic beads. These beads

are then isolated from the rest of the food / environmental sample, and *live* Listeria are confirmed immunologically and biochemically. All in 24 hours.

Best of all, because the test is simple, it can be run in house. No other Listeria test is this fast, simple, sensitive, or competitively priced.

So, for more information, **give us a quick toll-free call at 800-338-4381** (in Massachusetts, call 617-926-7045) and we'll respond even faster than our test.



Please circle No. 199 on your Reader Service Card

Thoughts From the President . . .



By Harold Bengsch IAMFES President

Strategic Planning Moves Forward

The IAMFES Strategic Planning Session in August of 1993 set four priority objectives for the organization and identified a number of strategies for achieving each of these objectives. It was not possible, because of time constraints, to write action plans during that session, so action planning was assigned to four subcommittees. After further discussion it was decided that this process could be made more effective by an action planning session involving a consultant and staff. Consequently on October 19, 1993 an action planning session was held at the IAMFES offices. At its November 8 and 9 meeting, your executive board approved and implemented the next phase of the long-range plan.

This month's column is an attempt to provide you with a consolidated overview of the action planning now assigned to four subcommittees.

OBJECTIVE "A" A Major Effort to Expand the Membership

Strategy A1: Expand the focus beyond the current affiliate organizations to identify other potential member pools.

Project A1a: Identify publications and other sources of names who are likely to have members and/or subscribers to whom IAMFES membership may be attractive.

Project A1b: Identify groups with similar interests who exist outside the US whose members may benefit from IAMFES membership.

Project A1c: Develop recruiting materials and a full recruitment program to attract targeted individuals. **Project A1d:** Improve the current membership retention program.

Strategy A2: Shift responsibility for developing the membership program from the membership committee to staff.

Project A2a: Redefine the role and charge of the membership committee as an information and resource provider and a group to guide volunteer execution of the program developed under Strategy A1.

Project A2b: Design the membership recruitment program jobs so that they are in small, doable pieces and develop training so that volunteers are able to do effective recruiting.

Project A2c: Develop a program for ongoing evaluation of the membership recruitment and retention activities.

Strategy A3: Develop an effective membership database.

Project A3a: Redesign the membership renewal form so it shows current information for database.

Project A3b: Include the form developed under A3a in the new member data package.

Project A3c: Include a postage-paid self-addressed card in annual directory.

Project A3d: With database in place quantify retention and nonrenewable rates and patterns.

OBJECTIVE "B" A Major Education Program Development Effort

Strategy B1: Develop a speaker's bureau/panel of experts which can deliver education through the affiliate organizations. Project B1a: Collect information from all affiliate organizations regarding their speakers and programs.

Project B1b: Create a master list of subject matter, speakers, and programs which can be sent on request.

Project B1c: Promote the availability of the speaker's bureau.

Project B1d: Track the usage of the speaker's bureau panel of experts for year-end evaluation.

Project B1e: Identify areas where the officers of the organizations have expertise and can serve as spokesman to the press.

Strategy B2: Utilize the PDG groups as developers of new programs.

Project B2a: Write a charge for all PDG groups.

Project B2b: Each PDG group to suggest specific programs to the program development committee.

Project B2c: The PAC is to perform a marketing evaluation for each proposed program.

Project B2d: The PAC recommends program content to the board for action and inclusion in the program.

Strategy B3: Develop a process whereby IAMFES creates white papers on issues of significance in food safety and sanitation each year.

Project B3a: Appoint a "White Paper Development Group" with specific charges.

Strategy B4: Develop a system in the office to track all requests for information/program assistance/white papers/and other kinds of requests.

Project B4a: An informational log will be developed to include subject material of request and disposition.Project B4b: Identify officers as policy spokespeople for the association to whom information requests can be referred.Project B4c: Identify and approve a list of speakers which the office can recommend when requests are received.

OBJECTIVE "C"

A Major Review of our Current Product and Service Offerings Leading to a Product Enhancement Program

Strategy C1: Write a journal editorial policy.

Project C1a: Staff editor and volunteer editor to write guidelines which now exist informally on editorial policy. **Project C1b:** Review editorial policy and approve/revise as necessary.

Strategy C2: Base future education program development on formal research to define program content. See Strategy B2.
Project C2a: Develop a request for a proposal for a research organization to perform regular research for education program content.

Project C2b: Actually perform the research as outlined in the strategic plan.

Project C2c: Use research to guide program development.

Strategy C3: Develop marketing plans for major projects and service areas.

Project C3a: Write formal marketing plans in the area of membership development, educational programs, and publications.

OBJECTIVE "D"

Develop a Formal and More Sophisticated Financial Plan

Strategy D1: Include investment policy, review of dues policy, identification of reserve target, and policy regarding all revenue and expense streams to the association.

Project D1a: Write a preliminary plan documenting all assumptions for review by the board.

Project D1b: Allocate resources according to the financial plan and require performance from all aspects of the organization in accordance with the plan.

Well, there you have it. Ambitious? Yes! Impossible? No! This is indeed a major undertaking but nevertheless a project necessary for the IAMFES to be the Food Protection and Environmental Sanitation leader for the rest of this decade and as we move into the 20th Century. Until next month . . . Happy Holidays.

On My Mind . . .



By Steven K. Halstead, CAE IAMFES Executive Manager

... is 1993

Unforgettable hardly does justice to 1993. As Charles Dickens said: "It was the best of times. It was the worst of times." When 1993 was good, it was very good. When it was bad, it was horrible. I would like to review some of the events of 1993--the good and the bad.

1993 was the year in which we saw great gains in our understanding of who we are as an association and role we are to fill in the world. We saw this in our volunteer leadership and the commitment and dedication that they brought to the association. We saw it in the growth of activities undertaken by our Committees, Professional Development Groups and Task Forces. We saw it in the progress made by the Strategic Long Range Planning Task Force as they began mapping our future. We saw it in improvements in our journals both in the quantity and the quality of the information they contained. We saw it in the growth of the membership's demands and expectations from the association.

1993 was the year in which IAMFES took a giant step forward in recognizing that we had outgrown our need for a "bookkeeper" and now needed a Financial Manager if we were to be able to meet our financial information needs. David Tharp's knowledge and expertise have already benefitted us greatly and will continue to allow us to improve our management of the association's finances in ways that would have never been possible with a bookkeeper. It is exciting to be pushed by the visions of what IAMFES can become.

1993 was the year in which we put together the annual meeting while enduring the ravishes of The Flood of the Millennia. Doing that took a toll that I am not sure I fully

understood even yet. At the time, it seemed like that the strain was all physical. It was not until I became chocked with emotion as I tried to deliver my report at the Business Meeting, that I began to realize the magnitude of the emotional stress we had been under. As I stood at the podium, I suddenly felt as if a tremendous burden had been lifted from me and I was quite frankly not prepared to handle it. The bright side of that disaster was that we saw a great team effort by a staff that put their comforts and needs secondary to their desire to run a great meeting for you.

1993 was the year in which I saw the best Annual Meeting that I have been involved with in my years of association management. I am still just overwhelmed when I read through the abstracts of the papers presented. Words cannot express the quality of that program. And the ILSI sponsored symposia were the icing on the cake. They pushed a great program way over into the superb program category. But in addition to the program, the social events were outstanding in every way; the hotel was outstanding and our hosts, the Georgia affiliate, was outstanding in every way.

The dark side of this was a dramatic increase in the number of complaints we received from members who were unable to attend all the sessions they wanted to because they could not be in two places at the same time. Never before have we been able to run four concurrent sessions. When you do that, it is natural to find conflicting programming. But then, that is a problem I can live with.

Yes, 1993 was unforgettable. And I just realized that it is impossible to do it justice with one page of words. To paraphrase Shakespeare "The old year is dead—long live the new one!"



High quality microscopes for every budget.

- Upright
- Inverted
- Stereo

You can afford the best.

(800) 233-2343

Vew. First in its price class with ICS optics. AXIOLAB®

Rou

tine Microscope

Modular design for

Staging system for specimen orientation

Brighter, simpler

Condenser system

Il range 4x-100x

cost? Less, much less /ou'd think for Zeiss y & performance.

Affiliation			
Street			
City	State	Zip	
Phone (
Plan to buy:	□ Next 6 mos. □ 6-12 mos.		Need der
Carl Zaice Inc		F	

d

Carl Zeiss, Inc.	Microscope Division One Zeiss Drive Thornwood, New York 10594 800-233-2343 e Fax 914-681-7446
------------------	--

IAMFES Members **INVITE A COLLEAGUE**

Name

Dept

TO JOIN THE ASSOCIATION

You, as a member of IAMFES, can contribute to the success of the Association and the professional advancement of your colleagues by inviting them to become a part of IAMFES. On your behalf, we would be happy to send a colleague a membership kit, including complimentary copies of Dairy, Food and Environmental Sanitation and the Journal of Food Protection and an invitation to join IAMFES. It's easy, just fill in the following information and return this card to IAMFES. (Please Print)

Name:		Company:	
Address:		City:	
State/Prov.:	Zip:	Phone:	
Your Name:		Your Phone:	



ZEISS INQUIRY SERVICE C/O BMS **325 N MACQUESTEN PKWY MOUNT VERNON NY 10550-9931**

-

DFES

12/93

.

hallbaddabbladdabbaddaalbadbaalbad



Place Stamp Here



High quality microscopes for every budget.

- Upright
- Inverted
- Stereo

You can afford the best.

(800) 233-2343

IAMFES

200W Merle Hay Centre 6200 Aurora Ave. Des Moines, Iowa 50322

DFES 12/93

Please circle No. 232 on your Reader Service Card



Please circle No. 225 your Reader Service Card

"DRY" STEAM FOR CLEANING


- · Clean Meat Processing, Packing and Packaging Equipment
- · Kills Bacteria On Contact-Without Chemicals.
- Cuts Grease & Grime Clean & Sanitize Hoods, Filters, Kitchen Equipment and Dock Area.
- No Flooding, Flame or Fumes
- · 98% Efficiency Use Gallons Per Hour Not GPM

STEAM FOR FOOD PROCESSING

- 100% Culinary Steam No Boiler Chemicals
- Can Operate Sterilizers/Retorts/Cook Chill Systems
- Multiple Kettles Singly Or Together
- Continuous Steam For Steam Tables
- Use For Defrosting Foods & Sauces
- Sizes From 1/2 To 54 B.H.P.



Please circle No. 213 on your Reader Service Card



DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993 705

Foodborne Illness (Part 2)

Salmonellosis

George H. Reed, Services Manager, University of Massachusetts/Amherst, Environmental Health & Safety (EH&S), Environmental Health Services, N 414 Morrill Science, Amherst, MA 01003

Salmonellosis is fairly common. Many species and types (called serotypes) of salmonellae are known, over 2300, with all considered pathogenic for humans; some strains are more virulent than others. These bacteria are gram-negative, non-spore forming rods and can grow facultatively, meaning with or without oxygen. They can grow between 41 F (5 C) and 114 F (45.6 C), with the organism being able to double its growth every 25 minutes at about human body temperature, 95 F (35 C) - 98.6 F (37 C). They grow at a water activity range of 0.945 - 0.999; they will generally die off at a pH below 4. The organism can survive freezing.

Salmonella are found in the intestinal tract of animals and humans, with cycles of infection between animals, humans and the environment. Animal food products - meats, poultry, eggs and items made with them - may contain the bacteria; any contaminated foods rich in protein and carbohydrates are particular vulnerable. Sometimes humans (especially as carriers) can be directly or indirectly a source of contamination, with poor handwashing (personal hygiene) playing a vital role in transmission from a human.

Foods that have been implicated with salmonellosis include poultry and poultry salads, meat and meat products, dairy products, egg products, and other protein foods. The prevalence of the bacteria in foods is variable. Studies have shown that about half of chicken carcasses are contaminated with salmonellae, with pig carcasses having lesser contamination, and beef and lamb carcasses having the least contamination. Vegetables, salads, and cereals can be contaminated with salmonellae but at much lower levels than meats. Most vulnerable foods are those handled extensively, left unrefrigerated for periods of time, and then lightly cooked or served without further cooking.

Persons differ in susceptibility to this illness. The incubation period ranges from 6 - 72 hours, with 12 - 36 hours being average; duration of the illness is usually 1 - 4 days. Symptoms are those of acute gastroenteritis, including abdominal pain, diarrhea, and usually nausea, vomiting, a moderate fever, and headache; recovery is usually uncomplicated, but may be more severe in the very young, the elderly, and immunocompromised persons. After an out-

break laboratory studies of any incriminated leftovers and the patient's stools should be done to try to isolate a *Salmonella* serotype.

Salmonella problems from shell eggs emerged during the 1980's. In 1990 FDA again declared shell eggs a potentially hazardous food, making them subject to time/ temperature controls. Epidemiological studies have indicated that most outbreaks that occurred in this time frame appear to be related to pooling (commingling) of eggs, temperature abuse, and incomplete cooking (egg mixture runny); FDA has issued egg handling/preparation guidelines.

Control of Salmonellosis

Control (prevention) of salmonellosis is based on four principles which can be accomplished by food service personnel:

- 1. Cooking (reheating) foods thoroughly and serving them HOT (above 140 F [60 C]) and not just WARM.
- Preventing recontamination (cross-contamination) by using sanitary practices of food protection and sanitation (cleanliness, especially of the hands and foodcontact surfaces, and proper use of equipment, utensils [are knives cleaned and sanitized between uses ?], and dishware).
- Prompt cooling (freezing) of foods after preparation (if prepared ahead) to retard multiplication of bacteria, especially by storing in shallow pans (food not over 4 inches in depth) or in small quantities or portions. Do not store foods at room temperature.
- Complete reheating (to at least 165 F [74 C]) of stored refrigerated foods in or on proper heating units, not by using warming (holding) units.

Remember, foods contaminated with salmonella bacteria do not usually appear to be "bad" (spoiled), so that changes in odor and taste are not apparent.

Salmonellae + food safety mistakes can = ILLNESS.

Part three of the Foodborne Illness Series will be published in the January, 1994 issue of Dairy, Food and Environmental Sanitation.

Recovery of Short Chain-Length Fatty Acids from Milk by Several Methods

G. L. Christen, N. Shen¹, and J. L. Maruri, Dept. of Food Science and Technology, Agricultural Experiment Station, The University of Tennessee, Knoxville, TN 37901-1071

ABSTRACT

Hydrolytic rancidity is a potential flavor problem in milk. Traditional means of measuring rancidity do not correlate well with flavor scores. The copper soap method, an extraction-titration method, and analyses by gas chromatography were compared for ability to recover butryric, caproic, caprylic, capric, and lauric acids from milk. The copper soap method did not recover the shortest chain-length fatty acids but the other two methods did. The extraction-titration procedure was used to analyze commercial milk samples. Mean free fatty acid content was 0.61 μ eq/mL (+ 0.31 μ eq/mL). Duplicate samples varied with an average of 0.06 μ eq/mL. The average coefficient of variation on the duplicates was 9.5%.

INTRODUCTION

Milk readily develops lipolyzed off-flavor; a result of enzymatic hydrolysis of fatty acids from the glycerol molecule resulting in free fatty acids (FFA), mono- and diglycerides. Even chain-length FFA of 12 carbons or less have been reported to impact specific flavor sensations variously described as like butyric acid, cowy, unclean, goaty, bitter, soapy, and rancid (1). FFA of greater than 14 carbons in length have not been reported to contribute to the flavor described as rancid or more correctly lipolyzed. Only minimal quantities of short chain-length FFA are required for detection by sensitive individuals. The enzyme, lipase, responsible for hydrolysis of FFA from milk fat is found normally in raw milk but is inactivated by adequate pasteurization. In raw milk, the milk fat is protected from attack by the enzyme by milk fat globule membrane. Improper handling of raw milk can disrupt the protective membrane allowing lipase to cause rancidity. Excessive agitation, freezing or churning, or mixing of raw and homogenized milk are common ways for rancidity to result.

Traditionally, acid degree value (ADV) has been used as a measure of hydrolytic rancidity. The most recent edition of *Standard Methods for the Examination of Dairy Products* (15) recognizes the limitations of ADV and now specifies that high ADV results are indicative of hydrolysis of milk fat rather than assurance of rancid flavor development. Research in our laboratory has shown that ADV is not a good measure of rancid flavor development since it does not detect the short chain-length FFA responsible for the flavor (10,11,12). In an International Dairy Federation monograph (2) the limitations of ADV (also known as BDI) are discussed. They suggest that the "copper soap" method described by Koops and Klomp in 1977 and modified by Shipe et al. in 1980, has advantages over ADV of rapidity and potential for automation. The monograph authors comment that it does not appear that the accuracy of the copper soap method in recovering specific short chain-length FFA has been assessed. The monograph also describes an automated method based on the method of Dole and Meinertz (9) that had previously been applied to blood plasma. The three methods described in the IDF monograph were for rapid laboratory analyses of multiple samples.

We have adapted the methods of Dole (8), Noble (16), and Dole and Meinertz (9) to a simple extraction-titration procedure (4). The objective of this research was to compare the recovery from milk of short chain-length FFA by the copper soap method, the modified extraction-titration method developed in our laboratory, and a gas chromatography method of Deeth et al. (7). Further, the results of using the extraction-titration procedure on commercial samples of milk are reported.

MATERIALS AND METHODS

Recovery of FFA from Milk

Samples were prepared by adding 0.6 g of Tween 80 to each sample bottle with or without (blank) weighed quantity of fatty acids. Fatty acids used were butyric (4:0), caproic (6:0), caprylic (8:0), capric (10:0), and lauric (12:0). All fatty acids were from Sigma (St. Louis, MO). Quantity of each fatty acid was determined to the nearest 0.0001 g and was approximately 0.5 μ eq/mL. Fatty acids and Tween 80 were transferred to a blender jar containing 500 ml of commercially-pasteurized, homogenized whole milk (the sample bottle was rinsed 5× with milk to ensure complete transfer of fatty acids) and mixed at low speed (Waring Products, New Hartford, CT) for 3 min.

To avoid contamination, all glassware were soaked in a solution of saturated alcoholic KOH; washed with detergent and rinsed several times with deionized, distilled water; rinsed with 4% acetic acid; rinsed with deionized, distilled water; and oven-dried.

Present address: Food Science and Human Nutrition Dept., Iowa State University, Ames, IA 50011.

Copper Soap Procedure

The copper soap extraction method was as described by Shipe et al. (18) except that the solvent was a 48:48:4(v/v/v) mixture of chloroform/heptane/methanol. Standard curves were prepared using palmitic acid. Recoveries were calculated as percent of quantity of fatty acid added.

Extraction - Titration Procedure

The titration method for determining the extent of lipolysis was developed by Christen and Shen (4) as a modification of the methods of Dole (8) and Noble (16). FFA were extracted using a mixture of isopropyl alcohol, hexane and 0.1Nsulfuric acid in a ratio of 40:10:1 (v/v/v). The extraction mixture (15 mL) was added to 5 mL of milk sample in a 25×150 mm culture tube, with a TeflonTM-lined screw cap. After mixing for 15 s using a Vortex mixer (American Scientific Products, McGraw Park, IL), hexane (16.5 mL) and water (6 mL) were added. All reagents were added from repeating burette dispensers fitted atop amber reagent jars. The test tubes were placed horizontally in a basket and were shaken for 15 min using a Garver shaker (Garver Mfg. Co., Union City, IN) at full speed. Tubes were placed upright and the layers allowed to separate. The upper layer was transferred into a 50 mL beaker placed on a magnetic stirrer. KOH (0.001 N in 95% ethanol) was added from a 50 mL burette to a pH endpoint of 11.30. A Ag/AgCI glass body combination electrode (Fisher Scientific, Atlanta) designed for use in nonaqueous solutions was used to monitor pH. The electrode was connected to an Orion Research Digital lonalyzer, Model 501 (Orion Research Inc., Boston, MA) with accuracy of 0.01 pH units. Lauric acid was used to standardize the KOH. One-half milliliter 0.005N lauric acid in hexane was added to 4.5 mL water and extraction was performed as for the samples. A blank consisted of 0.5 mL hexane and 4.5 mL water and was extracted as for the samples. Recoveries were calculated as percentage of quantity of fatty acid added.

Gas-Liquid Chromatographic (GLC) Method

FFA were extracted from the samples according to the procedure described by Deeth et al. (7). Modifications of the method included the conditioning of alumina at 173° C for 24 h prior to extraction. Also, pentanoic acid was used as the only internal standard and was added into the formic acid-diisopropyl ether (6%, v/v). Details of the gas chromatographic method may be found in Lee (14). Purity of the standards was determined by injecting a dilution of each standard onto the gas chromatograph column. Purity was determined by dividing the area of the standard by the total area.

Extraction-Titration Procedure on Retail Milk Samples

Forty-six samples of pasteurized-homogenized whole milk were randomly purchased from retail stores in the Knoxville, TN area. These were in paperboard or pigmented plastic containers (1 pt, 1 qt, 1/2 gal, or 1 gal). Code dates showed samples were of varying age. All samples were held at 4°C until evaluated and duplicate analyses were complete on each. Microequivalent (μ eq) of FFA per milliliter of milk was determined using equation 1.

μeq	FFA	_	A	×	B	×	10	00	Ea	1
mI.	milk	-	sa	mr	ble	siz	ze.	(mL)	Eq.	1

Where:

A = volume of KOH added for the sample minus the volume of KOH added for the blank; B = normality of KOH as determined by standard-

ization using lauric acid.

RESULTS AND DISCUSSION

Recoveries of butyric, caproic, caprylic, capric, and lauric acids from milk by each of the methods are given in Table 1. Recoveries by ADV as reported by Duncan and Christen (11) are provided for comparison. The copper soap method does not recover butyric or caproic acid. This was as expected; although previously, the lack of recovery of these fatty acids had not been verified (2). The copper soap method recovers capric and lauric acid efficiently. In contrast, the other two methods evaluated in this research did not recover capric or lauric acid very well, but did recover the shorter chain-length fatty acids. Best recovery of these shorter chain-length fatty acids was by the gas chromatographic method of Deeth et al. (18). This method, however, is tedious and does not lend itself to routine quality assurance applications. Although the extraction-titration procedure does not recover completely the short chain-length fatty acids, it does recover them partially. The standard deviations reported reflect difference between determinations an different samples of milk. Homogenization of milk may interfere with complete extraction of FFA (2). Although great care was taken to replicate exactly the procedure, it is possible that the blending process varied enough to introduce the variation reported herein.

The copper soap method is not recommended for use on homogenized milk because of lack of correlation with ADV (18). It has been postulated that this lack of correlation is due to incomplete extraction of the FFA from the fat in homogenized milk (2). Our results indicate that the copper soap method better recovers medium chain-length FFA from homogenized milk than does ADV. This may account for the

Table 1. Recovery of individual fatty acids by four different methods and purity of the standards determined by gas chromatography.

Mean Percent Recovery by Each Method (± standard deviation)						
Fatty Acid	Acid Degree Valueª (n=4)	Copper Soap Method (n=8)	Titration	Method of Deeth et al. (GC ^b) (n=2)	Purity of Standards (% by GC)	
Butyric (4:0)	9.1	0.0	50.0	99.6	96.0	
Caproic (6:0)) 7.1	±0.0 1.4	±6.6 64.1	±4.8 118.7	96.6	
Caprylic (8:0) 8.0	±14.2 53.4	±12.1 85.5	±36.1 94.4	97.1	
Capic (10:0)	30.0	±10.4 120.0	±17.4 45.8	±3.8 33.2	98.9	
Lauric (12:0)	32.3	±19.8 107.8 ±15.4	±13.2 42.6 ±23.8	±9.7 33.5 ±17.4	96.2	

^aFrom Duncan and Christen (1991) ^bgas chromatography

Please circle No. 142 on your Reader Service Card



lack of correlation between the methods, and the copper soap method may in fact be a better method for homogenized milk. Shen (17) reported that recovery by the copper soap method of fatty acids with 14, 16, and 18 carbons was similar to recovery by ADV.

Post-manufacture lipolysis by heat-resistant lipases originating from psychrotrophic bacteria is the primary risk for lipolytic off-flavors in milk and milk products currently (2). Although data is limited, bacterial lipases may preferentially release short and medium chain-length fatty acids that affect milk and milk product flavor quality (2). Research in our laboratory indicates that lipases from psychrotrophic bacteria release significantly more butyric, caproic, and caprylic than does milk lipase (Breeding, 1989). Methods which are insensitive to the short and medium chain-length FFA may not accurately predict lipolytic flavor resulting from heatresistant bacterial lipases. The extraction-titration procedure reported herein deserves further evaluation for this application. Subsequent research in our laboratory indicates that the method is better correlated with lipolytic flavor of milk than is ADV (5,14). Further, 15-min shaking can be replaced by a simple manual inversion, and the titration can be automatically completed using an auto-titrator (unpublished data).

Application of the extraction-titration procedure to 46 samples of milk obtained from retail stores and held under various conditions yielded a mean FFA content of 0.61 μ eq FFA/mL (+0.31 μ eq FFA/mL). The maximum value for these samples was 1.28 μ eq FFA/mL and the minimum was 0. Deeth and Fitz-Gerald (6) reported that normal raw milk from a healthy cow is expected to have a FFA value of 0.5 μ eq/mL while milk with 2.0 or more μ eq FFA/mL ail likely have a lipolyzed flavor. The retail samples also were analyzed by a sensory panel trained to evaluate lipolyzed flavor in milk (14). The overall mean lipolyzed flavor scores ranged from 0 to 4.74 for these samples (14). Thus, the sensory results supported the chemical evaluation.

Duplicate determinations on the same sample varied from one another by an average of 0.06 µeq FFA/mL. The average coefficient of variation for the duplicates was 9.5%.

ACKNOWLEDGMENTS

This research was supported by a grant from the National Dairy Board and by Hatch and State fund allocated to the Tennessee Agriculture Experiment Station, Project 993.

REFERENCES

- Al-Shabibi, M.M.A., E.H. Langner, J. Tobias, and S.L. Tuckey. 1964. Effect of added fatty acids on the flavor of milk. J. Dairy Sci. 47:295-296.
- Anderson, M., W. Heeschen, A. Jellema, S. Kuzdzal-Savoie, E.C. Needs, G. Suhren, and A. Van Reusel. 1991. Determination of free fatty acids in milk and milk products. International Dairy Federation Bulletin No. 265. Brussels, Belgium.
- Breeding, C.J. 1989. Comparison of free fatty acid concentrations from the action of *Pseudomonas fluorescens* and milk lipase on butteroil. M.S. Thesis, The University of Tennessee, Knoxville. 88 pp.
- Christen, G. L. and N. Shen. 1991. Comparison of methods to extract free fatty acids from milk. J. Dairy Sci. 74(Supplement 1):130.
- Christen, G. L., C. M. Lee, J. L. Maruri, and M. P. Penfield. 1992. Simple extraction-titration procedure correlates well with sensory perception of hydrolytic rancidity. J. Dairy Science 75(Supplement 1):119.
- Deeth, H.C. and C.H. Fitz-Gerald. 1983. Lipolytic enzymes and hydrolytic rancidity in milk and milk products. IN: Developments in Dairy Chemistry - 2, Lipids. P. F. Fox, ed. Applied Science Publishers, New York. 430 p.
- Deeth, H.C., C.H. Fitz-Gerald, and A.J. Snow. 1983. A gas chromatographic method for the quantitative determination of free fatty acids in milk and milk products. N. Z. J. Dairy Sci. Technol. 18:13-20.
- Dole, V.P. 1956. A relation between non-esterified fatty acids in plasma and the metabolism of glucose. J. Clin. Invest. 35:150-154.
- Dole, V.P. and H.J. Meinertz. 1960. Microdetermination of long-chain fatty acids in plasma and tissues. J. Biol. Chem. 235:2595-2599.
- Duncan, S.E., G.L. Christen, and M.P. Penfield. 1990. Acid degree value -does it really predict rancid flavor in milk? Dairy, Food and Environmental Sanitation 10:715-718.
- Duncan, S.E. and G.L. Christen. 1991. Sensory detection and recovery by acid degree value of fatty acids added to milk. J. Dairy Sci. 74:2855-2859.
- Duncan, S.E., G.L. Christen, and M.P. Penfield. 1991. Rancid flavor of milk: relationship of acid degree value, free fatty acids, and sensory perception. J. Food Sci. 56:394-397.
- Koops, J. and H. Klomp. 1977. Rapid colorimetric determination of free fatty acids (lipolysis) in milk by the copper soap method. Neth. Milk Dairy J. 31:56-74.
- Lee, C.M. 1992. Selection, training and utilization of a sensory panel for the evaluation of lipolyzed flavor in milk. M.S. Thesis, The University of Tennessee, Knoxville. 90 pp.
- Marshall, R.T., ed. 1992. Standard methods for the examination of dairy products, 16th ed. American Public Health Association, Washington, D.C. Noble, R.P. 1966. Automatic titration of plasma fatty acids by photocolorimetry. J. Lipid Res. 7:745-749.
- Shen, N. 1990. Evaluation of recovery of fatty acids in milk by copper soap method. M.S. Thesis, The University of Tennessee, Knoxville. 77 pp.
- Shipe, W.F., G.F. Senyk, and K.B. Fountain. 1980. Modified copper soap solvent extraction method for measuring free fatty acids in milk. J. Dairy Sci. 63:193-198.

DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993 709

Dairy, Food and Environmental Sanitation, Vol. 13, No. 12, Pages 710-711 (December 1993) Copyright©, IAMFES, 200W Merle Hay Centre, 6200 Aurora Ave., Des Moines, IA 50322

The Use of Conductivity for Controlling Cleaning Solution Strength

Gerald Harsma,

West Agro, Inc., 1110 North Congress Avenue, Kansas City, MO 641533

WHAT IS CONDUCTIVITY CONTROL?

For our purposes conductivity control refers to a device that measures the electrical conductivity of a chemical solution. This device will start or stop a chemical feed pump or an alarm in response to the measured conductivity value of the solution being controlled.

WHAT DOES CONDUCTIVITY MEAN?

Conductance is defined as the reciprocal of electrical resistance as measured between the probe leads when the probe is immersed in the chemical solution to be measured. Conductivity is the measured value of conductance between two opposing faces of a cube of solution one centimeter on a side. Conductivity depends only on the solution being measured. The electrical resistance value is measured in Ohm's. Since conductance is the reciprocal of resistance the word Ohm is simply reversed. The conductance measurement is named mho. One mho is equal to 1,000,000 micromho's. The metric equivalent of the mho is the Sieman. 1,000,000 micromho's are equal to 1,000 millisieman's.

WHY DO WE USE CONDUCTIVITY TO CONTROL SOLUTION STRENGTHS?

Conductivity controllers and meters can be had in a great variety of capabilities and price ranges. The very simplest devices are priced in the two to three hundred dollar range. These are the devices you will most commonly see used in our industry. The capabilities of this type of unit are very limited. They will typically have one electrical contact to control a pump and an alarm of some sort built in. They are also usually a "blind" instrument in that all that is indicated is that the reading is above and below the set point. The more complex units will have more capabilities. The complex units usually have a temperature compensating control built into them. They will also have two or more output contacts, a 4 to 20 milliamp output for both temperature and conductivity, and a digital read out. The output contacts usually have individually adjustable set points. A charging timer is also usually included in the complex units. There are also conductivity controllers available that are known as non contact devices. These do not use a probe that is directly exposed to the solution being measured. This class of conductivity controllers can be priced up to a thousand dollars or more. From this you can see that there is a device available for any type of installation required. These units are all more or less accurate controlling devices provided the selection of both the device and the sensing probe was properly carried out. The bottom line is that a conductivity control can be obtained to accurately control chemical solution strength and to provide other desired functions at a reasonable cost. The alternatives to conductivity controls are for the most part not as accurate or more expensive.

WHAT ARE THE FAULTS OF CONDUCTIVITY CONTROLLERS?

The conductivity of all chemical solutions is affected by temperature. The conductivity will increase by 1.3% to 2% per degree of temperature increase. This will vary with the chemical solution being measured. This means that if the solution is made up by a conductivity control with cold water the solution strength will be too strong at use temperature. This assumes that the conductivity control being used does not have a temperature compensation feature. If the control being used does have a temperature compensation feature it can only correctly compensate for the temperature curve of the specific chemical for which it is set. Should a second chemical with a different temperature curve be controlled by the same controller there would be an inherent error introduced into the control of the second chemical.

The probe used with any chemical must obviously be suited to the chemical, both in chemical resistance and in conductivity characteristics. Chemical resistance is not that much of a problem in the age of plastics. The conductivity characteristics, even if correct at installation, can vary by the probe becoming soiled or plated. This means that the probe must be inspected frequently and cleaned when necessary. The chemical solution should also be titrated with the correct test kit at regular intervals to assure that the controller is accurate.

Water hardness also affects conductivity control in that the hardness present in the water will impart a conductivity value to the water. If this is not taken into account when setting the controller an error is always present in the solution strength. It is advisable to make periodic checks of the water hardness present in any installation and then make any needed adjustment to the conductivity control setting. Product soil has an effect on the conductivity of a chemical solution. By way of illustrating these points the following tests were run; water used to mix solutions used in these tests were tap water with 300 ppm total hardness and distilled water.

These tests were not run under laboratory conditions and were done with a rather crude conductivity device. And yet, these tests still proved accurate, with the results being repeat-

Guess what's riding on your wood pallets?

Bacteria. Dirt. Insects. Contamination. You never know what rides into your plant on wood pallets.

But you can defend against it. Get the wood out! Use **Defendertm Sanitary Pallets** to store products and supplies in your plant.

USDA/FDA accepted polyethylene does not support bacterial growth. Solid top protects against moisture on the floor. No splinters or nails to tear bags or boxes. Cleanable. Durable. Lasts far longer than wood.

And, of course, you don't have to guess what's come along for the ride!



Nelson-Jameson, Inc. 2400 E. 5th Street, Marshfield, WI 54449 Phone (715) 387-1151, FAX (715) 387-8746

PHONE TOLL FREE 1-800-826-8302 (1-800-472-8339 in WI)

Test 1 - 1/2 oz Chlor-Mate HW in 1 gal. of distilled water.

Conductivity of water 0 mmho's	
Conductivity of distilled water and Chlor-Mate HW 3300 mmho's Conductivity of solution soiled with 1 oz/gal	
of 2% milk	
Test 2 - 1/2 oz Chlor-Mate HW in 1 gal. tap water.	
Conductivity of water	
Conductivity of tap water and Chlor-Mate HW	
of 2% milk	
Test 3 - equivalent of 1 qt acid 2000 in 100 gal. of distilled water	
Conductivity of water 0 mmho's	
Conductivity of distilled water and acid 2000	
of 2% milk	
Test 4 - equivalent of 1 qt acid 2000 in 100 gal. of tap water	
Conductivity of water	
Conductivity of tap water and acid 2000	
of 2% milk	

able. Each test was run twice with a fresh mixture of solution each time with the same results.

There is a definite link between water hardness, the soil load of the solution, and the conductivity of a chemical solution. This interrelationship can vary depending on the chemical and soils. Notice the reduction in conductivity of the acid 2000 solution when the 1 oz/gal. of 2% milk was added. This is the opposite of what was observed in the Chlor-Mate HW solutions.

PROBE SELECTION

When selecting the probe for use with a specific product it should be kept in mind that the selection must be based on the properties of the chemical and the characteristics of the conductivity device to be used. The material of the probe housing and of the sensing elements must be of a material that is compatible with the chemical properties of the product. The sensing elements must be suited to the conductivity range of both the product and the conductivity device. You must also keep in mind the expected temperature range that the probe will be required to operate in.

The manufacturer's specification charts will help you to make the proper selection. Most of the specifications are of a straight forward nature, like the section marked as cell constant. For a product with a very high conductivity value select a probe with a higher cell constant or "C". In general, a cell of 5 to 10 is normal for our business. For products having a very low conductivity value, select a probe with a lower cell constant. The probe should also be selected to provide a conductivity reading in the mid range of the conductivity device being used. This will assure more accurate results.

EXAMPLE

If a chemical solution produces a conductivity reading of 10,000 mmho's with a probe having a cell constant of 10, the same solution will produce a reading of 20,000 mmho's from a probe having a cell constant of 5.

Dairy, Food and Environmental Sanitation, Vol. 13, No. 12, Pages 712-713 (December 1993) Copyright©, IAMFES, 200W Merle Hay Centre, 6200 Aurora Ave., Des Moines, IA 50322

Biological Effects of 137C Uptake in Carp (*Cyprinus carpio, L.*) and Eel (*Anguilla anguilla, L.*): A Comparative Study

P. A. Karakoltsidis¹, F. K. Vosniakos², A. Giouvanoudi², A. Kalfa² and A. Moumtzis²

¹Food Science and Nutrition Research Center, University of Rhode Island, USA.

School of Food Technology and Nutrition, Dept. of Food Technology, Fish and Fish Product Quality Control and Technology Lab., Technological Educational Institution (TEI) of Thessaloniki, P.O. Box14541, Thessaloniki 54 101, Greece.

²Science Dept., Applied Physics Lab., Technological Educational Institution (TEI) of Thessaloniki,

P.O. Box 14541, Thessaloniki 54 101, Greece.

Abstract

Comparative studies were carried out in two cultured freshwater fish, Cyprinus carpio and *Anguilla anguilla*, to determine their tolerance in the uptake of 137Cs (3000 Bq/l). The results showed that the concentration of 137Cs in the muscular tissues was greater in the carp and lesser in the eel. The accumulation was progressive for both species and for a period of six months.

The histological studies were concentrated in muscular tissues, livers, kidneys, and gills. The symptoms observed include hyperaemia, and gradual degeneration of liver and kidney tissues. The physiology and anatomy of each species played an important role in the accumulation process of 137Cs.

Introduction

Prior to 1945 x-rays and radium, mainly used for medicinal treatment, constituted the only important radiation hazard to man. With the subsequent vastly expanded use of radioactive material, primarily for military purposes and industry, not only has the potential radiation danger increased many times but so has the danger from fallout. Oceans covering large proportions of the earth, naturally are the major recipients of man-induced stratospheric and atmospheric radio elements. It therefore, seems appropriate to survey to what degree such radioactive matter can enter the aquatic food harvests and if they influence in any detrimental way the normal productivity of the oceans (1).

Food is a major route by which environmental radiocontaminants reach man (2,15). Even with strict controls and containment, releases of radioactive fission products from nuclear plants are likely to occur (12). Animal products may become contaminated basically in two ways, directly or indirectly. Directly, through drinking water, inhalation or originating from aquatic organisms via gills and integument. Indirectly, through consuming contaminated food. Various aquatic organisms are capable of taking up radionuclides but unfortunately accumulate considerable quantities of such nuclides in their organs (13).

712 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993

Cesium-137 was selected for this study due to its abundance in fission products, its relatively long half-life as radionuclide and its facile incorporation into food, body fluids and tissues (7,14). It is regarded as the fission product with greatest potential hazard. Recently a number of accidents in nuclear stations revealed the possibility of radioactive substances accumulated in fish (3,4,11).

Cyprinus carpio and *Anguilla anguilla* were selected for this study, due to their different anatomy and physiological function. In addition carp is a bottom feeder while the eel ranges throughout the water (5).

This work is concerned, with the accumulation of 137Cs in two known species and its pathological effects, for comparative purposes. The results of this investigation can aid in finding the relative sensitivity of aquatic organisms to 137Cs and in planning emergency actions following accidental releases of nuclear fission products with subsequent contamination of marine biota (6).

Analytical methods

The determination of 137Cs was done by gammaspectroscopy system, consisting of a high purity coaxial Germanium detector p-type (CP 2100 Tennelec). The sample chamber was a cylinder 2cm in diameter and 25cm in height and was shielded by 5.0cm of lead and 0.5cm of copper. The full width at half maximum (FWHM) of the system was found to be 1.95 Kev at 1332 Kev of 60Co. The linearity of the detector was checked with a 152Eu source and a simple regression analysis gave a straight line with a correlation coefficient of 0.999. The radionuclides used were supplied by "The Nucleus", Oak Ridge, U.S.A. The experiment was conducted in fresh-water fish A. anguilla and C. carpio cultured in small water tanks, artificially contaminated with radioactive 137Cs. The fish A. anguilla, were collected from artificial ponds two days before the experiment started. The fish C. carpio were collected from a local

lake. They were kept in a 200L aquarium provided with good aeration and continuous throughflow on tap water, dechlorinated by active carbon. The fish acclimatised well to the aquarium conditions, behave normally and no diseases occurred. The dimensions of the water tanks used were 79cm in length, 35cm in width and 50cm in height.

The fish were sacrificed every one or two weeks, weighed, their length was measured and the overall condition of the fish was compared with the control. Visual observations were recorded and the radioactivity of a few organs was measured. The samples of the organs were fixed with 10 percent formaldehyde solution, embedded in paraffin wax and sections of $3-10\mu$ m thickness stained with Erlich's hematoxylin-eosin, to be examined under the microscope.

Results and Discussion

No changes visual or microscopic were noticed in the control fish. Behavioural changes were not observed. Both species kept their balance and respiration was normal. The results indicated that the amount of 137Cs was more in the muscular tissues of carp than the eel. As Table 1 shows, the accumulation for the eel was progressive for a period of two months. After that time the load of 137Cs seems to be stabilized. The slime which is destroyed in the presence of salt is removed in one percent solution of ammonia (9), it may play a protective role against the absorption of 137Cs from the skin. The secretions of mucous membranes have important protective and lubricative functions. Their active substances are glycoproteins, known as mucins, that contain numerous negatively charged oligosaccharide chains (8,10).

Eels are smooth skinned and very slimy. Most people would say that an eel has no scales, but actually many very small scales are present but they are embedded under the skin. Due to the absence of large scales, an eel can breathe through its skin as well as through the gills. The proportion of breathing carried out through the gills is about 40 percent and that through the skin is about 60 percent. This means that less water is taken up by the eel in comparison to carp (9). Higher amounts of 137Cs were found in carp and the accumulation was related to the time of exposure.

The polyelectrolytic behavior of slime, together with the rate of respiration and the different compositional characteristics of the fish organs, can explain the difference in accumulation of 137Cs in both species. The histological studies revealed that eel is more resistant to 137Cs exposure

Table 1. Uptake of 137Cs in cultured fresh-water fish: Cyprinus carpio and Anguilla anguilia.

Time of killing	C	arp	Eel
(days)	(1500 Bq/l)	(3000 Bq/l)	(3000 Bq/I)
15	980	1150	1170
30	2980	6437	1000
45	3550	8023	2500
60		10460	4000
90	4985	12141	4400
120	10850	18959	4900

than carp. The presence of 137Cs in all organs tested caused a gradual degeneration. With high doses up to 3000 Bq/l degeneration of epithelial cells and secondly fusion of lamellae final in the gills are very common. It is concluded that allergic or toxic effects of 137Cs caused liver hyperaemia, hemorrhages in musculature fibers and focal degeneration of epithelial cells of the renal tubules.

Conclusions

The presence of 137Cs causes allergic and toxic effects. The ability of both species to concentrate 137Cs to a high degree make them valuable as biological indicators of radioactivity. The present work intensifies the necessity to look after more aquatic species investigating their sensitivity to 137Cs in order to plan an emergency action, in case of a nuclear accident and subsequent release of radionuclides in the environment. More work has to be done on the uptake of 137Cs, governed chiefly by physical factors, such as pH, ion exchange, concentration differentials, etc., besides the accumulation, due to normal physiological activities in animals.

ACKNOWLEDGMENT

The authors wish to express their appreciation to Mrs. H. Diomou and Mr. D. Tzelepidis from the staff of Applied Physics Lab. and to the following students for their collaboration and assistance in conducting the research: H. Karagianis, G. Ioannidis, S. Iakovoglou, Ch. Tsileepidis, S. Theoharis and J. Ioannidis.

REFERENCES

- Borgstrom, G. and Paris, C. (1964). Radioactivity and seafood. *In*: Borgstrom G. (ed.) Fish as food. Vol. II, Nutrition, Sanitation and Utilization. Academic Press, New York.
- 2. Duffy, J.T. (1992). Farm & Food 2(2): 30-32.
- Kalfa, A., Karakoltsidis, P.A. and Vosniakos, F.K (1991). Effects of radioactivity in freshwater fish. Proceedings of First Macedonian Nutrition Conference on "Nutrition, Health and Environment", Thessaloniki, Greece, Sept. 20-22.
- Karakoltsidis, P.A., Vosniakos, F.K., Giouvanoudi, A.O., Kalfa, A., Moumtzis, A.A., Zoumakis, N.M. and Batalas, Th.-A. (1992). Fresenious Environ. Bull. 1:661-664.
- Osteberg, C., Pearcy, W.G. and Curl, H.Jr. (1964). J. Mar. Res. 22(1):2-12.
- Redman, H.C., McClellan, R.O., Jones, R.K., Boecker, B.B., Chiffelle, T.L., Pickrell, J.A. and Rypka, E.W. (1972). Radiation Res. 50:629-648.
- Rice, T.R., Baptist, J.F., Cross, F.A. and Duke, T.W. (1972). Potential hazards from radioactive pollution of the estuary. *In*: Ruivo M. (ed.) Marine pollution and sea life. Fishing News (Books) Ltd.
- Roberts, R.J. (1984). Fish pathology. A Bailliere Tindall book published by Cassell Ltd. London.
- Usum-Atsushi. (1979). Eel culture. Fishing News Books Ltd., Farnham, Surrey, England.
- Voet, D. and Voet, G.J. (1990). Biochemistry. John Wiley & Sons. New York.
- Vosniakos, F.K., Giouvanoudi, A.O., Kalfa, A., Moumtzis, A. A. and Karakoltsidis, P.A. (1991). Toxicol. and Environ. Chem. 31 -32:353-356.
- Vosniakos, F.K. and Farmakis, K.S. (1989). Toxicol. and Environ. Chem. 20-21 :65-69.
- Vosniakos, F.K., Kesidou, A.O., Kalfa, A., Moumtzis, A.A., Batalas, T.A. and Karakoltsidis, P.A. (1992). Dairy, Food and Environ. Sanit. 12(11):679-680.
- 14. Weaver, C.M. and Harris, N.D. (1979). J. Food Sci. 44:1491-1493.
- Zimmerli, B., Bosshard, E. and Zeller, W. (1992). Mitteilungen aus dem Gebiete der Lebensmitteluntersuchun~ und Hygiene 83(5):509-548.

DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993 713

News

Dairy Leaders Develop Plan for Farm Financing Demonstration

Demonstrating the financing of dairy farms that will provide a "sustainable lifestyle" for milk producers is the goal of a new plan that Minnesota dairy leaders have developed.

The plan provides for 20 demonstration farms across Minnesota to receive financing beyond normal operating limits. Backing for the extra financing would come from guarantees made by milk processors and other dairyrelated businesses.

The plan was drafted by a subcommittee of the Minnesota Dairy Leaders Roundtable, which includes some 50 top dairy leaders in the state. Dave Eckholm of Land O' Lakes and John Fetrow of the University of Minnesota's College of Veterinary Medicine were cochairs of the subcommittee. Fetrow outlined the plan at a recent Roundtable meeting.

"Over the past seven years, Minnesota has lost nearly a third of it's dairy farms, 22 percent of its cows, and has fallen from fourth to fifth place as a major dairy state," said Fetrow. "Despite these drops, dairying accounts for 20 percent of all farm income in the state."

"If there are no farms, there are no cows and no milk," Fetrow continued. "If there is no milk, the are no feed sales, no manufacturing jobs, no local employment, and no service (over) industries to support the remaining dairy farms."

Fetrow said Minnesota has the advantages of lowcost feed, plentiful water and smart farmers. "But," he added, "for many farmers, there is lack of a sustainable lifestyle. Many lack the opportunity to live on a farm in a way that they want to continue there. Young people say 'I have other options in my life I would rather pursue.' It relates to income, working hours, working conditions, the amount of time off. They don't live in a vacuum; they see how other people live."

Fetrow said new farmers and those making gradual changes can usually find sources of financing. It is those who want to make a "major leap forward" who most often have trouble finding financing, he added.

"Typically, they want to combine more than one family together in an operation, so a son can join a father," he said. "They need to expand to an economically efficient scale. They also want to preserve a decent income and sustainable lifestyle for each family.

"These operations may have an excellent background of productive farming, stable finances, and responsible farm business management. However, they may not have enough equity to obtain conventional financing for such an expansion."

The plan Fetrow outlined and the Roundtable endorsed would provide loans beyond normal operating limits for about 20 such farms over the next two years. The Farm Credit System has agreed to be the source of the loans. Borrowers would pay an interest (more) premium on the extra money, and this premium would go into a pool of funds to back the loans. An additional level of backing would come from the guarantees made by the processors and other agri-businesses.

"By making these guarantees, these businesses provide a demonstration and a major stimulus to the state's dairy industry," said Fetrow. "They also support a project that can be replicated by others across the entire state in the future."

For more information contact John Fetrow at (612)625-7791.

Bruce Smith New Sales Manager at Fristam

Fristam Pumps announces that Bruce Smith has joined the company as the Northeast Territory Sales Manager. Bruce will have responsibility for all distributor and OEM sales in northeastern United States and eastern Canada.

Bruce previously worked for Oliver M. Dean, a distributor of process equipment, and held several sales and marketing positions with Anderson Instrument Company. Along with his 15 years of experience in the sanitary process industry, Bruce brings to Fristam a BA degree from Hope College and a Master's degree from Florida State University.

Bruce will be managing the northeast region from his home office in Fultonville, New York, where he lives with his wife and three children.

Fristam Pumps, Middleton, WI, manufactures sanitary centrifugal and positive displacement pumps for the food, dairy, beverage, pharmaceutical, and biotechnology industries.

For more information contact Connie Fricke, Marketing Coordinator at (608)831-5001.

West Agro Acquires Chemland

West Agro, Inc., announced it has acquired most of the assets of Chemland, Inc., including its plant in Turlock, California. Chemland manufactures dairy farm and food processing facility cleaners and sanitizers, as well as udder health products.

West Agro is a member of the worldwide Tetra Laval Group, based in Sweden, which manufactures and distributes equipment and supplies for the dairy, food processing and dairy farm industries. In addition to its manufacturing facility and headquarter operations in Kansas City, Missouri, West Agro operates manufacturing plants in Des Plaines, Illinois; Orrville, Ohio; and Hamilton, New York. West Agro intends to operate Chemland as a separate entity with its own distinct line of products, services and distribution.

For more information, please call West Agro, Inc., 11100 North Congress Avenue, Kansas City, MO 64153, (816)891-1600.

Retirement

Lloyd A. Doane, 66, of 200 Jordan Drive in West Des Moines retired July 30 as a milk rating officer for the Iowa Department of Public Health. He had been with the department for 19 years. Doane and his wife Sandra, have a son, Brent, of Topeka, KS. He plans to spend time traveling and managing a family farm in Kansas.

In Memory of . . .

Walter F. Laun, Jr.

The Food and Dairy Industry suffered a great loss on Sunday, July 11, 1993. Walter F. Laun, Jr., a 40year employee of Cherry-Burrell Corp., died at the Mercy Medical Center in Cedar Rapids, Iowa, at the age of 69.

Walt Laun was born on February 11, 1924, in Utica, NY, and obtained a BME from Cornell University, Ithaca, NY. He married Helen Mackay Laun on July 26, 1952, and together they have one daughter, Deborah Mackay Grantham.

Although active with the 3-A Sanitary Standards Symbol Council for many years, Walt became the 3-A Symbol Administrative Officer after his 1989 retirement from Cherry-Burrell. Walt had devoted most of his life to the betterment of the Food and Dairy Industry. In 1992, he received the DFISA Distinguished Service Award, in response to his service and dedication to the industry.

Survivors include his wife, Helen Mackay Laun, his daughter, Deborah Mackay Grantham and her husband, Thomas E. Grantham of Cedar Rapids. A memorial fund has been established.

Vernal S. Packard, Jr.

Vernal S. Packard, Jr., Professor Emeritus and Extension Specialist in Dairy Technology, died of cancer on September 28, 1993. He had been on the faculty of the University of Minnesota for 36 years, retiring from the Department of Food Science and Nutrition on June 30, 1992.

Dr. Packard earned a Ph.D.in Dairy Technology from the University of Minnesota in 1960. As a faculty member, he conducted continuing education programs for dairy and food plant management, production and field personnel, dairy farmers, and the general public. His specialty was milk analysis and quality evaluation: his programs emphasized new and emerging production and processing technologies; analytical and quality control procedures; product composition, wholesomeness, nutrition, and safety; and regulations, standards, and labeling. He wrote two books and numerous research papers and Extension bulletins. He was a member of the International Association of Milk, Food, and Environmental Sanitarians, American Dairy Science Association (member of the editorial board, Journal of Dairy Science), Institute of Food Technologists, Association of Official Analytical Chemists, Minnesota Sanitarians Association, Minnesota Dairy Science and Technology Association, Sigma Xi, and Gamma Sigma Delta.

Dr. Packard is survived by his wife, Kathryn; two sons—William (and his wife, Patricia) and Stephen; three daughters—Mary (and her husband, Wyman Collier), Susan, and Amy; one grandchild, his mother, and a sister.

Please circle No. 139 on your Reader Service Card

BENTLEY INSTRUMENTS, INC. * Milk Testing Instruments ** Somacount 300 A somatic cell counter controlled by a personal computer. State of the art technology. **Bentley 2000** Infrared milk analyzer for fat, protein, lactose, and solids in milk and milk products. Bentley Instruments Inc. is an American manufacturer of quality instruments for the dairy industry. Call for more information Bentley Instruments, Inc. P.O. Box 150 Tel. (612) 448-7600 Chaska, MN 55318 Fax. (612) 368-3355

Please circle No. 208 on your Reader Service Card

(check all that apply:)

Microbial Identification & Analysis:

- G⁺/G⁻ aerobes, anaerobes, yeasts, molds
- comparative analysis/tracking organisms
- state-of-the-art fatty acid analysis

Professional Service & Staff:

- specializing in microbial ID since 1988
- personal, confidential attention
- d customer satisfaction

Reliable Test Results:

- accurate, precise & rapid
- 48 hour turnaround
- d clearly documented



Federal Register

Department of Health and Human Services

Food and Drug Administration

Quality Standards for Foods With No Identity Standards; Bottled Water

Agency: Food and Drug Administration, HHS.

Action: Proposed rule.

Summary: The Food and Drug Administration (FDA) is proposing to amend the quality standard for bottled water to require that bottled water be free of coliform bacteria. This action is in response to a rulemaking by the Environmental Protection Agency (EPA) amending the National Primary Drinking Water Regulation (NPDWR) for coliform bacteria in public drinking water. FDA is also addressing other matters concerning the microbiological quality of bottled water and is requesting comments on whether the agency should establish quality standard regulations for other microorganisms that may be present in bottled water and may pose a health risk.

Background

EPA promulgates NPDWR's to protect the public from the adverse health effects of contaminants in public drinking water. In addition, at the time that it promulgates NPDWR's, EPA promulgates maximum contaminant level goals (MCGL's), which are health goals that are based solely on considerations of protecting the public from the adverse health effects of drinking water contamination.

NPDWR's, which are enforceable standards, consist of either a maximum contaminant level (MCL) or a treatment technique regulation for each contaminant. EPA sets MCL's for contaminants as close as feasible (with the use of the best technology or other means available, taking cost into consideration) to the MCLG, the level at which no known or anticipated adverse health effects occur and that provides an adequate margin of safety. When it is not feasible to establish an MCL for a specific contaminant, EPA can establish a treatment technique requirement for removal or reduction of that contaminant from drinking water to protect the public health from the adverse health effects of that contaminant.

In the **Federal Register** of June 29, 1989 (54 FR 27544), EPA published a final rule amending its NPDWR for coliform bacteria. EPA revised the MCL for total coliform bacteria (total coliforms), including *Escherichia coli* (*E. coli*) and other fecal coliforms, in public drinking water. In addition, it established an MCLG of zero for total coliforms, including *E. coli* and other fecal coliforms. This rulemaking was based upon a proposal that EPA had published in the **Federal Register** of November 3, 1987 (52 FR 42224).

A. MCLG for Total Coliforms

In its November 3, 1987, proposal (52 FR 42224 at 42226) to amend the NPDWR for coliform bacteria in drinking water, EPA stated that public health officials and professionals have used total coliforms for decades as the major criterion to assess the microbiological quality of drinking water. Coliform bacteria are usually present in water contaminated with human or animal feces and are often associated with outbreaks of diseases (Refs. 1 and 2). Moreover, according to EPA, although the presence of coliform bacteria in drinking water indicates that fecal pathogens may also be present, the detection of fecal coliform organisms, in particular *E. coli*, provides more definitive evidence of fecal pollution than the detection of total coliforms.

EPA noted in its November 3, 1987 proposal (54 FR 42224 at 42227) that the data in the available literature do not support a quantitative relationship between coliform densities and either pathogen density or the potential for waterborne disease outbreaks. In its June 29, 1989, final rule (54 FR 27544 at 27548), EPA stated that it was not aware of any data in the literature that support a coliform density value below which there are no anticipated adverse health effects with an adequate margin of safety. EPA further stated that waterborne disease outbreaks and the

presence of specific waterborne pathogens have been associated with coliform densities from less than 1 per 100 milliliters (mL) to very high levels. Therefore, to reduce fecal pathogens to minimal levels, EPA established an MCLG of zero for total coliforms in drinking water, including *E. coli* and other fecal coliforms.

B. MCL for Total Coliforms

1. Intent is to Lower Risk of Waterborne Disease Outbreaks

In its final rule of June 29, 1989 (54 FR 27544 at 27547), EPA concluded that despite existing drinking water regulations, the number of actual outbreaks and cases of waterborne disease was unacceptably high. For example, EPA noted that between 1971 and 1983, 427 outbreaks with over 100,000 cases of waterborne disease have been reported. However, because EPA believed that a large number of waterborne disease outbreaks and cases was not reported, it concluded that the actual number of outbreaks was much higher than the recorded number of outbreaks.

EPA, therefore, established several regulatory measures in its final rule of June 29, 1989 (54 FR 27544 at 27549), to further reduce the risk of waterborne illness. In addition to the revised MCL for total coliforms, it established monitoring requirements, including sanitary surveys for systems collecting fewer than 5 samples per month, State review of sample citing plans, testing for either fecal coliforms or *E. coli* if a sample tests positive for total coliforms. Furthermore, in a separate final rule that was also published in the Federal Register of June 29, 1989 (54 FR 27486), EPA established filtration and disinfection treatment requirements for systems using surface water sources and stated that it intended to adopt additional disinfection requirements for systems using ground water sources.

2. MCL Based on Presence-Absence of Coliforms

Before amending its NPDWR on June 29, 1989 (54 FR 27544), EPA based compliance for total coliforms in drinking water on two MCL's (a single-sample MCL and a monthly average MCL) that specified a number of coliform bacteria detected in the sample, calculated as coliform density. The two MCL's varied according to the method used (Multiple Tube Fermentation (MTF) technique or Membrane Filter (MF) technique) and the sample volume (500 mL or 500 mL for MTF technique and 100 mL for MF technique). However, in its proposal of November 3, 1987 (52 FR 42224 at 42229), EPA stated that basin compliance with the MCL on a monthly average density calculation had been criticized because the variability of coliform counts greatly reduces the precision of this calculation (i.e., there is a large standard deviation). EPA further stated that basing compliance on the presence or absence of coliform bacteria rather than on coliform bacteria density would provide the following advantages: ease of detection; less influence of sample transit time; and greater mathematical precision in analytical findings because the calculation difficulties implicit in the statistical methodology of coliform density calculations would be eliminated. Therefore, under the amended NPDWR (54 FR 27544, June 29, 1989), EPA bases compliance with the MCL on the presence or absence of coliforms rather than on an estimate of coliform density.

In determining compliance with the revised MCL, EPA permits use of any one of the following four analytical methods: (1) The MTF technique, (2) the MF technique, (3) the Presence/Absence (P/A) Coliform test, and (4) the MF interaction of the Presence/Absence (P/A) Coliform test, and (4) the Minimal Media *ortho*-nitrophenyl-β-D-galactopyranoside, 4-methylumbelliferyl-β-D-glucuronide technique (Minimal Media ONPG-MUG technique), sometimes referred to as the Autoanalysis Colilert System. EPA recommends that, when the presence of heterotrophic bacteria in water samples interferes with the MTF technique, the MF technique, or the P/A Coliform test, water systems use the Minimal Media ONPG-MUG technique which is less prone to interference. In addition, EPA requires that a 100 mL standard sample volume be used, regardless of the method used for determining the presence of absence of coliforms in drinking water.

Federal Register/Vol. 58, No. 192/Wednesday, October 6, 1993/ Proposed Rules

For this complete listing, please contact the IAMFES Office at 1-800-369-6337, US; 1-800-284-6336 (Canada) or (515)276-3344.

Updates . . .

ATTENTION Journal of Food Protection Authors

Effective January 1, 1994, all manuscripts and other related material for the *Journal of Food Protection* will be handled out of the IAMFES office located in Des Moines, Iowa. Please begin mailing these materials to:

> IAMFES Attn: Technical Editor 6200 Aurora Avenue Suite 200W Des Moines, IA 50322 (515)276-3344 (800)369-6337 (US) (800)284-6336 (Canada) FAX (515)276-8655

Please note that this is a change from the Lincoln, Nebraska mailing address. If you have any questions regarding this change, please contact Ms. Margie Marble at the phone number listed above.

Attention IAMFES Members

Announcing the Availability of Advertising Space

in the 1994-1995 Annual Membership Directory


From now until January 10, 1994, IAMFES will be accepting advertising orders for its 1994-95 Annual Membership Directory.

Once again, the Directory will feature **Commercial Listings** of industry suppliers, in addition to listings of IAMFES Members, Associations and Government Agencies.

To Reserve Your Company's Advertisement or Commercial Listing in this important information resource: Call your Advertising Representative at:

(800) 369-6337 (US), (800 284-6336 (Canada) or (515) 276-3344.

Please circle No. 155 on your Reader Service Card



81st IAMFES Annual Meeting Call for Papers

This is an invitation to all IAMFES Members to submit a paper for presentation at the 81st Annual Meeting, July 31-August 3, 1994, in San Antonio, Texas. Abstract forms are published in the September and October issues of *Dairy, Food and Environmental Sanitation* and the *Journal of Food Protection*.

To receive more information on submitting a paper for presentation, contact IAMFES at (800) 369-6337 (US), (800) 284-6336 (Canada) or (515) 276-3344.

Food and Environmental Hazards to Health

Update: Multistate Outbreak of Escherichia coli O157:H7 Infections from Hamburgers—Western United States, 1992-1993

From November 15, 1992, through February 28, 1993, more than 500 laboratory-confirmed infections with *E. coli 0157:H7* and four associated deaths occurred in four states— Washington, Idaho, California, and Nevada. This report summarizes the findings from an ongoing investigation that identified a multistate outbreak resulting from consumption of hamburgers from one restaurant chain.

Washington

On January 13, 1993, a physician reported to the Washington Department of Health a cluster of children with hemolytic uremic syndrome (HUS) and an increase in emergency room visits for bloody diarrhea. During January 16-17, a case-control study comparing 16 of the first cases of bloody diarrhea or postdiarrheal HUS identified with ageand neighborhood-matched controls implicated eating at chain A restaurants during the week before symptom onset (matched odds ratio [OR]=undefined; lower confidence limit=3.5). On January 18, a multistate recall of unused hamburger patties from chain A restaurants was initiated.

As a result of publicity and case-finding efforts, during January-February 1993, 602 patients with bloody diarrhea or HUS were reported to the state health department. A total of 477 persons had illnesses meeting the case definition of culture-confirmed E. coli O157:H7 infection or postdiarrheal HUS. Of the 477 persons, 52 (11%) had close contact with a person with confirmed E. coli O157:H7 infection during the week preceding onset of symptoms. Of the remaining 425 persons, 372 (88%) reported eating in a chain A restaurant during the 9 days preceding onset of symptoms. Of the 338 patients who recalled what they ate in a chain A restaurant, 312 (92%) reported eating a regular-sized hamburger patty. Onsets of illness peaked from January 17 through January 20. Of the 477 case-patients, 144 (30%) were hospitalized, 30 developed HUS, and three died. The median age of patients was 7.5 years (range. O-74 years).

Idaho

Following the outbreak report from Washington, the Division of Health, Idaho Department of Health and Welfare, identified 14 persons with culture-confirmed *E. coli* 0157:H7 infection, with illness onset dates from December 11, 1992, through February 16, 1993. Four persons were hospitalized; one developed HUS. During the week preceding illness onset, 13 (93%) had eaten at a chain A restaurant

California

In late December, the San Diego County Department of Health Services was notified of a child with *E. coli* O157:H7 infection who subsequently died. Active surveillance and record review then identified eight other persons with *E. coli* O157:H7 infections and record review then identified with other persons with *E. coli* O157:H7 infections or HUS from mid-November through mid-January 1993. Four of the nine reportedly had recently eaten at a chain A restaurant and four at a chain B restaurant in San Diego. After the Washington outbreak was reported, reviews of medical records at five hospitals revealed an overall 27% increase in visits or admissions for diarrhea during December 1992 and January 1993 compared with the same period 1 year earlier. A case was defined as postdiarrheal HUS, bloody diarrhea that was culture negative or not cultured, or any diarrheal illness in which stool culture yielded *E. coli* O157:H7 with onset from November 15, 1992, through January 31, 1993.

Illnesses of 34 patients met the case definition. The outbreak strain was identified in stool specimens of six patients. Fourteen persons were hospitalized, seven developed HUS, and one child died. The median age of case-patients was 10 years (range: 1-58 years). A case-control study of the first 25 case-patients identified and age- and sexmatched community controls implicated eating at a chain A restaurant in San Diego. A study comparing case-patients who ate at chain A restaurants with well meal companions implicated regular-sized hamburger patties (matched OR=undefined; lower confidence limit=1.3). Chain B was not statistically associated with illness.

Nevada

On January 22, after receiving a report of a child with HUS who had eaten at a local chain A restaurant, the Clark County (Las Vegas) Health District issued a press release requesting that persons with recent bloody diarrhea contact the health department. A case was defined as postdiarrheal HUS, bloody diarrhea that was culture negative or not cultured, or any diarrheal illness with a stool culture yielding the Washington strain of *E. coli* O157:H7, with onset from December 1, 1992, through February 7, 1993. Because local laboratories were not using sorbitol MacConkey (SMAC) medium to screen stools for *E. coli* O157:H7, this organism was not identified in any patient. After SMAC medium was distributed, the outbreak strain was detected in the stool of patient 38 days after illness onset.

Of 58 persons whose illnesses met the case definition, nine were hospitalized; three developed HUS. The median age was 30.5 years (range: 0-83 years). Analysis of the first 21 patients identified and age- and sex-matched community controls implicated eating at a chain A restaurant during the week preceding illness onset. A case-control study using well meal companions of case-patients also implicated eating hamburgers at chain A.

Other Investigation Findings

During the outbreak, chain A restaurants in Washington linked with cases primarily were serving regular-sized hamburger patties produced on November 19, 1992; some of the same meat was used in "jumbo" patties produced on November 20, 1992. The outbreak strain of *E. coli* O157:H7 was isolated from 11 lots of patties produced on those two dates; these lots had been distributed to restaurants in all states where illness occurred. Approximately 272,672 (20%) of the implicated patties were recovered by the recall.

A meat traceback by a CDC team identified five slaughter plants in the United States and one in Canada as the likely sources of carcasses used in the contaminated lots of meat and identified potential control points for reducing the likelihood of contamination. The animals slaughtered in domestic slaughter plants were traced to farms and auctions in six western states. No one slaughter plant or farm was identified as the source.

Further investigation of cases related to secondary transmission in families and child day care settings is ongoing.

Editorial Note: *E. coli* O157:H7 is a pathogenic gramnegative bacterium first identified as a cause of illness in 1982 during an outbreak of severe bloody diarrhea traced to contaminated hamburgers. This pathogen has since emerged as an important cause of both bloody diarrhea and HUS, the most common cause of acute renal failure in children. Outbreak investigations have linked most cases with the consumption of undercooked ground beef, although other food vehicles, including roast beef, raw milk, and apple cider, also have been implicated. Preliminary data from a CDC 2-year, nationwide, multicenter study revealed that when stools were routinely cultured for *E. coli* O157:H7 that organism was isolated more frequently than *Shigella* in four of 10 participating hospitals and was isolated from 7.8% of all bloody stools, a higher rate than for any other pathogen.

Infection with *E. coli* O157:H7 often is not recognized because most clinical laboratories do not routinely culture stools for this organism on SMAC medium, and many clinicians are unaware of the spectrum of illnesses associated with infection. The usual clinical manifestations are diarrhea (often bloody) and abdominal cramps; fever is infrequent. Younger age groups and the elderly are at highest risk for clinical manifestations and complications. Illness usually resolves after 6-8 days, but 2%-7% of patients develop HUS, which is characterized by hemolytic anemia, thrombocytopenia, renal failure, and a death rate of 3%-5%.


This report illustrates the difficulties in recognizing community outbreaks of *E. coli* O157:H7 in the absence of routine surveillance. Despite the magnitude of this outbreak, the problem may not have been recognized in three states if the epidemiologic link had not been established in Washington. Clinical laboratories should routinely culture stool specimens from persons with bloody diarrhea or HUS for *E. coli* O157:H7 using SMAC agar. When infections with *E. coli* O157:H7 are identified, they should be reported to local health departments for further evaluation and, if necessary, public health action to prevent further cases.

E. coli O157:H7 lives in the intestines of healthy cattle, and can contaminate meat during slaughter. CDC is collaborating with the U.S. Department of Agriculture's Food Safety Inspection Service to identify critical control points in processing as a component of a program to reduce the likelihood of pathogens such as *E. coli* O157:H7 entering the meat supply. Because slaughtering practices can result in contamination of raw meat with pathogens, and because the process of grinding beef may transfer pathogens from the surface of the meat to the interior, ground beef is likely to be internally contaminated. The optimal food protection practice is to cook ground beef thoroughly until the interior is no longer pink, and the juices are clear. In this outbreak, undercooking of hamburger patties likely played an important role. The Food and Drug Administration (FDA) has issued interim recommendations to increase the internal temperature for cooked hamburgers to 155 F (86.1 C) (FDA, personal communication, 1993).

Regulatory actions stimulated by the outbreak described in this report and the recovery of thousands of contaminated patties before they could be consumed emphasize the value of rapid public health investigations of outbreaks. The public health impact and increasing frequency of isolation of this pathogen underscore the need for improved surveillance for infections caused by *E. coli* O157:H7 and for HUS to better define the epidemiology of *E. coli* O157:H7.

Morbidity and Mortality Weekly Report 4/16/93

Please circle No. 149 on your Reader Service Card



DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993 719

HAZCON-Based Total Quality Management

Retail Food Operation Food Hazard Control Checklist

O. Peter Snyder, Jr., Ph.D. Hospitality Institute of Technology and Management, 830 Transfer Road, Suite 35, St. Paul, MN 55114

The following is the second installment of the Retail Food Operation Food Hazard Control Checklist mentioned in the October 1993 column. This checklist will be continued over the next several months to cover its entirety.

RETAIL FOOD OPERATION FOOD HAZARD CONTROL CHECKLIST [40°F - 150°F (4.4°C - 65.6°C)] 1

FC	OOD SAFETY CONTROL REQUIREMENTS	PERFOR- MANCE EVALU- ATION	NEEDED TO ASSURE SAFETY
	HANDLING EMERGENCIES		
Pro	 becedures are documented and are adequate to handle: Crisis situations. (Haz) All personnel are instructed to call 911 for emergencies which include fire, burglary, or any life threatening situation. Food related injury or illness. (Reg) Power outage. (Reg) Fire extinguisher discharge in the kitchen. (Haz) A massive foodborne illness in the community. (Haz) 		
Im • •	provement of unit performance. (Haz) FSPMs, supervisors, and employees are: Constantly aware of environment, equipment, and facility and process performance, and take action immediately to correct problems; conduct systematic audits. Evaluate prevention system weaknesses Analyze the cause of problems Take action through improved policies, procedures, and standards and system development to prevent future problems.		
Fi	rst aid material The first aid kit contains a supply of excellent quality surgical gloves that can be worn when any personnel touch blood or body fluids from another person. (Haz) A first aid information chart illustrating the use of the emergency first aid procedure for choking is posted in the food preparation area. (Reg)		
Cu	astomer comment cards (Qual) Customer comment cards are provided to encourage customer feedback. A record of all customer comments concerning quality is maintained. Corrective action resulting from customer comments will be discussed with the QMT before any policies, procedures, and standards are changed.		
	PROGRAM ENFORCEMENT, RECOGNITION AND RENEWAL		
M •	anagement: (Haz) Conducts and documents a monthly (or more often) review of the program effectiveness, and then plan for improving the program based on the findings. Maintains an enforcement statement on safe food operation practices, food safety rules, and standard operating procedures. Disciplinary procedures are specified.		

Abbreviations: (Haz) = Hazard; (Reg) = Regulatory; (Qual) = Quality; (OSHA) = Occupational Safety and Health Agency

¹Temperatures, unless otherwise stated, are food temperatures. They are measured both 1/16-inch below the surface as well as at the center of food in order to determine the degree of control and stability of hot and cold systems.

720 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993

FO	DD SAFETY CONTROL REQUIREMENTS	PERFOR- MANCE EVALU- ATION	NEEDED TO ASSURE SAFETY
	Conducts verification audits that to ensure that all hazards are identified, controls are adequate, and actual operations are in compliance with the company's policies, procedures and standards. Maintains records of disciplinary actions and warnings. Recognizes efforts and achievements of employees. Renews enthusiasm by providing for celebration of safety achievements.		
	PERSONNEL		
Em	ployee responsibility (Haz) Responsibility for safe food handling and good personal hygiene is practiced and can be described by employees.		
Ind •	ividual illness (Reg) No employee who is known to have a communicable illness which could be transferred directly by the employee or by employee contact with food is allowed to work in the preparation and service of food. Supervisors are notifed by employees if illness symptoms include: nausea, diarrhea, and vomiting, or any other illness that is serious enough to be diagnosed by medical personnel. If illness is not severe and symptoms are not acute, employees can be assigned to tasks that do not involve food handling or excused from work altogether until they are completely well.		
Gla •	ves (OSHA) Employees who need to wear heavy duty, non-disposable gloves to protect their hands from harsh chemicals (e.g., pot and pan washing) are given their own personal gloves that are not shared with any other person.		
Haı •	d cuts and abrasions (Reg) Supervisors observe employees for any infected lesions, boils, or other pathogenic skin conditions on food handlers. If the infection is not severe and can be covered with a bandage and a waterproof protector (e.g., tight-fitting latex glove), the employee can continue working with food, providing they continue to use correct hand washing and change gloves as required. If infection is severe, employees are excused from work until infection is sufficiently healed.		
Cor	ntact with blood or body fluids from another person (Haz) Before any personnel touch the blood (e.g., if bandaging the wound of another individual) or any other body fluid such as vomitus of another person, they put on proper fitting latex gloves that prevent the body fluid from entering any cuts or breaks in the skin of their own hands.		
Per • •	sonal Cleanliness (Reg) All employees bathe daily and use a deodorant to control body odor. Employees use only mild perfumes or colognes that will not interfere with the aroma of food. Employees wear clean, closed-toe shoes, and clean uniforms, or full aprons or smocks over street clothing. Clothing or outer covering is replaced if it becomes dirty while working.		
Fin •	gernails (Haz) Fingernails are neatly trimmed to less than 1/16-inch to make them easier to clean. Employees do not wear fingernail polish or artificial fingernails while working.		
Hai •	r restraint (Reg) Hair restraints or other type of hair covering are worn by employees to prevent hair from falling into food.		
Jew •	Yelry and hard objects in pockets (Haz) To prevent hard foreign objects from being found in food, employees avoid wearing jewelry on the hands, wrist, neck, and ears, and also avoid carrying hard objects such as pens, pencils, etc., in outside pockets while preparing and serving food. Employees are permitted to wear plain wedding bands.		

FO	DD SAFETY CONTROL REQUIREMENTS	PERFOR- MANCE EVALU- ATION	NEEDEI TO ASSURE SAFETY
•	Disposable facial tissues are placed at the hand washing sink where employees can use them and then wash their hands.		
•	Employees sneeze or cough, by directing their head away from foods, toward the floor or into their shoulder, but NEVER their hands.		
Che	wing gum, smoking, and eating (Reg)		
•	Employees do not chew gum, eat, drink or smoke in the food production and foodservice areas.		
Per	sonal medication (Reg)		
•	Employees do not bring personal medications in the kitchen or food production area.		
Har	dling food in front of the customer (Reg)		
	Employees who serve food use utensils, plastic gloves, or paper sheets to handle and serve food in the presence		
	of customers.		
Har	d and fingertip washing (Haz)		
	All employees who prepare food in the kitchen or production area and who serve food wash their fingertips and hands properly and as often as required by tasks performed.		
	Employees use the double wash procedure (2x) which utilizes a fingernail brush to wash their hands at the		
	following times. - Upon beginning a work shift.		
	- When entering the kitchen.		
	- After using the toilet.		
	- After cleaning up vomitus or any fecal material.		
	- After touching sores or bandages.		
	Employees use the single wash procedure $(I\times)$ at the following times:		
	- Before and after coffee, food, or cigarette breaks.		
	- After handling garbage.		
	- After handling dirty dishes.		
	- Between handling raw and cooked foods.		
	- After blowing nose.		
	- After touching skin, hair, beard, or soiled apron.		
	- Before handling clean utensils, dishes, or single service items.		
	- As often as necessary to keep hands clean after they become soiled.		
	- After any absence the from work station.		

This Retail Food Operation Food Hazard Control Checklist will continue in subsequent issues of Dairy, Food and Environmental Sanitation. The January installment will cover: Environment; Facilities; and Equipment.

Industry Products



New Isomatic Gravity Flow Vacuum Gate for Fast, Cost Saving Dry Bulk Flow Control

The NEW Isomatic Gravity-Flow, Vacuum Gate has been developed to save the user time, money and move dry bulk powders, abrasives, granular, or pelletized products in processing systems.

This valve is a simple solution to product and flow control in a broad variety of applications ranging from: Food and pharmaceutical, to general industrial and abrasive products.

It operates on a simple, efficient vacuum/ counterweight principle. A seal is maintained by a negative pressure within the valve that holds the flapper against the seat. This design provides an air-tight seal at the discharge end of cyclones, bins or hoppers.

The material flow is controlled by a simple adjustable counterweight. Simplicity of design, ease of adjustment and fewer moving parts makes the GF-Valve an inexpensive alternative to flapper valves or airlocks in many applications.

A variety of seal and construction materials are available, and the stainless steel food and pharmaceutical units meet USDA design and construction requirements.

For more information on the Gravity-Flow, Vacuum Gate valve, Contact Isomatic and request bulletin GL-765.

General Resource Corporation -Hopkins, MN


Please circle No. 241 on your Reader Service Card

Rapid Results Microbiology Test Makes International Debut

Envirocon International, Inc. has introduced unique biochemical tests that are completed in less than thirty minutes. Microquik Confirmation tests are rapid results tests that confirm the presence or the absence of specific bacteria from a primary culture. These enzymatic tests are available for the rapid detection of: *Enterococcus, E. coli, Streptococcus*, Total Coliforms, and *Candida albicana.* Kits can be ordered to be read with a longwave UV light in as little as five minutes or by a color change from between ten to thirty minutes. With the Microquik Confirmation test there is no need to replate and wait an additional twenty-four hours for confirmation. Each Kit contains fifty tests and may be ordered directly from Envirocon International, or from your local Curtiss Matheson Scientific sales representative.

Envirocon International Inc. -Concord, CA

Please circle No. 242 on your Reader Service Card



Newport Announces "Everything You Need for Temperature Measurement"

Newport Electronics, a leader in digital indicating and control instrumentation, introduces everything you need for temperature measurement.

Newport is pleased to offer thermocouple probes and assemblies which cover a full range of thermocouple types. From handheld probes to convenient 5-packs, you'll find every style for both panel and handheld instrumentation, in a variety of sizes. Included are low-noise probes, quick disconnect, dual-element and surface probes, washer, cement-on, handle and bare wire styles.

RTD and thermistor probes are offered in a variety of precision styles for a wide range of applications. Included are platinum RTDs, handle and quick disconnect RTDs and thermistors, general purpose RTDs, precision RTDs and thermistors for laboratory applications and linear thermistor probes.

Newport is also offering a full line of connectors, panel and switch systems to complement our broad selection of panel meters. Standard, miniature and low-noise connectors, jack panels and panel jacks, rotary selector switches, connectors with handy write-on window area and heavy duty, 3-prong, dual element universal style connectors.

Thermocouple wire in various calibrations and insulations will help complete systems. Accessories include insulators, protection tubes and wire strippers.

Newport Electronics, Inc. -Santa Ana, CA

Please circle No. 243 on your Reader Service Card

Delavan Cap Point Series Level Controls Ideal for Liquid Interfaces

Delavan Electronics CAP POINT series Capacitance point level switches have been a proven solution for providing reliable and accurate detection of many granules, liquids, slurries, and interfaces.

Delavan's CAP POINT MODEL 510 is an integral unit which allows the operator to set differential adjustments at the probe itself. CAP POINT MODEL 520 is a remote electronics unit for high temperature, high vibration, and provides easy access to the electronics.

A unique feature of the CAP POINT series is its immunity to product build-up and coatings, thus eliminating the need for re-calibration. Delavan Electronics - Roscoe, IL

> Please circle No. 244 on your Reader Service Card

West Agro's New Indicate Acid (Patent Pending)

West Agro, Inc., a manufacturer of cleaners and sanitizers for dairy and food processing facilities, announces a new product in its chemical sanitation line.

The "Indicate Acid" is a blended, nonfoaming acid detergent with a unique soil indicating system used for soak and C.I.P. cleaning of stainless steel parts and equipment. As an acid cleaner it effectively removes mineral scale and carbon deposits. However if the alkali cleaning step prior to acid cleaning fails in any way, the unique indicating dye will highlight any residual protein soils for easy inspection and correction.

West Agro, as one of the Tetra Laval companies, designs products to complement processing without compromising equipment.

West Agro, Inc. - Kansas City, MO

Please circle No. 245 on your Reader Service Card

Highspeed Central Laboratory Milk Analysis System

Foss Food Technology announces the introduction of the CombiFoss 300 System for fat, protein, lactose, solids, and somatic cell analysis of milk.

The system is based on the well-proven and accepted Milkoscan and Fossomatic instruments combined and controlled by Windows-based PC software.

Dairy Herd Improvement and other laboratories with high volume sampling will be the main users for this system.

Foss Food Technology Corp. -Eden Prairie, MN

Please circle No. 246 on your Reader Service Card

Porter International Introduces Intershield Floor Protection Systems

Intershield Floor Protection Systems, newly developed by Porter International, provide maximum floor protection through seven distinctly engineered systems designed for use in a wide range of Industrial and General Service environments.

Differing industrial environments and performance demands require specific floor protection solutions. Intershield Floor Protection Systems provide the optimal balance between durability, function, and aesthetics.

Intershield Floor Protection Systems carry USDA acceptability for regulated food processing exposures. All seven Intershield systems are fully compliant with existing VOC standards.

Application environments can be troublesome. However, the entire Intershield floor protection range is supported by a detailed application guide and technical service support allowing a greater confidence of quality installations when compared to other flooring materials.

The physical characteristics of Intershield — excellent flexural strength, high abrasion and impact resistance, and outstanding concrete bonding properties — qualify all seven protection systems as outstanding candidates for a variety of floor coating needs. Intershield includes a matrix of 100% solids, self-leveling epoxy systems and screeds.

Intershield Floor Protection Systems are available in a range of ten standard colors formulated using lead-free pigments for better consistency and performance. This allows Intershield to better fulfill customer specifications.

Porter International - Louisville, KY

Please circle No. 247 on your Reader Service Card

WCR Plate Heat Exchanger Regasketing Brochure

For plate heat exchangers, this brochure outlines the fast, dependable, comprehensive, and economical regasketing services provided by WCR.

Gasket performance often depends on superior regasketing technology. The WCR tenstep regasketing process assures extended service life, even in the most difficult applications.

WCR regasketing services are more economical and reliable than comparable services offered by plate heat exchanger manufacturers. WCR regasketing is also more dependable than in-plant, do-it-yourself regasketing.

Regasketed and reconditioned plates are usually on their way back to the processor within two weeks of receipt. WCR exchange programs are available for selected plates.

WCR - Dayton, OH

Please circle No. 248 on your Reader Service Card



Concentrated Labware Cleaner


Manostat's CHROMERGE, supplied in packs of six 25 ml bottles of liquid containing chromium trioxide in solution, eliminates the toxic fumes and dangerous heating and shaking associated with making chromic-sulfuric cleaning solution. Once mixed, CHROMERGE can be stored and re-used until the color turns green, indicating loss of effectiveness.

CHROMERGE, when mixed according to instructions, produces a super-efficient chromicsulfuric acid solution that safely removes stubborn deposit and does not etch the glassware. It leaves surfaces chemically clean permitting a perfect meniscus for precise volumetric work.

Available through laboratory supply dealers or contact Manostat Corporation.

Manostat Corporation - New York, NY

Please circle No. 249 on your Reader Service Card



New M-110S Small Volume Microfluidizer® Optimizes Product Recovery

The new M-110S Small Volume Microfluidizer is now available from Microfluidics Corporation, a leading supplier of high technology equipment for the chemical, pharmaceutical, biotechnology, cosmetic and food industries. The new model is specifically designed for processors who require minimum sample sizes and optimum product recovery. To accommodate precious applications, the M-110S processes batches as small as 10 ml. with 9 ml. recovery, and can process continuously as well. The unit achieves pressures as high as 14,000 psi and, weighing only 45 lbs., is portable and versatile. Other features include stainless steel construction, a removable 10 ft. cooling coil, and the option to reach 23,000 psi. Like all Microfluidizer equipment, the M-110S is guaranteed scalable from laboratory through production.

This air powered unit employs the patented Microfluidizer interaction chamber to produce a more uniform product and yield particle sizes as small as 0.1 micron. Unlike conventional equipment, the M-110S utilizes no moving parts and no grinding media in the process stream, so results are reproducible and scalable.

Microfluidics Corporation - Newton, MA

Please circle No. 250 on your Reader Service Card



Labconco's Redesigned RapidStill II for Kjeldahl Distillation is Made in U.S.A.

Labconco Corporation offers the RapidStill II as an automatic steam distillation unit for labs performing rapid Kjeldahl protein/nitrogen determinations. It serves as a companion to Labconco Rapid Digestors. The new RapidStill II is made in America with domestically produced components.

The RapidStill II has a built-in dispenser switch which allows the operator to control the amount of sodium hydroxide being added to the sample. A manually set audible timer alerts the operator when distillation is complete. Each distillation takes five to ten minutes.

The RapidStill II fits conveniently on a counter top or shelf and is ideal for labs requiring fast turnaround of KNA determinations. The RapidStill II produces steam using an 1100 watt heater element surrounding a 1000 ml flask. The condenser is equipped with a ventilation valve which prevents any siphoning of distillate back into the condenser chamber.

Labconco Corporation - Kansas City, MO

Please circle No. 251 on your Reader Service Card

Temessee Asset Do Bala Mare Do

President of the Tennessee Association of Milk, Water and Food Protection, Wayne Crabtree

Minutes of the TAMWFP Meeting

The fall meeting of the Tennessee Association of Milk, Water and Food Protection was held November 10, 1993 at Ellington Agricultural Center, Nashville, TN. Fifty-one members and guests were present.

President Wayne Crabtree of Mayfield Dairy, Athens, TN presided. Hugh Wilson of Tennessee Department of Agriculture served as Session Chairman.

Harold Rose of the Tennessee Dairy Products Association, gave the Invocation.

A Dairy Regulatory Update was given by Tennessee Department of Agriculture staff. Dennis Lampley, Dairy Administrator, updated the group on regulatory activities. John Sanford, Milk Rating Officer, spoke on changes in Pasteurized Milk Ordinance. Dewain Patterson, Laboratory Evaluation Officer, spoke on changes in the laboratory certification program.

After a milk break, Steve Wilborn of the Consolidated Flavor Corporation, spoke on Vitamin Fortification of Milk.

A panel discussion of Fluid Milk Quality and Shelf Life was held. Professor Herbert Holt of the University of Tennessee, Knoxville, served as moderator. Panelists were: Charles Hilton, Fleming Dairy, Nashville; Gil Murrey, Heritage Farms Dairy, Murfreesboro; and Wayne Crabtree, Mayfield Dairy, Athens.

Jerry Baggett of TDA served as door prize chairman. Glenda Smead of TDA served as photographer. Mary Lou Hopper and Teresa Graves of TDA were in charge of registration and arrangements.

After lunch, members of the group toured the Tennessee Agricultural Museum.

Affiliate News

Upcoming IAMFES Affiliate Meetings

1994

FEBRUARY

•22, Georgia Association of Food and Environmental Sanitarians Annual Meeting will be held at the Holiday Inn Airport North in Atlanta, Georgia. The subject for the meeting will be "Hot Topics in Food Safety." For more information, contact Mark Harrison at (706)542-2286.

APRIL

•12-13, Carolina's Association of Milk, Food and Environmental Sanitarians will meet in Greenville, SC. For more information, contact Beth Johnson at (803)935-6201.

OCTOBER

•12-13, Iowa Association of Milk, Food and Environmental Sanitarians Annual Meeting will be held at the Best Western Starlite Village (formerly the Ramada Hotel), Waterloo, IA. For more information call Dale Cooper at (319)927-3212.

California Affiliate News

The Fall Dairy Industry Conference was held in conjunction with the California Dairy Industries Association at the Ontario Airport Hilton, Ontario, September 28-29. Over 161 people attended this annual educational event that featured several talks by Dr. Mike Doyle, Past President of IAMFES and Professor Bob Marshall of the University of Missouri. Doyle focused his presentations on the species of bacteria important to the dairy industry, including *E. coli* O157:H7, and *Listeria monocytogenes*. Marshall discussed the new sections of the 16th Editions of "Standard Methods."

During the meeting other topics discussed on plant and lab issues, new processing technologies and regulatory issues. During the breaks, the participants visited the 11 exhibitors.

Both the CDIA and CADMS held board meetings during the conference to plan the educational programs for 1994. The CADMS also held their annual business meeting and elected Les Wood, inspector in the California Department of Food and Agriculture as Recording Secretary, John Jackson of Food 4 Less as 2nd Vice President, Mostafa Sherzad as 1st Vice President and Nancy Ahern as President for 1994. Ahern and Sherzad both work in inspection for the California Department of Food and Agriculture. Dr. John C. Bruhn was reappointed as Executive Secretary and Delegate to the IAMFES.

The CADMS will again cooperate with CDIA in the statewide Spring Dairy Conference planned for February 23-24, 1994 at the Holiday Inn Capitol Plaza, Sacramento, California.

DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993 725



Award Winners at the California Association of Dairy and Milk Sanitarians Annual Meeting (left to right): Jack Pollock, 1992 Sanitarian of the Year; Tony Freeman, 1992 and 1993 President; and Robert Darrah, 1993 Sanitarian of the Year.

California Affiliate Recognizes Two at Annual Meeting

The California Association of Dairy and Milk Sanitarians (CADMS) Sanitarian of the Year Award was established years ago to recognize outstanding people who have distinguished themselves in their field and have contributed significantly and with distinction to the profession of the sanitarian. Nominations are annually invited and evaluated by the CADMS Executive Committee. An Award is not necessarily given each year.

The 1992 recipient was not able to attend the 1992 Annual Meeting so his recognition was announced during the Fall Annual Conference of the Association held September 28-29 at the Ontario (California) Airport Hilton.

The 1992 recipient is Bob Darrah who recently retired from Safeway after a very distinguished career of 31 years. Following graduation from Iowa State, Ames, Bob worked for an independent dairy processor that was later bought out by Fairmont Foods. After a short tenure with Fairmont Foods, he joined Safeway in Denver. Later he moved to California and developed a sanitation program in each Safeway plant that allowed each plant's lab to conduct the critical analyses necessary to insure that safe and wholesome products were produced. This successful program focused on creating sanitary processing environment. His interest and knowledge about how to maintain the sanitary quality of the processing environment has been freely shared with those who have asked and all have profited by this exchange. He has authored papers on "how to keep it sanitary," and has authored the popular sanitation booklet on sanitation principles sold by IAMFES. He has served on several IAMFES plant sanitation committees. He is very active in industry meetings, learning and sharing.

Recently, he was involved in the critical experiments that evaluated a new method to sanitize hands which he discussed at the meeting. Bob continues in his retirement helping people and companies develop and perfect good sanitation programs.

The second person honored at the Annual Meeting was Jack Pollack whose career in the dairy industry spanned fifty years. His dairy industry career started in the 1940's when he worked during high school at Morgan's Dairy Farm in Torrance, a southern California town. At the farm he first worked as a milkman and then as a processor and relief milker.

After graduating from Redondo Union High School in 1946, he served two years in the Army's 82nd Airborne Division. His Army experience gave him the opportunity to attend college courtesy of the G. I. Bill. He first attended a junior college, The College of the Sequoias in Visalia, CA and then California Polytechnical State University, San Luis Obispo graduating in 1954 with a degree in dairy manufacturing.

He then worked for several dairy companies gaining considerable experience and expertise in processing. In 1961 he joined the California Department of Food and Agriculture (CDFA) where he worked until his retirement 30 years later in 1990. His first efforts were to direct the pesticide residue program for milk and cream. This successful effort provided a promotion to a dairy foods specialist and as a specialist he covered all aspects of product inspections. Ultimately, he became a USDA Grader and Survey Officer under the USDA and CDFA Cooperative Program.

Jack is an active member in many of the state's dairy associations, including CADMS where he served as President in 1984-1985. He always contributed to each association in which he held membership, encouraging the associations and members to strive a little higher for excellence.

Jack has many assets, but one which many mentioned was his teaching skills in introducing new inspectors to the business of inspection. He was often heard to say to a new inspector, "be firm when you have to, and lenient when you can, but above all be fair and honest to them all."

Both recipients were accompanied by their wives, Elsie Pollack and Laura Darrah.

Affiliate Officers

ALABAMA ASSOCIATION OF DAIRY & MILK SANITARIANS

Pres., Benjy MikelAuburn Pres. Elect, Ken ReamerMontgomery Vice Pres., Sandy DunlapMontgomery Sec'y. Treas., Tollie HaleyTuscaloosa Delegate, Tom McCaskeyAuburn Mail all correspondence to: Tollie Haley Tuscaloosa County Health Dept. 1101 Jackson Avenue Tuscaloosa, AL 35401 (205)554-4540

ALBERTA ASSOCIATION OF MILK, FOOD & ENVIRONMENTAL SANITARIANS

Pres., Ken Yu Edmonton Past Pres., Harry Jackson Edmonton Pres. Elect, Rick Leyland Edmonton Sec'y., Connie Zagrosh-Miller Edmonton Treas. Mike Mavromaras
Delegate, James Steele Edmonton
Mail all correspondence to:
AAMFES
Attn: Harry Jackson
P.O. Box 8273
Station F
Edmonton, Alberta, Canada T6H 5H3

CALIFORNIA ASSOCIATION OF DAIRY & MILK SANITARIANS

CAROLINA'S ASSOCIATION OF MILK, FOOD & ENVIRONMENTAL SANITARIANS

Pres. Elizabeth M. Johnson. Columbia, SC Vice Pres., Bernard Kane . Greenville, NC Secretary, Kay Sigmon Mooresville, SC Treasurer, Keith Glover Raleigh, NC Delegate, Beth Johnson Columbia, SC Mall all correspondence to: Elizabeth M. Johnson SC DHEC Bureau of Laboratories PO Box 2202 Columbia, SC 29202 (803)935-6201

CONNECTICUT ASSOCIATION OF DAIRY & FOOD SANITARIANS, INC.

FLORIDA ASSOCIATION OF MILK, FOOD & ENVIRONMENTAL SANITARIANS, INC.

Pres., Kathleen WardJacksonville Pres. Elect, Marian Ryan ..Winter Haveen Vice Pres., Dean ElliottTallahassee Past Pres., Jack DoddTallahassee Sec./Treas., Bill ThornhillWinter Haven Delegate, Peter HibbardOrlando Mall all correspondence to: Bill Thornhill 3023 Lake Alfred Road Winter Haven, FL 33881 (813)299-6555

GEORGIA ASSOCIATION OF FOOD & ENVIRONMENTAL SANITARIANS

IDAHO ENVIRONMENTAL HEALTH ASSOCIATION

Pres., Steve BastianPreston Pres. Elect, Ed HallCoeur D'Alene Sec'y. Treas., Tom HepworthPocatello Mall all correspondence to: Tom Hepworth 465 Memorial Drive Pocattello, ID 83201 (208)233-9080

ASSOCIATED ILLINOIS MILK, FOOD & ENVIRONMENTAL SANITARIANS

INDIANA ENVIRONMENTAL HEALTH ASSOCIATION, INC.

IOWA ASSOCIATION OF MILK, FOOD & ENVIRONMENTAL SANITARIANS, INC.

Pres. Randy HansonDubuque Pres. Elect, Glen Amdahl Charles City 1st Vice Pres., Loren Johnson ... Le Mars 2nd Vice Pres., Jeff Meyer Past President, Vicky StreicherEdgewood Sec'y. Treas., Dale R. CooperManchester Delegate, Randy HansonDubuque Mail all correspondence to: Dale Cooper Box 69 Manchester, IA 52057 (319)927-3212

> KANSAS ASSOCIATION OF SANITARIANS

KENTUCKY ASSOCIATION OF MILK, FOOD & ENVIRONMENTAL SANITARIANS, INC.

Pres., Anita Travis......Frankfort Pres., Elect, George HeadyFrankfort Vice Pres., Guy DeliusFrankfort Past Pres., Rick Molohon ... Elizabethtown Sec'y., Cary NesselrodeFrankfort Treas., Judy TrueFrankfort Delegate, David KleeElizabethtown Mall all correspondence to: Judy True KAMFES, Inc. P.O. Box 1464 Frankfort, KY 40602 (502)564-7181

LOUISIANA ASSOCIATION OF MILK, FOOD & ENVIRONMENTAL SANITARIANS

Pres., Douglas Marshall.......Baton Rouge Vice Pres., Paul Bergeron....Baton Rouge Sec./Treas.,

Dorothy Thompson Baton Rouge Delegate, Douglas Marshall .Baton Rouge Mall all correspondence to: Doug Marshall Dept. Food Science LSU Baton Rouge, LA 70803 (504)388-5197

MASSACHUSETTS MILK, FOOD & ENVIRONMENTAL INSPECTORS ASSOCIATION

Pres., Max BooklessPittsfield Past Pres., Barb Kulig.....West Springfield Vice Pres., David KochanNorthampton Sec./Treas., Fred KowalChicopee Delegate, Barb KuligWest Springfield Contact: Fred Kowal 45 Beaumont Avenue Chicopee, MA 01013 (413)592-5914

METROPOLITAN ASSOCIATION OF DAIRY, FOOD AND ENVIRONMENTAL SPECIALISTS

MICHIGAN ENVIRONMENTAL HEALTH ASSOCIATION

Pres., Terry Anderson......Lansing Pres., Elect, Bob Taylor.....Lansing Treas., David Wilson Past Pres., Patrick ConklinFremont Secretary, Durwood Zank Delegate, Bob Taylor.....Lansing Mall all correspondence to: Durwood Zank Barry-Easton DHD PO Box 30161 Lansing, MI 48909 (517)543-2430

MINNESOTA SANITARIANS ASSOCIATION, INC

Pres., Sonya GambrielSt. Paul Pres. Elect, Dennis DeckerLitchfield Vice Pres., Ray CherryFaribault Sec./Treas., Paul NiermanSt. Paul Past Pres., Greg PittmanSt. Paul Mail all correspondence to: Paul Nierman Dairy Quality Control Institute 5205 Quincy Street St. Paul, MN 55112-1499 (612)785-0484

MISSISSIPPI ENVIRONMENTAL HEALTH ASSOCIATION

MISSOURI MILK, FOOD & ENVIRONMENTAL HEALTH ASSOCIATION

Pres., Jerry Brown Hillsboro Pres. Elect, Cal BaddingJefferson City Vice Pres., Terry LongJefferson City Sec'y, Janet Murray Moberly Past Pres., Charles Sanders Columbia Delegate, Terry LongJefferson City Mall all correspondence to: Janet Murray Environmental Sanitarian III Randolph County Health Department P. O. Box 488 Moberly, MO 65270 (816)263-6643

NEBRASKA ASSOCIATION OF MILK & FOOD SANITARIANS

Pres., Fred CookOrnaha Pres. Elect, Allan AckermanLincoln Sec'y. Treas., Greg HennLincoln Past Pres., Susan SumnerLincoln Mall all correspondence to: Greg Henn NAMFS PO Box 94771 Lincoln, NE 68509-4771

NEW YORK STATE ASSOCIATION OF MILK & FOOD SANITARIANS

Janene Gargiulo Cornell University 11 Stocking Hall Ithaca, NY 14853 (607)255-2892

NORTH DAKOTA ENVIRONMENTAL HEALTH ASSOCIATION

OHIO ASSOCIATION OF MILK, FOOD & ENVIRONMENTAL SANITARIANS

Pres., Roger TedrickColumbus 1st Vice Pres., Greg DeLongDayton 2nd Vice Pres., Barry Pokorny..Cincinnati Sec./Treas., Don BarrettColumbus Past Pres., Gloria SwickColumbus Delegate, Gloria SwickColumbus Mall all correspondence to: Donald L. Barrett Health Dept. 181 S. Washington Blvd. Columbus, OH 43215 (614)645-6195

ONTARIO FOOD PROTECTION ASSOCIATION

PENNSYLVANIA ASSOCIATION OF DAIRY SANITARIANS & DAIRY LAB. ANALYSTS

SOUTH DAKOTA ENVIRONMENTAL HEALTH ASSOCIATION

Pres., Pam Bonrude Pierre
Pres. Elect,Pierre
Past President, John Robertson Pierre
Sec./Treas., Rex Vandenberg Pierre
Past Pres., Diane WorallHuron
Delegate, Darwin Kurtenbach Pierre
Mail all correspondence to:
Rex Vandenberg
SD State Department of Health
523 E. Capitol
Pierre, SD 57501
(605)773-3364

TENNESSEE ASSOCIATION OF MILK, WATER & FOOD PROTECTION

Pres., Wayne CrabtreeAthens Pres. Elect, Ernest YatesCross Plains VIce Pres., Genevieve Christen ..Knoxville Sec./Treas., Dennis LampleyBon Aqua Board Member at Large,

Gail SmithChattanooga Past Pres., Ann DraughonKnoxville Delegate, Ruth FuquaMt. Juliet Mail all correspondence to: Dennis Lampley Rt. #1, Box 468-B Bon Aqua, TN 37025 (615)360-0157

TEXAS ASSOCIATION OF MILK, FOOD & ENVIRONMENTAL SANITARIANS

Pres., Kent RoachSan Antonio Pres. Elect, Don RitchDallas Sec'y., Janie ParkAustin Treas., Dr. Ron RichterCollege Station Archivist. Joe GoddardLubbock Delegate, Kirmon SmithAustin Mail all correspondence to: TAMFES Janie Park P.O. Box 2363 Cedar Park, TX 78613-2363 (512)458-7281

VIRGINIA ASSOCIATION OF SANITARIANS & DAIRY FIELDMEN

Pres., Alan G. GroveBlacksburg Sec./Treas., Donna IzacChesterfield Past Pres., C. Tom Owen ...South Boston Delegate, Donna IzacChesterfield Mail all correspondence to: Donna Izac 9431 Dry Creek Drive Chesterfield, VA 23832 (804)739-3071

WASHINGTON MILK SANITARIANS ASSOCIATION

WISCONSIN ASSOCIATION OF MILK & FOOD SANITARIANS


Pres., Mark Nelson Oshkosh
Past Pres., Joseph Disch DeForest
Pres. Elect, Erin Nutter Altoona
1st Vice Pres., Fritz Buss Marshfield
Sec'y., Randall DaggsMadison
Treas., Neil Vassau Madison
Membership Chairman,
Jim Dresser Madison
Delegate, Joseph Disch DeForest
Mail all correspondence to:
Neil M. Vassau
P.O. Box 7883
Madison, WI 53707
(608)267-3504

WYOMING ENVIRONMENTAL HEALTH ASSOCIAION

Pres., Dean Finkenbinder Casper Pres. Elect, Terry Carlile Laramie Secretary, Stephanie Whitman Laramie Treasurer, Laurie Leis Casper Past Pres., Linda Stratton Cheyenne Delegate, Stephanie Whitman Laramie Mail all correspondence to: Stephanie Whitman P. O. Box C Laramie, WY 82070 (3007)721-5283

ENVIROCON INTERNATIONAL, INC. INTRODUCES THE MICROQUIK™ SERIES OF BIOCHEMICAL TESTS





Submitted for AOAC & EPA Certification.

Please circle No. 151 on your Reader Service Card5

DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993 729

New IAMFES Members

Alabama

John Kotrola Auburn University Auburn University

Arizona

Ralph Meer University of Arizona Tucson

California

Glenn Davis Davis Lay, Inc. Modesto

Janet J. Dike Student - CSUN Thousand Oaks

John Gurrisi General Mills Restaurant, Inc. Livermore

Kaan Gwee Pacific Cheese Co., Inc. Hayward

Judy Ikawa Clorox Company Pleasanton

Kurt A. Lewis Mid-America Dairymen, Inc. Corona

Bob Manici Chem-Serv, Inc. Diamond Bar

Mark Salimbene Baskin-Robbins National Lab Burbank

Colorado

Michael E. Sangaline Jefferson County Dept. of Health and Environment Lakewood

Connecticut

Lawrence Brewer Country Home Bakers Milford

Jeff Hastings Meriden

Illinois

Donald R. Farris Prairie Farms Granite City

David Graham Liquid Carbonic Chicago

Richard V. Lechowich National Center for Food Safety Illinois Institute Technology Argo-Summit

Chuck Sizer Tetro Pack Research Buffalo Grove

Iowa

Eureka L. Pickett Iowa State University Ames

Maryland

Jhung-Won Colby Perdue Farms, Inc. Salisbury

Cecilia Fernandez Rockville

Massachusetts

John Burke Agri-Mark Inc. Lawrence

David Coles Amherst Leslie N. Sinclair Gorton's Gloucester

Minnesota

Tracy A. Bridgeman University of Minnesota Roseville

Dave Cousins Charm Sciences, Inc. Minnetonka

Thomas L. Yezzi Northern Milk Products Alexandria

Nebraska

Julie Baron University of Nebraska Lincoln

Lisa M. Wolfson University of Nebraska Lincoln

New Hampshire

Richard E. Avery Avery Consulting Associates, Inc. Londonderrg

New York

Robert A. Rindo O-At-Ka Milk Products Coop, Inc. Batavia

North Carolina

Deborah D. Noltemeier Beaufort Co. Health Department Washington

Ohio

Duncan C. Badertscher Chemidyne Corporation Macedonia

730 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993

Katy Dishart Nestlé USA Solon

M. J. Haefs Process Division, Inc. Columbus

John M. Hochstrasser Tastemaker Cincinnati

Sandra L. Moore John Morrell & Co. Springdale

Kevin C. Wilson Pillsbury Wellston

Oregon

Randy Norlander Portland

Lori Sampels West Coast Food Center Portland

Pennsylvania

David A. Bower General Tank, Inc. Berwick

Glenn Boyd U.S. Dept. of Agriculture Philadelphia

Robert Gage Montgomery County Health Dept. Norristown

Shira Kramer The Sterilex Corp. Naberth Susan Vigen Dalare Assoc., Inc. Philadelphia

Texas

Richard Grigsby Star Specialty Foods Sulphur Springs

Utah

Keith Merrill Casper's Ice Cream, Inc. Richmond

Virginia

John Walker Piedmont Health District Farmville

Washington

Norris Anderson Carnation

Henry Carsberg Anacortes

Robert F. Hennes DHH/PHS/FDA-Pacific Region Seattle

Max Horner Anderson Dairy Battleground

Wisconsin

Thomas E. Giles Dairy Equipment Co. Madison

Cathy Larson Sargento Cheese Fond du Lac David Sullivan Deibel Laboratories, Inc. Madison

Australia

Ellen M. Kittson State Health Laboratory Service Ballajura

Belgium

Chris Michiels K.U. Leuven Heverlee

Canada

Daniel Brodeur Reckitt & Colman Canada, Inc. Lachine, Quebec

Dominique Farly Pointe-Claire, Quebec

Susan Hall Baxter Foods, Ltd. Saint John, New Brunswick

Fred Hassen Environmental Health Services Hanna, Alberta

David Neely Quality First Saskatoon, Saskatchewan

Colombia

Ricardo Ramirez BioControl, Ltd. Bogota, C/Marca

France

Jacelyne Rocourt Institut Pasteur Paris

Dairy, Food and Environmental Sanitation Index to Volume 13

AUTHOR INDEX

- BENGSCH, H., thoughts from the president, 447, 506, 559, 624, 702
- BENNETT, R., lead, follow or get out of the way: the new PMO SCC policy, 74; the case for improving milk quality regulations: milk somatic cell counts, 278

BLUMENTHAL, M.M., (see Stier, 210, 272, 391, 454) BLUMENTHAL, T. K., (see Stier, 272)

- BODYFELT, F. W., identification and characterization of heat-resistant psychrotrophic bacteria in oregon grade a raw milk, 631
- BRUHN, C. M., setting the record straight about food irradiation, 220
- BRYAN, F. L., use of the hazard analysis critical control point approach by state, provincial and local food protection agencies: results of a survey and discussion, 323

CHANDLER, R. E., (see Vasavada, 510)

- CHRISTEN, G.L., recovery of short chain-length fatty acids from milk by several methods, 707
- DOGRA, R., (see Schaffner, 517)
- DOYLE, M. P., thoughts from the president, 6, 66, 150, 206, 267, 319, 383
- DRUCKER, B. J., selling public health sanitation to physicians, 336

EASTWOOD, B.R., (see Jones, 8)

- EL-SAMRAGY, Y. A., effect of salt on the production of citric acid from whey as a means for pollution control in domiati cheese manufacture, 638
- FLOH, R., automatic recirculation cleaning in the 90's, 216

GRAHAM, D.J., sanitary design, 25, 91, 172, 231, 291, 354

GRASSHOFF, A., (see Reinemann, 462)

- GUZEWICH, J. J., (see Bryan, 323)
- HALSTEAD, S.K., on my mind, 7, 67, 151, 207, 271, 361, 385, 449, 508, 562, 626, 704

HARSMA, G., the use of conductivity for controlling cleaning solution strength, 710

HULL, R. R., (see Vasavada, 510)

- JONES, G.M., milk and dairy beef quality assurance program: where are we now?, 8
- 732 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993

KAPLAN, D. E., custard's last stand, 405

KALFA, A., (see Karakoltsidis, 712)

- KARAKOLTSIDIS, P.A., biological effects of 137c uptake in carp (*cyprinus carpio*, *l*.) and eel (*anguilla anguilla*, *l*.): a comparative study, 712
- LEE, M. B., the reliability of pop-up timers in turkeys, 628
- MARTH, E. H., growth and survival of *listeria* monocytogenes, salmonella species, and staphylococcus aureus in the present of sodium chloride: a review, 14; occurrence of escherichia coli, pseudomonas aeruginosa and listeria monocytogenes in abnormal milk, 70

MARURI, J.L., (see Christen, 707)

- MATZKE, S., (see Wendorff, 166)
- MEER, R., dietary risk factors for infant botulism "diet and infant botulism", 570; (see Bodyfelt, 631)
- METTS, A., improving inspection scores through training/certification of foodservice workers, 450; a guideline for evaluating the effectiveness of foodservice worker training/certification, 565
- MOLENDA, S., legionella: an environmental concern, 568

MOUMTZIS, A., (see Karakoltsidis, 712)

- MOUSTAFA, S. I., (see Marth, 70)
- MURANO, E. A., irradiation of meat and meat products to ensure hygienic quality, 398
- MURRAY, C. J., zoonotic origins of human salmonellosis in australia, 458

OLSON, D. G., (see Murano, 398)

PAULSON, D. S., variability evaluation of two handwash modalities employed in the food processing industry, 332; evaluation of three microorganism recovery procedures used to determine handwash efficacy, 520

RADOMYSKI, T., (see Murano, 398)

- REED, G. H., safe handling of potentially hazardous foods (phf) - a check list, 208; foodborne illness (part 1), staphylococcal ("staph") food poisoning, 642; foodborne illness (part 2), salmonellosis, 706
- REINEMANN, D. J., milkline cleaning dynamics: design guidelines and troubleshooting, 462

RODMAN, V., (see Metts, 450, 565)

SCHAFFNER, D. W., determining differences in microbial growth rates using linear regression, 517
 SHERRY, R. T., health inspections then and now, 387, SHEHATA, A. E., (see EI-Samragy, 638)

GELLER, E.S., solving environmental problems: a behaviour change perspective, 158

GIOUVANOUDI, A., (see Karakoltsidis, 712)

SNYDER, O.P., HACCP - an industry food safety selfcontrol program, part XII, 27; HAZCON-based total quality management, 288, 356, 417, 473, 538, 580, 649, 720

SHEN, N., (see Christen, 707)

- STIER, R.F., when the inspector arrives . . ., 210; glps - what are they? and how can they help food processors?, 272; the use of rapid methods for online monitoring, 391; safety in the processing plant, 454
- TANAKA, N., food hygiene in japan japanese food hygiene regulations and food poisoning incidents, 152

TODD, E.C.D., (see Bryan, 323)

TORMEY, M., importance of proper maintenance of your bulk milk cooler, 80

VASAVADA, P. C., evolving methodologies for microbiological examination of milk and dairy foods, 510 VOSNIAKOS, F.K., (see Karakoltsidis, 712)

- WELBOURN, J. L., food irradiation, food irradiation where art thou?, 276
- WENDORFF, W. L., phosphorus in major varieties of whey produced in wisconsin, 166

WILKINS, B.A., mastering milk quality basics of dairy sanitation, 11

WOODBURN, J. J., (see Bodyfelt, 631)

SUBJECT INDEX

Australia, salmonellosis, 458

Bacteria in milk, 631 Beef quality assurance program, 8 Botulism, in infants, 579

Carp, 712 Cleaning, 216, 710 Custard, 405

Dairy microbiological examination, 510

Eel, 712 Escherichia coli in abnormal milk, 70 Environmental problems, 158

Fatty acids from milk, 707 Federal register, 30, 93, 171, 230, 293, 348, 414, 472, 536, 576, 652, 716 Food and environmental hazards to health, 31, 87, 174, 229, 286, 350, 421, 476, 534, 578, 647, 718 Food hygiene in Japan, 152 illness, 642, 706

inspection through workers, 450 irradiation, 220, 276, 398 microbial growth, 517 safe handling, 208 safety at home, 168 Foodservice worker training/certification, 565 Good Laboratory Practices, 272 HACCP - an industry food safety self-control program. 27 HACCP approach by state, provincial and local agencies, 323 Handwash evaluation, 332, 520 HAZCON-based total quality management, 288, 356, 417, 473, 538, 580, 649, 720 Health inspections, 387 IAMFES affiliate council candidates, 362 affiliate council winner, 427 affiliate news calendar, 36, 98, 181, 362, 426, 544, 583, 725 California, 725 Connecticut, 181, 364 Metropolitan Association of Dairy. Food and Environmental Specialists, 583 Missouri, 364 New York, 583 Ohio, 37 Ontario, 98, 583 Tennessee, 36, 427, 725 Texas, 37, 544, Wisconsin, 363, 426, 545 affiliate officers, 238, 428, 727 annual meeting abstracts of papers presented, 585 awards presented, 674 call for papers, 527, middle blue section, no. 10, committee, professional development groups and task force reports, 662 developing scientist award competitions, 501, 557, 621 exhibitors, 256, 432, 680 highlights, 653 highlights of the executive board meeting, 659 hotel registration, 111, 189, 259, 309, 369, international life sciences institute to host symposium, 103 meeting registration, 110, 190, 258, 308, 368, minutes of the annual business meeting, 660 preliminary program, 244, 299, presidential address, 656 preview, 105, 184 spouse/companion tours and special events, 108, 187, 253, 306, 366, synopsis of papers, 182, 240, 298, 365, 430, workshop registration, 90, 191, 257, 307, 370 audio visuals library, 42, 192, awards

DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993 733

nominations, 39

past winners, 40

booklet form, 64, 143, 146, 376, 440, 556, 695, 759 committees, professional development groups and task force chairs and members, 100, 241, instructions for authors, 47, membership application, 63, 144, 200, 264, 316, 375, 439, 500, 555, 564, 696, 760 new members, 38, 112, 177, 237, 310, 371, 433, 482, 547, 611, 685, 730 on my mind, 7, 67, 151, 207, 271, 361, 385, 449, 508, 562, 626, 704 secretary candidates, 97 secretary nominations, 525, 537, secretary winner, 409 sustaining members, 4, 68, 148, 204, 268, 320, 380, 444, 504, 560, 622, 698 thoughts from the president, 6, 66, 150, 206, 267, 319, 383, 447, 506, 559, 624, 702 Industry products, 32, 94, 178, 234, 295, 351, 423, 479, 541, 582, 723 Infant botulism, 570 Inspector, 210 Inspection through foodservice workers, 450 Irradiation, 220, 276, 398 Japan, food hygiene, 152

Legionella: an environmental concern, 568 Listeria monocytogenes growth and survival of, 14 in abnormal milk, 70

Milk

abnormal, 70 basics of dairy sanitation, 11 cleaning, 462 custard, 405 microbiological examination, 510 proper maintenance of bulk cooler, 80 quality assurance program, 8 quality regulations, 278 raw, 631 Monitoring, on-line, 391

National Mastitis Council, 19, 341

Pasteurized milk ordinance (PMO), 74 Pop-up timers in turkeys, 628, Pollution control, 638 *Pseudomonas aeruginas* in abnormal milk, 70

Rapid methods monitoring, 391

Safe handling of foods, 208 Safety in the processing plant, 454 Salmonella growth and survival of, 14

734 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993

Salmonellosis, 706

in Australia, 458

Salt, effect on citric acid of whey for pollution control, 638

Sanitary design, 25, 91, 172, 231, 291, 354,

Sanitation, public health to physicians, 336

Sodium chloride, 14

Staphylococcus aureus

growth and survival of, 14 foodborne illness, 642

3-A sanitary standards

- for automatic positive displacement samplers for fluid milk and fluid milk products, number 59-00 (08-17D), 751
- for equipment for packaging dry milk and dry milk products, number 27-02, amendment to, 139
- for fittings used on milk and milk products equipment and used on sanitary lines conducting milk and milk productions, number 08-19E, amendment to, 48; part two, amendment to, number 08-19E, 50
- for multiple-use plastic materials used as product contact surfaces for dairy equipment, number 20-17, 127
- for multiple-use plastic materials used as product contact surfaces for dairy equipment, number 20-18, 549
- for plug-type valves for milk and milk products, number 51-00 (08-17P), 687
- for pressure reducing and back pressure regulating valves for milk and milk products, number 64-00 (08-17N), 613
- for sanitary fittings for milk and milk products, number 63-00 (09-11A), 738
- for sensors and sensor fittings and connections used on milk and milk products equipment, number 09-09, amendment to, 54; part two, amendment to, number 09-08, 56

holders list, 114, 483 Turkeys, pop-up timers, 628

Whey

for pollution control, 638 in wisconsin, 166

ADVERTISING INDEX

ASI Food Safety Consultants, Inc.	584
Acculab	545
Accurate Metering Corp.	389
AccuTech Machinery Company	79
American Type Culture Collection	322
AMPCO Pumps, Inc.	422
Anderson Instruments, Inc.	403
Applied Research Institute	390, 523
Atkins Technical, Inc.	2, 157, 215, 322,
	407, 567, 700

Babson Bros. Co. Becton Dickinson Microbiology	13
Systems Inside Ba Bentley Instruments, Inc.	ack Cover (Issue 7) 644, 715 t Cover (Issue 12) 523, 717
Capitol Vial, Inc.	3, 223, 312, 347,
Capitol Vials, Inc./Capitol Spouts, In Cargill Analytical Services	nc. 395, 502 515
Charm Sciences, Inc. Back Co	
Church & Dwight Co., Inc. Inside E 2-5)	Sack Cover (Issues
Columbus Instruments International 545, 644	3, 173, 277, 390,
	225, 275, 318, 467, 533, 563, 643, 719
Decagon Devices, Inc.	446
Deibel Laboratories, Inc.	277, 390
Double Integral Sanitation Ltd.	537
Dresser Industries	443
Eastern Crown, Inc.	386
Educational Foundation of the Natio	
Restaurant Association 75, 1 558, 627	
Electro-Steam Generator Corp.	516, 637, 705
Envirocon International, inc.	636, 729
Essex Inn	62
Fluid Metering, Inc.	408
0.	47, 335, 413, 441
Food and Dairy Quality Managem	
Institute 24, 225,	382, 519, 625, 697
Food Processors Institute	24, 322, 700
Foss Food Technology Corp.	524
Gardex Chemicals Ltd.	221, 416, 643 , 701
GENE-TRAK Systems	397
Gist-brocades Food Ingredients, Inc 503	c. 201, 377, 442 ,
Great Lakes Scientific, Inc.	547
Hartel Corp.	457
	266, 349, 404, 509
IMC Instruments, Inc.	545, 705
KenAg	384
Klenzade, Div. of Ecolab, Inc.	378
	Inside Front Cover
(Issue 10)	Inside Profit Cover
Lincoln Suppliers, Inc.	157
McGlaughlin Oil Company	83, 233, 408,
	533, 641, 705
1 1	219, 415, 518, 637
Meritech, Inc.	421, 524, 700
Michigan State University	176
Microcheck, Inc. 318,	397, 446, 523, 715

"BUSINESS EXCHANGE" CLASSIFIED ADVERTISING INDEX

B&J Repair Service 260, 436, 692
Bentley Instruments, Inc. 197
L.J. Bianco & Associates 59, 140, 197, 260, 313,
372, 435, 496, 618, 736
The Crombie Company 59, 140, 197, 261,
372, 496, 618, 736
DQCI Services, Inc. 59, 140, 197, 260, 313, 372,
436, 497, 551, 618, 691, 736
Decagon Devices, Inc. 496
E.C. Industries, Inc. 140, 261, 436, 497, 550, 691
Environmental Systems
Service, Ltd. 260, 436, 497, 550, 691, 737
Great Lakes Scientific, Inc. 372
IG MicroMed Environmental, Inc. 435
Ingman Labs, Inc. 59, 140, 197, 260, 312, 372,
435, 497, 550, 618, 692, 736
Kernco Instruments Co., Inc. 692
McDonald's Corp. 692
M&W Protective Coating Company 59, 372, 692
Michelson Laboratories, Inc. 260, 435, 550,
692, 737
Midwest Laboratories, Inc. 692
Northeast Laboratory Services 435, 497, 550, 618, 691
W.M. Sprinkman Corp. 59
Whittaker & Associates 436, 551

Business Exchange "Classifieds"

Services / Products





CIRCLE READER SERVICE NO. 340


Equipment For Sale



CIRCLE READER SERVICE NO. 339

GOSSELIN & BLANCHET Butter-Making Equipment New and used. Sales. Service. Parts. B & J REPAIR SERVICE • 4818 N. Bailey Rd. • Coral, MI 49322 (616) 354-6629

CIRCLE READER SERVICE NO. 329



Dairy, Food and Environmental Sanitation, Vol. 13, No. 12, Pages 738-750 (December 1993) Copyright©, IAMFES, 200W Merle Hay Centre, 6200 Aurora Avenue, Des Moines, IA 50322

3-A Sanitary Standards for Sanitary Fittings for Milk and Milk Products Number 63-00 (08-17 as Amended)

Formulated by International Association of Milk, Food and Environmental Sanitarians United States Public Health Service The Dairy Industry Committee

It is the purpose of the IAMFES, USPHS, and DIC in connection with the development of the 3-A Sanitary Standards program to allow and encourage full freedom for inventive genius or new developments. Sanitary fittings specifications heretofore or hereafter developed which so differ in design, material, construction, or otherwise, as not to conform with the following standards, but which in the manufacturer's or fabricator's opinion are equivalent or better may be submitted for the joint consideration of IAMFES, USPHS, and DIC at any time.

A

SCOPE

A.1

These standards cover the sanitary aspects of fittings used on processing equipment and on equipment and lines which hold or convey milk or milk products.

A.2

In order to conform to these 3-A Sanitary Standards, fittings shall comply with the following in design, material and fabrication criteria.

DEFINITIONS

B.1

R

Product: Shall mean milk and milk products.

B.2 SURFACES

B.2.1

Product Contact Surfaces: Shall mean all surfaces which are exposed to the product and surfaces from which liquid may drain, drip, diffuse or be drawn into the product.

B.2.2

Nonproduct Contact Surfaces: Shall mean all other exposed surfaces.

B.3

Mechanical Cleaning or Mechanically Cleaned: Shall denote cleaning, solely by circulation and/or flowing chemical detergent solutions and water rinses onto and over the surfaces to be cleaned, by mechanical means.

B.4

Electrodeposition: Shall mean coated to specific dimensions or processed to specified dimensions after electrodeposited coating.^{*1}

MATERIALS

C.1

C.

Product contact surfaces shall be of stainless steel of the AISI 300 Series^{*2} or corresponding ACI^{*3} types (See Appendix, Section F.) or metal which is equal in cleanability to stainless steel of the foregoing types, and which under conditions of intended use is equally corrosion resistant, nontoxic and nonabsorbent except that:

C.1.1

Fittings made of materials provided for in C.1 may be covered with an electrodeposited coating of chromium.

C.1.2

Rubber and rubber-like materials may be used for gaskets, O-rings, seals and parts having the same functional purposes.

C.1.3

Rubber and rubber-like materials, when used for the above specified applications, shall conform to the applicable provisions of the current 3-A Sanitary Standards for Multiple-Use Rubber and Rubber-Like Materials Used as Product Contact Surfaces in Dairy Equipment, Number 18-.

C.1.4

Plastic materials may be used for fittings, gaskets, Orings, seals, dust covers, sight and light openings and parts, having the same functional purposes.

Plastic materials, when used for the above specified applications, shall comply with to the applicable provisions of the current 3-A Sanitary Standards for Multiple-Use Plastic Materials Used as Product Contact Surfaces for Dairy Equipment Number 20-.

738 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993

⁴ QQ-C-320B-Federal Specification for Chromium Plating (Electrodeposited) July 25, 1974 with Amendment 4, April 10, 1987. The document is available from the General Services Administration, 18th & F Sts., NW, WFCIA, Washington, DC 20405 (202-472-2205) (Use most current edition).

²² The data for this series are contained in the AISI Steel Products Manual, Stainless & Heat Resisting Steels, November 1990, Table 2-1, pp. 17-20. Available from the Iron and Steel Society, 410 Commonwealth Drive, Warrendale, PA 15086 (412-776-9460) (Use most current edition).

^{*&}lt;sup>3</sup> Steel Founders Society of America, Cast Metal Federation Bldg., 455 State St., Des Plaines, IL 60016 (708-299-9160).

C.1.6

Rubber and rubber-like materials and plastic materials having product contact surfaces shall be of such composition as to retain their surface and conformational characteristics when exposed to the conditions encountered in the environment of intended use and in cleaning and bactericidal treatment or sterilization.

C.1.7

Rubber and rubber-like materials and plastic materials having product contact surfaces that are a bonded coating or a covering shall be of such composition as to retain their surface and conformation characteristics when exposed to the conditions encountered in the environment of intended use and in cleaning and bactericidal treatment or sterilization.

C.1.8

The final bond and residual adhesive, if used, on bonded rubber and rubber-like materials and bonded plastic materials shall be nontoxic.*4

C.1.9

Glass or plastic may be used in sight and/or light openings and when used, shall be of a clear, heatresistant type.

C.1.10

Glass or plastic may be used for fittings specified in the current 3-A Accepted Practices for the Design, Fabrication and Installation of Milking and Milk Handling Equipment. Number 606- and, when used, shall be of a clear or transparent, heat-resistant type.

C.1.11

In a processing system to be sterilized by heat and operated at a temperature of 250 degrees F (121 degrees C) or higher, all materials having a product contact surface(s) used in the construction of fittings, gaskets and nonmetallic component parts shall be such that they can be (1) sterilized by saturated steam or water under pressure (at least 15.3 psig or 106 kPa) at a temperature of at least 250 degrees F (121 degrees C) and (2) operated at the temperature required for processing.

C.2

All nonproduct contact surfaces shall be of corrosionresistant material or material that is rendered corrosion resistant. If coated, the coating used shall adhere. All nonproduct contact surfaces shall be relatively nonabsorbent, durable, and cleanable. Parts removable for cleaning having both product contact and nonproduct contact surfaces shall not be painted.

D

FABRICATION

D.1

All product contact surfaces shall have a finish at least as smooth as a No. 4 ground finish on stainless steel sheets and be free crevices in the final fabricated form. (See Appendix, Section G.) D.2

All permanent joints in metallic product contact surfaces shall be continuously welded, except that rolledon fittings may be used as defined by the current 3-A Accepted Practices for the Design, Fabrication and Installation of Milking and Milk Handling Equipment, Number 606-, and the current 3-A Sanitary Standards for Farm Milk Cooling and Holding Tanks, Number 13-, and current 3-A Sanitary Standards for Farm Milk Storage Tanks, Number 30-. Welded areas on product contact surfaces shall be at least as smooth as a No. 4 ground finish on stainless steel sheets, and be free of imperfections such as pits, folds, and crevices.

D.3

The minimum thickness of an electrodeposited coating shall not be less than 0.0002 in. (0.005 mm) for all product contact surfaces when used on stainless steel, when these surfaces are other than stainless steel, the minimum thickness of the electrodeposited coating shall not be less than 0.002 in. (0.05 mm).

D.4

Fittings that are to be mechanically cleaned shall be designed so that the product contact surfaces of fittings that are to be mechanically cleaned shall be so designed.

D.5

Product contact surfaces not designed to be mechanically cleaned shall be easily accessible for cleaning and inspection. Removable parts shall be readily demountable.

D.6

All product contact surfaces shall be self-draining when properly installed.

D.7

There shall be no threads on product contact surface except for those specified in Section E.1.

D.8

Removable fittings may be used with or without gaskets or 0-rings and shall be of such design as to form substantially flush interior joints.

D.9

Plain end fittings for use in welded sanitary pipelines must conform to the provisions of these standards with respect to material, finish and construction. The inside diameter of the butt welding ends shall be the same as that of the part to which it is to be welded.

D.10

GASKETS

D.10.1

Gaskets having a product contact surface shall be removable or bonded.

D.10.2

Bonded rubber and rubber-like materials and bonded plastic materials having product contact surfaces shall be bonded in such a manner that the bond is continuous and mechanically sound so that when exposed to the conditions encountered in the environment of intended use and in cleaning and bactericidal treatment or sterilization, the rubber and rubber-like material or the plastic material does not separate from the base material to which it is bonded.

DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993 739

Adhesives shall comply with 21 CFR Part 175 - Indirect food additives. Adhesives and components of coatings. Document for sale by the Superintendent of Documents U.S. Government Office, Washington, DC 20402 (202-783-3238) (Use most current edition).

D.10.3

Grooves in gaskets shall be no deeper than their width. D.10.4

Gasket grooves or gasket retaining grooves in product contact surfaces for removable gaskets shall not exceed 1/4 in. (6 mm) in depth or be less than 1/4 in. (6 mm) wide except those for standard 0-rings smaller than 1/4 in. (6 mm) and those for self-centering clamp-style gaskets.

D.11

Radii

D.11.1

All internal angles of 135 degrees or less on product contact surfaces shall have radii of not less than 1/8 in. (3 mm) except that:

D.11.1.1

Smaller radii may be used when they are required for essential functional reasons, such as those in flat sealing surfaces. In no case shall such radii be less than 1/32 in. (1 mm).

D.11.1.2

The radii in gasket grooves, gasket retaining grooves, or grooves in gaskets shall be not less than 1/32 in. (1 mm).

D.11.1.3

The radii in grooves for standard 1/4 in. (6 mm) 0-rings shall not be less than 3/32 in. (2 mm) and for standard 1/8 in. (3 mm) 0-rings shall be not less than 1/32 in. (1 mm).

D.12

Nonproduct contact surfaces shall have a smooth finish, free of pockets and crevices, and be readily cleanable and those surfaces to be coated shall be effectively prepared for coating.

E

SPECIAL CONSIDERATIONS

E.1

For special applications involving high pressure systems (greater than 250 psig/1750 kPa) with pipe or tube size of 1 in. (25 mm) outside diameter and under, American National Standard Unified Threads ("Vee-Threads") may be used on special fittings. Threads shall conform to ANSI Bl.1 as indicated on Table-1 contained in Appendix Section H.1 of these standards. All internal angles on product contact surfaces shall have radii of not less than 1/32 in. (1 mm) except gasket recesses and grooves, in which all sharp corner shall be avoided.

E.2

Fittings used in a processing system to be sterilized by heat and operated at a temperature of 250 degrees F (121 degrees C) or higher shall comply with the following additional criteria:

E.2.1

The construction shall be such that all product contact surfaces can be sterilized by saturated steam or water under pressure (at least 15.3 psig or 106 kPa) at a temperature of at least 250 degrees F (121 degrees C).

E.2.2

Fittings that have a product contact surface(s) to be used in such a processing system, not designed so that the

740 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993

system is automatically shut down if the product pressure in the system becomes less than that of the atmosphere and cannot be restarted until the system is resterilized, shall have a steam or other sterilizing medium chamber surrounding the fittings at the product contact surface. The fittings shall be constructed so that the steam chamber or other sterilizing medium chamber may be exposed for inspection.

APPENDIX

STAINLESS STEEL MATERIALS

Stainless steel conforming to the applicable composition ranges established by AISI for wrought products, or by ACI for cast products, should be considered in compliance with the requirements of Section C.1 herein. Where welding is involved, the carbon content of the stainless steel should not exceed 0.08 percent. The first reference cited in C.1 sets forth the chemical ranges and limits of acceptable stainless steel of the 300 Series. Cast grades of stainless steel corresponding to type 302, 303, 304, and 316 are designated CF-20, CF-16F, CF-8 and CF-8M, respectively. The chemical composition of these cast grades are covered by ASTM*⁵ specifications A351/A351M, A743/A743M and A744/A744M.

PRODUCT CONTACT SURFACE FINISH

Surface finish equivalent to 150 grit or better as obtained with silicon carbide, properly applied on stainless steel sheets, is considered in compliance with the requirements of Section D.1 herein. A maximum Ra of 32 micro in. (0.8 microm), when measured according to recommendations in ANSI/ASME B.46.1 - Surface Texture, is considered equivalent to a No. 4 finish.^{*6}

H

G

F

THREAD SPECIFICATIONS

H.1

Screw Threads - High Pressure Applications Table 1 Unified Screw Threads

TUBE SIZE INCH	THREAD SIZES	THREADS PER INCH	THREAD EXTERNAL	CLASS INTERNAL
1/4	9/16	18, 20	2A, 3A	2B
3/8	3/4	20	2A, 3A	2B
3/8	7/8	14	2A, 3A	2B
1/2	7/8	14, 20	2A, 3A	2B
5/8	1	14, 20	2A, 3A	2B
3/4	1 1/4	18	2A, 3A	2B
3/4	1 5/16	20	2A, 3A	2B
1	1 1/2	20	2A, 3A	2B

I

H.2

DIAGRAMS

These diagrams are intended to demonstrate general principles only, and are not intended to limit individual ingenuity. The design used should conform with the sanitary requirements set forth in these 3-A Sanitary Standards. The following examples are included in this Appendix:

*5 Available from ASTM, 1916 Race St., Philadelphia, PA 19103-1187 (215-299-5400) (Use most current edition).


Available from American Society of Mechanical Engineers, 345 East 47th Street, New York, NY 10017 (212-705-7722) (Use most current edition).

These standards are effective on November 21, 1993, at which time the 3-A Sanitary Standards for Fittings Used on Milk and Milk Products Equipment and Used on Sanitary Lines Conducting Milk and Milk Products, Number 08-17 are rescinded, and become null and void.

Drawing	Page	3-A Drawing Number
General Purpose Acme Threads-Class 2G	741	3-A-6300-01
Fitting Name		
#2-CG Bend, #7-G Tee, #9-G Cross	742	3-A-6300-02
#2F Bend, #2FG Bend	742	3-A-6300-03
#2P Bend, #2PG Bend, #2K Bend, #2KG Bend	743	3-A-6300-04
#7-B Tee, #7-A Tee	744	3-A-6300-05
#7AG Tee, #7BG Tee	744	3-A-6300-06
#31-15G Reducer, #31-15 Reducer	745	3-A-6300-07
#32-15G Reducer, #32-15 Reducer	746	3-A-6300-08
#15-RG Ferrule, #15R-Ferrule, #14R-Ferrule,		
#14RG-Ferrule, #16A-Cap, #16AG-Cap	747	3-A-6300-09
Recessless Sanitary Unions	748	3-A-6300-10
13 SH Hex Nut	748	3-A-6300-11
2-E Bend, 7X Tee, 7AX Tee, 7BX Tee	749	3-A-6300-12
2EG Bend, 7XG Tee, 7AXG Tee, 7BXG Tee	750	3-A-6300-13

APPENDIX

GENERAL PURPOSE ACME THREADS - CLASS 2G



29" P PD Q


INTERNAL THREAD

SIZE	ACME THREADS PER INCH	Ρ	Q	PITCH DIA.	TOLERANCE P, Q and P.D.
1	8	1.352	1.497	1.4145	+.018,000
1-1/2	8	1.884	2.029	1.9465	+.019,000
2	8	2.416	2.561	2.4785	+.020,000
2-1/2	8	2.948	3.093	3.0105	+.021,000
3	8	3.480	3.625	3.5425	+.022,000
4	6	4.544	4.730	4.6270	+.025,000

EXTERNAL THREAD


SIZE	ACME THREADS PER INCH	Ρ	Q	PITCH DIA.	TOLERANCE P, Q and P.D.
1	8	1.317	1.462	1.3995	+.000,018
1-1/2	8	1.849	1.994	1.9315	+.000,019
2	8	2.381	2.526	2.4635	+.000,020
2-1/2	8	2.913	3.058	2.9955	+.000,021
3	8	3.445	3.590	3.5275	+.000,022
4	6	4.509	4.695	4.6120	+.000,025

THREAD DIMENSIONS



SIZE	TUBE	ACME THREADS PER INCH	A	В	С	E	G _{MAX}	J	N	O + 001*	Р	Q
1"	18	8	1-7/8"	1-1/2"	3-3/8"	1-11/16"	7/16"	.062	.902"	1.219"	1.317"	1.462"
1-1/2"	18	8	2-3/4"	2-1/4"	4-1/2"	2-1/4"	7/16"	.062	1.402"	1.750"	1.849"	1.994"
2"	16	8	3-9/16"	3"	5-1/4"	2-5/8"	7/16"	.062	1.870"	2.250"	2.381"	2.526"
2-1/2"	16	8	4-21/32"	4"	6"	3"	17/32"	.062	2.370"	2.750*	2.913"	3.058"
3"	16	8	5-23/32"	5"	6-5/8"	3-5/16"	9/16"	.062	2.870"	3.312"	3.445"	3.590"
4"	14	6	7-7/8"	7"	8-15/16"	4-15/32"	11/16"	.062	3.834"	4.312"	4.509"	4.695"

3-A Standard Sanitary Fittings 3-A-6300-02




3-A Standard Sanitary Fittings 3-A-6300-03

*2F BEND GROUND SEAT TYPE

*2FG BEND

SIZE Acme B			в	В	B	В	B	AG	Ground Seat Type			Gasket Type			A N	N	0	Р	Q	R	S	Ground	Gasket	W	Y
	Per Inch			V	G	Н	V	G	J	J							Seat	Туре							
														U	U										
1"	8	1-1/2"	1-7/8°	1/8"	9/16"	1-3/16"	3/32"	7/16"	.062"	2"	.902"	1.219"	1.317"	1.462"	1.160"	1.316"	3/16"	9/64°	1.187"	1-59/64"					
1-1/2"	8	2-1/4"	2-3/4"	5/32°	9/16 [#]	1-23/32"	3/32"	7/16°	.062"	2-7/8"	1.402"	1.750"	1.849"	1.994"	1.676"	1.848"	3/18"	9/64"	1.718"	2-49/64"					
2"	8	3"	3-9/16°	5/32°	19/32°	2-1/4"	3/32"	7/16"	.062"	3-23/32"	1.870"	2.250"	2.381"	2.526"	2.192"	2.380"	1/4"	7/32 ⁿ	2.218*	3-5/8"					
2-1/2"	8	4 ⁿ	4-21/32"	3/16"	23/32"	2-3/4"	3/32"	17/32°	.062"	4-27/32"	2.370"	2.750"	2.913"	3.058°	2.708°	2.912"	1/4 ⁿ	7/32"	2.718"	4-23/32"					
3"	8	5*	5-23/32"	3/16"	3/4"	3-5/16"	3/32"	9/16°	.062"	5-29/32"	2.870°	3.312"	3.445"	3.590°	3.224"	3.444"	9/32ª	1/4 ⁿ	3.280°	5-25/32*					
4"	6	7"	7-7/8"	1/4"	7/8"	4-1/4"	7/64"	11/16"	.062"	8-1/16"	3.834"	4.312"	4.509"	4.695"	4.256"	4.508"	5/16"	9/32"	4.280"	7-57/64"					


742 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993




Per Inch	NB	MB	NG	MG		V	GMAX	н	V	GMAX	J							Seat	Туре	1 1
																		U	U	1
8	2-1/8"	1-5/16"	2-3/64"	1-3/16"	1-1/2"	1/8"	9/16 ^a	1-3/16"	3/32"	7/16"	.062	.902"	1.219"	1.317*	1.462"	1.160"	1.316"	3/16"	9/64°	1.187"
8	2-1/8"	1-23/32"	2-1/64"	1-19/32"	2-1/4"	5/32"	9/16°	1-23/32"	3/32"	7/16*	.062	1.402"	1.750"	1.849"	1.994"	1.676"	1.848"	3/16"	9/64"	1.718"
8	2-5/16"	2-1/8"	2-7/32"	1-31/32"	3"	5/32"	19/32°	2-1/4"	3/32"	7/16"	.062	1.870"	2.250"	2.381"	2.526"	2.192"	2.380"	1/4"	7/32*	2.218"
8	2-9/16"	2-5/8"	2-7/16*	2-7/16"	4"	5/32"	23/32"	2-3/4"	3/32"	17/32"	.062	2.370"	2.750"	2.913"	3.058"	2.708"	2.912"	1/4 ⁿ	7/32ª	2.718"
8	2-29/32"	3-1/8"	2-25/32"	2-15/16"	5"	3/16"	3/4"	3-5/16"	3/32"	9/16°	.062	2.870*	3.312"	3.445"	3.590"	3.224"	3.444"	9/32"	1/4"	3.280"
6	3-7/8"	4-1/4"	3-45/64"	4-1/16"	7"	1/4"	7/8"	4-1/4"	7/64"	11/16"	.062	3.834"	4.312"	4.509"	4.695"	4.256"	4.508"	5/16"	9/32ª	4.280"
		8 2-1/8" 8 2-1/8" 8 2-5/16" 8 2-9/16" 8 2-29/32"	Per Inch IND IND 8 2-1/8" 1-5/16" 8 2-1/8" 1-23/32" 8 2-5/16" 2-1/8" 8 2-5/16" 2-1/8" 8 2-9/16" 2-5/8" 8 2-29/32" 3-1/8"	Per Incl. PIC PIC PIC 8 2-1/8" 1.5/16" 2.364" 8 2-1/8" 1.5/32" 2.164" 8 2-5/16" 2.332" 2.1732" 8 2.5/16" 2.5/32" 2.7/32" 8 2.9/16" 2.5/32" 2.7/16" 8 2.9/16" 2.5/32" 2.7/16"	Per Inch NB NB NG MG 8 2-1/8" 1-5/16" 2-3/84" 1-3/16" 8 2-1/8" 1-5/3/32" 2-1/84" 1-3/16" 8 2-5/16" 2-3/32" 2-1/84" 1-3/32" 8 2-5/16" 2-3/32" 2-1/74" 1-3/32" 8 2-9/16" 2-5/6" 2-7/16" 2-7/16" 8 2-29/32" 3-1/8" 2-25/32" 21/5/6"	Per Inch NB NG NG 8 2-1/8" 1-5/16" 2-3/84" 1-3/16" 1-1/2" 8 2-1/8" 1-5/3/32" 2-1/64" 1-1/3/2" 2-1/4" 8 2-5/16" 2-3/32" 2-1/64" 1-1/3/2" 2-1/4" 8 2-5/16" 2-1/6" 2-7/32" 1-3/13/2" 3" 8 2-9/16" 2-5/6" 2-7/16" 2-7/16" 4" 8 2-29/32" 3-1/8" 2-25/32" 21/5/16" 5"	NB NB NG NG NG NG V 8 2-1/8" 1-5/16" 2-3/64" 1-3/16" 1-1/2" 1/8" 8 2-1/8" 1-23/32" 2-1/64" 1-3/32" 2-1/4" 5/32" 8 2-5/16" 2-1/8" 2-7/32" 1-3/32" 3" 5/32" 8 2-9/16" 2-5/8" 2-7/16" 2-7/16" 4" 5/32" 8 2-29/32" 3-1/8" 2-25/32" 2-1/16" 4" 5/32"	Per Incl. NB S42 S432 2-1/84 1-3/32 2-1/44 1-3/32 2-1/45 5/32 9/32* 3/32* 9/32* 3/32* 9/32* 3/32* 9/32* 3/32* 9/32* 3/32* 9/32* 3/32* 9/32* 3/32* 9/32* 3/32* 9/32* 3/3** 3/3** 2-29/32* 2-1/16* 3/2* 2/3** 3/3** 3/3** 3/3** 3/3** 3/3** 3/3** 3/3** 3/3** 3/3** 3/3** 3/3** 3/3**	Per Incl. NB NB NG NG NG V G _{MAX} P 8 2-1/8" 1-5/16" 2-3/64" 1-5/16" 1-1/2" 1/8" 9/16" 1-3/16" 8 2-1/8" 1-23/32" 2-1/8" 1-1/3/2" 2-1/4" 5/32" 9/16" 1-23/32" 8 2-5/16" 2-1/8" 1-31/32" 3" 5/32" 9/16" 1-23/32" 8 2-5/16" 2-1/8" 1-31/32" 3" 5/32" 9/16" 1-23/32" 8 2-9/16" 2-5/8" 2-7/16" 4" 5/32" 9/16" 2-3/4" 8 2-9/16" 2-5/8" 2-7/16" 4" 5/32" 2/34" 3-5/16" 8 2-29/32" 3-1/8" 2-25/32" 2-1/16" 5" 3/16" 3/4" 3-5/16"	Per Inch NB <	Per Inch NB <	Per Incl. NB NB	Per Inch NB <	Per Inch NB <	Per Inch NB <	Per Inch NB <	Per Inch NB <	Per Incl. NB NB	Per Indi NB <	Per Indi NB <

Dimensions in Above Table are Shown in Inches.


Dimensions Not Specified Are Not Standardized Since They Bear No Relation to Interchangeability






No. 7-A TEE


SIZE	ACME THREADS PER INCH	С	E	۷	G _{MAX}	EI	н	N	Р	Q	R	S	U	Z
1	8	3-5/8	1-13/16	1/8	9/16	2-11/16	1-3/16	.902	1.317	1.462	1.160	1.316	3/16	4-1/2
1-1/2	8	4-3/4	2-3/8	5/32	9/16	3-13/32	1-23/32	1.402	1.849	1.994	1.676	1.848	3/16	5-25/32
2	8	5-9/16	2-25/32	5/32	19/32	3-13/16	2-1/4	1.870	2.381	2.526	2.192	2.380	1/4	6-19/32
2-1/2	8	6-3/8	3-3/16	3/16	23/32	4-1/4	2-3/4	2.370	2.913	3.058	2.708	2.912	1/4	7-7/16
3	8	7	3-1/2	3/16	3/4	4-5/8	3-5/16	2.870	3.445	3.590	3.224	3.444	9/32	8-1/6
4	6	9-15/16	4-21/32	1/4	7/8	6-1/8	4-1/4	3.834	4.509	4.695	4.256	4.508	5/16	10-25/32



Dimensions in Above Table are Shown in Inches.

Dimensions Not Specified Are Not Standardized Since They Bear No Relation to Interchangeability.





No 7BG-TEE

SIZE	ACME THREADS PER INCH	С	E	۷	G _{MAX}	EI	J	N	0	Р	Q	R	S	U	W	Z
1	8	3-3/8	1-11/16	3/32	7/16	2-39/64	.062	.902	1.219	1.317	1.462	1.160	1.316	9/64	1.187	4-19/64
1-1/2	8	4-1/2	2-1/4	3/32	7/16	3-19/64	.062	1.402	1.750	1.849	1.994	1.676	1.848	9/64	1.718	5-35/64
2	8	5-1/4	2-5/8	3/32	7/16	3-23/32	.062	1.870	2.250	2.381	2.526	2.192	2.380	7/32	2.218	6-11/32
2-1/2	8	6	3	3/32	17/32	4-1/8	.062	2.370	2.750	2.913	3.058	2.708	2.912	7/32	2.718	7-1/8
3	8	6-5/8	3-5/16	3/32	9/16	4-1/2	.062	2.870	3.312	3.445	3.590	3.224	3.444	1/4	3.280	7-13/16
4	6	8-15/16	4-15/32	7/64	11/16	5-61/64	.062	3.834	4.312	4.509	4.695	4.256	4.508	9/32	4.280	10-27/64

Dimensions in Above Table are Shown in Inches.

Dimensions Not Specified Are Not Standardized Since They Bear No Relation to Interchangeability

744 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993

No. 7AG-TEE

3-A Standard Sanitary Fittings 3-A-6300-06

3-A Standard Sanitary Fittings 3-A-6300-07

#31-15 REDUCER * Special Order Only

1-1/2" × 1"	2" x 1"	2" × 1-1/2"	* 2-1/2" × 1"	2-1/2"x	2-1/2" x 2"	* 3"×1"	3" × 1-	3" x 2"	3" x 2-	* 4"×1"	* 4" × 1-1/2"	4" x 2"	4" x 2-	4" v 3"
× 1"		-1/2 ^m	× 1"	2-1/2"×1-1/2"	x 2"		x 1-1/2"		x 2-1/2"		1/2"		2-1/2"	
8	8	8	8	8	80	80	8	8	8	80	80	8	8	æ
2-1/2"	2-1/2"	2-1/2"	2-1/2"	2-1/2"	2-19/32"	2-1/2"	2-1/2"	2-19/32"	2-23/32"	2-1/2"	2-1/2"	2-19/32"	2-23/32"	2-25/32"
5/32"	5/32"	5/32"	3/16"	3/16"	3/16"	3/16"	3/16"	3/16"	3/16"	1/4"	1/4"	1/4"	1/4"	1/4"
9/16"	9/16"	9/16"	9/16"	9/16"	19/32"	9/16"	9/16"	19/32 ⁿ	23/32"	9/16"	9/16"	19/32"	23/32"	3/4"
1-3/16"	1-3/16"	1-23/32"	1-3/16"	1-23/32"	2-1/4"	1-3/16"	1-23/32"	2-1/4"	2-3/4"	1-3/16"	1-23/32"	2-1/4"	2-3/4"	3-5/16"
.902"	.902"	1.402"	.902*	1.402"	1.870"	.902"	1.402"	1.870"	2.370"	.902"	1.402"	1.870"	2.370"	2.870"
1.317"	1.317"	1.849"	1.317"	1.849"	2.381"	1.317"	1.849"	2.381"	2.913"	1.317"	1.849"	2.381"	2.913"	3.445"
1.317" 1.462"	1.462"	1.994"	1.462"	1.994"	2.526"	1.462"	1.994"	2.526"	3.058"	1.462"	1.994"	2.526"	3.058"	3.590"
1.676"	2.192"	2.192"	2.708"	2.708"	2.708"	3.224"	3.224"	3.224"	3.224"	4.256"	4.256"	4.256"	4.256"	4.256"
1.848"	2.380"	2.380"	2.912"	2.912"	2.912"	3.444"	3.444"	3.444"	3.444"	4.508"	4.508"	4.508"	4.508"	4.508"
3/16"	1/4"	1/4"	1/4"	1/4"	1/4"	9/32 ^ª	9/32"	8/32"	9/32"	5/16"	5/16"	5/16"	5/16"	5/16"

⊃ S

œ

o ٩

z

I

G_{MMX}

>


AB


NOME THREADS PER INCH


SIZE


#31-15G REDUCER

-	SIZE	THREADS PER INCH	AB	>	GMAX	2	z	0	٩.	0	œ	S	⊃	N
	1-1/2" × 1"	80	2-17/64"	3/32"	7/16"	.062"	.902"	1.219"	1.317"	1.462"	1.676"	1.848"	9/64"	1.718"
	2" × 1"	8	2-9/32"	3/32"	7/16"	.062"	.902"	1.219"	1.317"	1.462"	2.192"	2.380"	7/32"	2.218"
- 4	2" × 1-1/2"	8	2-9/32"	3/32"	7/16"	.062"	1.402"	1.750"	1.849"	1.994"	2.192"	2.380"	7/32"	2.218"
- 14	2-1/2" × 1"	89	2-1/4"	3/32"	7/16"	.062"	.902	1.219"	1.317"	1.462"	2.708"	2.912"	7/32"	2.718"
- 4	2-1/2"×1-1/2"	8	2-1/4"	3/32"	7/16"	.062"	1.402"	1.750"	1.849"	1.994"	2.708"	2.912"	7/32"	2.718"
- 4	2-1/2" x 2"	8	2-5/16"	3/32"	7/16"	.062"	1.870"	2.250"	2.381"	2.526"	2.708"	2.912"	7/32"	2.718"
	3" × 1"	80	2-1/4"	3/32"	7/16"	.062"	.902"	1.219"	1.317"	1.462"	3.224"	3.444"	1/4"	3.280"
	3" × 1-1/2"	8	2-1/4"	3/32"	7/16"	.062"	1.402"	1.750"	1.849"	1.994"	3.224"	3.444"	1/4"	3.280"
	3" x 2"	80	2-5/16"	3/32"	7/16"	.062"	1.870"	2.250"	2.381"	2.526"	3.224"	3.444"	1/4"	3.280"
	3" x 2-1/2"	80	2-13/32"	3/32"	17/32"	.062"	2.370"	2.750"	2.913"	3.058"	3.224"	3.444"	1/4"	3.280"
	4" × 1"	8	2-13/64"	7/64"	7/16"	.062"	.902"	1.219"	1.317"	1.462"	4.256"	4.508"	9/32"	4.280"
	4" × 1-1/2"	8	2-13/64"	7/64"	7/16"	.062"	1.402"	1.750"	1.849"	1.994"	4.256"	4.508"	9/32"	4.280"
	4" x 2"	8	2-17/64"	7/64"	7/16"	.062"	1.870"	2.250"	2.381"	2.526"	4.256"	4.508"	9/32"	4.280"
	4" x 2-1/2"	80	2-23/64"	7/64"	17/32"	.062"	2.370"	2.750"	2.913"	3.058"	4.256"	4.508"	9/32"	4.280"
	4" × 3"	89	2-27/64"	7/64"	9/16°	.062"	2.870"	3.312"	3.445"	3.590"	4.256"	4.508"	9/32"	4.280"









Sanitary Fittings **3-A Standard** 3-A-6300-08

#32-15 REDUCER * Special Order Only

SIZE	ш	THREADS PER INCH	AB	>	G _{MAX}	т	¥	z	٩	a	œ	S	
-1/2	1-1/2" x 1"	00	2-1/2"	5/32"	9/16"	1-3/16"	.250"	.902"	1.317"	1.462"	1.676"	1.848"	
2" X	1"	80	2-1/2"	5/32"	9/16"	1-3/16"	.484"	.902"	1.317"	1.462"	2.192"	2.380"	
2"×	x 1-1/2"	8	2-1/2"	5/32"	9/16"	1-23/32"	.234"	1.402"	1.849"	1.994"	2.192"	2.380"	-
2-1/2"	2" × 1"	80	2-1/2"	3/16"	9/16"	1-3/16"	.734"	.902"	1.317"	1.462"	2.708"	2.912"	
2-1/2	2-1/2"×1-1/2"	8	2-1/2"	3/16"	9/16"	1-23/32"	.484"	1.402"	1.849"	1.994"	2.708"	2.912"	1/4"
2-1/2"	2" X 2"	80	2-19/32"	3/16"	19/32"	2-1/4"	.250"	1.870"	2.381"	2.526"	2.708"	2.912"	-
3" ×	-	80	2-1/2"	3/16"	9/16"	1-3/16"	.984"	.902"	1.317"	1.462"	3.224"	3.444"	9/32"
3"×	x 1-1/2"	80	2-1/2"	3/16"	9/16"	1-23/32"	.734"	1.402"	1.849"	1.994"	3.224"	3.444"	9/32"
3"×	2"	80	2-19/32"	3/16"	19/32"	2-1/4"	.500"	1.870"	2.381"	2.526"	3.224"	3.444"	9/32"
3"×	x 2-1/2"	80	2-23/32"	3/16"	23/32"	2-3/4"	.250"	2.370"	2.913"	3.058"	3.224"	3.444"	9/32"
4"×	-	80	2-1/2"	1/4"	9/16"	1-3/16"	1.466"	.902"	1.317"	1.462"	4.256"	4.508"	5/16"
4" ×	× 1-1/2"	80	2-1/2"	1/4"	9/16"	1-23/32"	1.216"	1.402"	1.849"	1.994"	4.256"	4.508"	5/16"
4"×	2"	80	2-19/32"	1/4"	19/32"	2-1/4"	.982"	1.870"	2.381*	2.526"	4.256"	4.508"	5/16"
4" X	2-1/2"	80	2-23/32"	1/4"	23/32"	2-3/4"	.732"	2.370"	2.913"	3.058"	4.256"	4.508"	5/16"
4" ×	3.	00	2-25/32"	1/4"	3/4"	3-5/16"	482"	2.870"	3.445"	3.590"	4.256"	4 508"	5/16"

+ 1/16" Minimum

191

A B

+ 1/16* Minimum


-9-

AB

#32-15G REDUCER

* Special Order Only

SIZE	щ	NONE THREADS PER INCH	AB	>	G _{MAX}	P	¥	z	0	٩	σ	æ	S	>	8
1-1/2"	/2" × 1"	80	2-17/64"	3/32"	7/16"	.062"	.250"	.902"	1.219"	1.317"	1.462"	1.676"	1.848"	9/64"	1.718"
2°×	× 1"	80	2-9/32"	3/32"	7/16"	.062"	.484"	.902"	1.219"	1.317°	1.462"	2.192"	2.380"	7/32"	2.218"
s,	x 1-1/2"	8	2-9/32"	3/32"	7/16"	.062"	.234"	1.402"	1.750"	1.849"	1.994"	2.192"	2.380"	7/32"	2.218°
2-1/2"	/2" × 1"	8	2-1/4"	3/32"	7/16"	.062"	.734"	.902"	1.219"	1.317"	1.462"	2.708"	2.912"	7/32"	2.718"
2-1/	2-1/2"×1-1/2"	8	2-1/4"	3/32"	7/16"	.062"	.484"	1.402"	1.750*	1.849"	1.994"	2.708"	2.912"	7/32"	2.718"
2-1/2"	/2" X 2"	8	2-5/16"	3/32"	7/16"	.062"	.250"	1.870"	2.250"	2.381"	2.526"	2.708"	2.912"	7/32"	2.718"
3"×	× 1"	8	2-1/4"	3/32"	7/16"	.062*	.964"	.902"	1.219"	1.317"	1.462"	3.224"	3.444"	1/4"	3.280"
"e	x 1-1/2"	8	2-1/4"	3/32"	7/16*	.062"	.734"	1.402"	1.750"	1.849"	1.994"	3.224"	3.444"	1/4"	3.280"
3"×	x 2"	80	2-5/16"	3/32"	7/16"	.062"	.500"	1.870"	2.250"	2.381"	2.526"	3.224"	3.444"	1/4"	3.280"
s"×	x 2-1/2"	8	2-13/32"	3/32"	7/32"	.062"	.250"	2.370"	2.750"	2.913"	3.058"	3.224"	3.444"	1/4"	3.280"
* *	× 1"	8	2-13/64"	7/64"	7/16"	.062"	1.466"	.902	1.219"	1.317"	1.462"	4.256"	4.508"	9/32"	4.280"
4" X	× 1-1/2"	8	2-13/64"	7/64"	7/16"	.062"	1.216"	1.402"	1.750"	1.849"	1.994"	4.256"	4.508"	9/32"	4.280"
4" ×	x 2"	8	2-17/64"	7/64"	7/16"	.062"	.982"	1.870"	2.250"	2.381"	2.526"	4.256"	4.508"	9/32"	4.280"
4 "X	x 2-1/2"	80	2-23/64"	7/64"	17/32"	.062"	.732"	2.370"	2.750"	2.913"	3.058"	4.256"	4.508"	9/32"	4.280"
4"×	× 3"	00	2-27/64"	7/64"	9/16"	.062"	.482"	2.870"	3.312"	3.445"	3.590"	4.256"	4.508"	9/32"	4.280°



œ

Avoid Sherp Corner

Avoid Sharp Carner

>1


45


-

œ

o

1







RECESSLESS SANITARY UNIONS

Recessless ferrule is attached to pipe with end of pipe projecting slightly through ferrule. End of pipe and ferrule are then faced flush with facing tool.









SIZE	ACME THREADS PER INCH	OL	HS	к	М	Р	Q	x
1ª	8	.750	1.187	1.812	1.015	1.352	1.497	.312
1-1/2"	8	.812	1.703	2.407	1.515	1.884	2.029	.343
2	8	.875	2.203	3.001	2.015	2.416	2.561	.406
2-1/2"	8	.968	2.703	3.595	2.515	2.948	3.093	.406
3°	8	1.015	3.203	4.191	3.015	3.480	3.625	.406
4"	6	1.156	4.203	5.420	4.015	4.544	4.730	.500

13 SH HEX NUT

3-A Standard **Sanitary Fittings** 3-A-6300-11





a

750 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993

3-A-6300-13

11/16"

15-3/4"

7-7/8"

9

*

Dairy, Food and Environmental Sanitation, Vol. 13, No. 12, Pages 751-757 (December 1993) Copyright©, IAMFES, 200W Merle Hay Centre, 6200 Aurora Avenue, Des Moires, IA 50322

3-A Sanitary Standards for Automatic Positive Displacement Samplers for Fluid Milk and Fluid Milk Products, Number 59-00 (08-17D)

Formulated by

International Association of Milk, Food and Environmental Sanitarians United States Public Health Service The Dairy Industry Committee

It is the purpose of the IAMFES, USPHS, and DIC in connection with the development of the 3-A Sanitary Standards Program to allow and encourage full freedom for inventive genius or new developments. Automatic positive displacement samplers specifications heretofore or hereafter developed which so differ in design, materials, and fabrication or otherwise as not to conform to the following standards but which, in the fabricator's opinion, are equivalent or better, may be submitted for the joint consideration of the IAMFES, USPHS, and DIC at any time.

A

SCOPE

A.I

These standards cover the sanitary aspects of air operated or electrically operated automatic positive displacement samplers (reference revised 3-A drawings, numbers 3-A-100D-1, 3-A-100D-2, 3-A-100D-3, 3-A-100D-4, 3-A-100D-5 and 3-A-100D-6) used on processing equipment and on equipment and lines which hold or convey fluid milk or fluid milk products. The sampler assembly may consist of a body, plunger, head, O-rings, seals, cylinder valves, diaphragm, springs and an air or electrically operated mechanism. It shall also include a closure plug or sample discharge port closure suitable for sealing the sample discharge opening when the sampler is not in use. These standards shall not cover automatic positive displacement samples used in aseptic or ulta pasteurization systems.

A.2

In order to conform to these 3-A Standards, air operated or electrically operated positive displacement samplers shall comply with the following in design, material and fabrication.

B

DEFINITIONS

B.1

Product: Shall mean the fluid milk and fluid milk products.

B.1.1

Sample: Shall mean that portion of the product removed for analytical purposes.

B.2

Surfaces

B.2.1

Product Contact Surfaces: Shall mean all surfaces that are exposed to the product or from which liquid may drain, drop or be drawn into the product.

B.2.2

Sample Contact Surfaces: Shall mean all product surfaces that are exposed exclusively to the sample once removed from the product stream or from which liquid may drain, drop or be drawn into the sample.

B.2.3

Nonproduct Contact Surfaces: Shall mean all other exposed surfaces.

B.3

Mechanical Cleaning or Mechanically Cleaned: Shall denote cleaning, solely by circulation and/or flowing chemical detergent solutions and water rinses onto and over the surfaces to be cleaned, by mechanical means.

B.4

Electrodeposition: Shall mean coated to specific dimensions or processed to specified dimensions after coating^{*1}.

MATERIALS

C.1

C

Product contact surfaces shall be of stainless steel of the AISI 300 Series^{*3} or corresponding ACI^{*4} types (See Appendix Section F.) or metal which under conditions of intended use is at least as corrosion resistant as stainless steel of the foregoing types and is nontoxic and nonabsorbent, except that:

C.1.1

Rubber and rubber-like materials may be used for gaskets, diaphragms, 0-rings, seals and parts used in similar applications.

C.1.2

⁷¹ QQ-C-320B Federal Specification for Chromium Plating (Electrodeposited) June 17, 1974 Amendment 4, April 10, 1987. QQ-N-290A, Federal Specification for Nickel Plating (Electrodeposited) November 12, 1971. Both documents available from the General Services Administration, 18th & F Sts., NW, WFCIA, Washington, DC 20405 (202-472-2205) (Use most current edition).

Rubber and rubber-like materials when used shall conform to the applicable provisions of the current 3-A Sanitary Standards for Multiple-Use Rubber and Rubber-Like Materials Used as Product Contact Surfaces In Dairy Equipment, Number 18-.

C.1.3

Plastic materials may be used for gaskets, diaphragms, O-rings, seals and parts used in similar applications.

C.1.4

Plastic materials, when used, shall conform the applicable provisions of the current 3-A Sanitary Standards for Multiple-Use Plastic Materials Used as Product Contact Surfaces for Dairy Equipment Number 20-.

C.1.5

Rubber and rubber-like materials and plastic materials having product contact surfaces shall be of such composition as to retain their surface and conformational characteristics when exposed to the conditions encountered in the environment of intended use and in cleaning and bactericidal treatment.

C.1.6

The final bond and residual adhesive, if used, of bonded rubber and rubber-like materials and bonded plastic materials shall be nontoxic.^{*2}

C.1.7

Rubber and rubber-like materials and plastic materials having product contact surfaces that are a bonded coating or a covering shall be of such composition as to retain their surface and conformation characteristics when exposed to the conditions encountered in the environment of intended use and in cleaning and bactericidal treatment.

C.1.8

Plungers of air operated positive displacement samplers made of materials provided for in subsection C.l may be covered with an electrodeposited coating of chromium.

C.2

All nonproduct contact surfaces shall be of corrosionresistant material or material that is rendered corrosion resistant. If coated, the coating used shall adhere. All nonproduct contact surfaces shall be relatively nonabsorbent, durable and cleanable. Parts removable for cleaning having both product contact and nonproduct contact surfaces shall not be painted.

D

FABRICATION

D.1

All product contact surfaces shall have a finish at least as smooth as a No. 4 ground finish on stainless steel sheets and be free of imperfections such as pits, folds and crevices in the final fabricated form. (See Appendix Section G).

D.2

The minimum thickness of electrodeposited coatings on plungers (see C.1.8) shall be not less than 0.0002 in. (0.005 mm). When these surfaces are other than stainless steel, the minimum thickness of electrodeposited coatings shall not be less than 0.002 in. (0.05 mm).

D.3

Automatic positive displacement samplers that are to be mechanically cleaned shall be designed so that the product and sample contact surfaces of the sampler, and all nonremovable appurtenances thereto can be mechanically cleaned and are easily accessible for inspection.

D.4

Appurtenances having product and sample contact surfaces shall be removable or they shall be mechanically cleanable in place and accessible for inspection employing simple hand tools available to operating or cleaning personnel.

D.5

Product contact surfaces not designed to be mechanically cleaned shall be easily accessible for cleaning and inspection either when in an assembled position or when removed. Removable parts shall be demountable using simple hand tools used by operating or cleaning personnel.

D.6

The primary seal or seat shall be located as close as possible to the product entry point and the passage length shall not exceed two times ($2\times$

) the nominal product-entry port diameter.

D.7

All sanitary fittings and connections shall conform with those applicable provisions of current 3-A Sanitary Standards for Sanitary Fittings for Milk and Milk Products, Number 63-. except as provided in Section E.1.

D.8

GASKETS

D.8.1

Gaskets having a product contact surface shall be removable or bonded.

D.8.2

Bonded rubber and rubber-like materials and bonded plastic materials having product contact surfaces shall be bonded in a manner that the bond is continuous and mechanically sound so that when exposed to the conditions encountered in the environment of intended use and in cleaning and bactericidal treatment or sterilization the rubber and rubber-like material or the plastic material does not separate from the base material to which it is bonded.

D.8.3

Gasket grooves or gasket retaining grooves in product contact surfaces for removable gaskets shall not exceed 1/4 in. (6 mm) in depth or be less than 1/4 in. (6 mm) wide except those for standard 0-rings smaller than

^{*2} The data for this series are contained in the AISI Steel Products Manual Stainless & Heat Resisting Steels, November, 1990, Table 2-1 pp. 17-20. Available from the Iron and Steel Society, 410 Commonwealth Drive, Warrendale, PA 15086 (412-776-9460) (Use most current edition).

^{*3} Steel Founders Society of America, Cast Metal Federation Bldg., 455 State St., Des Plaines, IL 60016 (708-299-9160).

^{*4} Adhesives shall comply with 21 CFR Part 175 - Indirect food additives. Adhesives and components of coatings. Document for sale by the Superintendent of Documents, U.S. Government Office, Washington, DC 20402 (202-783-3238) (Use most current edition).

IAMFES	5

DFES 12/93

Reader requests for information are sent to the appropriate company. Follow-up on reader requests are the responsibility of the company advertising.

International Association of Milk, Food and Environmental Sarttanans Inc.

To receive information on membership with IAMFES Circle 360 on this card

The Advertisements i cluded herein are n necessarily endorse by the International A sociation of Milk, For Environment and Sanitarians, Inc.

Name	Title
Company	
Address	
City	State/Prov
Country	Zip
Phone Number	

Please send information on items circled below: Deadline 60 days from issue date 154 323 336 349 297 298 299 300 301 220 221 116 117 118 119 120 121 122 123 124 125 126 181 182 183 184 185 186 187 188 189 190 191 207 208 209 210 211 212 213 214 215 216 104 105 106 107 108 109 130 131 132 133 134 135 136 137 138 169 170 171 172 173 174 175 176 177 195 196 197 198 199 200 201 202 203 273 312 325 351 339 287 288 289 290 291 292 293 294 145 158 236 249 261 262 314 327 275 276 277 278 279 280 281 342 343 225 303 304 305 329 355 147 148 149 150 151 152 160 161 162 163 164 165 238 239 240 241 242 251 252 253 254 255 256 264 265 266 267 268 357 345 346 347 111 112 229 307 320 333

IAMFES

DFES 12/93

Reader requests for information are sent to the appropriate company. Follow-up on reader requests are the responsibility of the company advertising.

International Association of Milk, Food and Environmental Sanitanans Inc

The Advertisements included herein are not necessarily endorsed by the International Association of Milk, Food and Environmental Sanitarians, Inc.

Name	Title
Company	
Address	
City	State/Prov
Country	Zip
Phone Number	

Please send information on items circled below: Deadline 60 days from issue date 115 141 154 258 271 284 297 310 323 102 167 180 193 206 219 245 337 299 300 104 105 106 107 108 109 110 169 221 234 246 247 260 273 286 287 288 289 290 291 292 293 294 295 312 325 117 118 119 120 121 122 123 130 131 132 133 134 135 136 137 182 183 184 185 186 187 188 189 195 196 197 198 199 200 201 202 208 209 210 211 212 339 352 223 249 262 314 171 172 173 174 175 176 177 275 276 277 278 279 341 354 159 160 161 162 163 164 165 251 252 253 254 225 226 227 316 317 318 147 264 265 266 267 268 303 304 305 306 307 356 357 358 330 239 240 241 242 243 343 344 345 345 346 347 149 214 332 216 217 229 230 125 281 320 139 204 256 334 360

This second **Reader Service** Card is provided to allow co-workers to also respond to companies of interest.

Place Stamp Here

IAMFES

200W Merle Hay Centre 6200 Aurora Ave. Des Moines, Iowa 50322

> Place Stamp Here

IAMFES

200W Merle Hay Centre 6200 Aurora Ave. Des Moines, Iowa 50322 1/4 in. (6 mm) and those provided for fittings specified by Section D.7.

D.9

Radii

D.9.1

All internal angles of 135 degrees or less on product contact surfaces shall have radii of not less than 1/8 in. (3 mm) except that:

D.9.1.1

Smaller radii may be used when they are required for essential functional reasons such as pop-valve spring interfaces. In no case shall such radii be less than 1/32 in. (1 mm).

D.9.1.2

The radii in gasket grooves, gasket retaining grooves or, grooves in gaskets, except for those for standard 1/4 in. (6 mm) and smaller 0-rings, shall be not less than 1/8 in. (3 mm)] and those provided for fittings specified by Section D.7.

D.9.1.3

The radii in grooves for standard 1/4 in. (6 mm) 0-rings shall not be less than 3/32 in. (2 mm) and for standard 1/8 in. (3 mm) 0-rings shall be not less than 1/32 in. (1 mm).

D.10

There shall be no threads on product or sample contact surface.

D.11

Any coil spring having product contact surfaces shall have at least 3/32 in. (2 mm) openings between coils including the ends when the spring is in the free position.

D.12

All product and sample contact surfaces shall be selfdraining except for normal clingage when properly installed.

D.13

The sampler shall be capable of being automatically controlled in a manner that will prevent overfilling of the sample bottle.

D.14

Nonproduct contact surfaces shall have a smooth finish, free of pockets and crevices, and be readily cleanable and those surfaces to be coated shall be effectively prepared for coating.

SPECIAL CONSIDERATIONS

E.1

E

Special sanitary fittings may be used on samplers where interchangeability is not required. These special fittings must conform to the provisions of this standard with respect to material, finish, construction, thread dimensions (if used) and use of gaskets, but may have dimensions less than the face-to-face or center line-toface dimensions in the drawings of current 3-A Sanitary Standards for Sanitary Fittings Used Number 63-. All product contact surfaces of such fittings shall be accessible for cleaning and inspection.

E.2

Automatic displacement samplers used in a processing

system to be sterilized by heat and operated at a temperature of 250 degrees F (121 degrees C) or higher shall comply with the following additional criteria:

APPENDIX

STAINLESS STEEL MATERIALS

Stainless steel conforming to the applicable composition ranges established by AISI for wrought products, or by ACI for cast products, should be considered in compliance with the requirements of Section C.I herein. Where welding is involved, the carbon content of the stainless steel should not exceed 0.08 percent. The first reference cited in C.I sets forth the chemical ranges and limits of acceptable stainless steel of the 300 Series. Cast grades or stainless steel corresponding to types 303, 304, and 316 are designated CF-16F, CF-8, and CF-8M, respectively. The chemical compositions of these cast grades are covered by ASTM^{*6} specifications A351/A351M, A743/A743H and A744/A744M.

G

F

PRODUCT CONTACT SURFACE FINISH

Surface finish equivalent to 150 grit or better as obtained with silicon carbide, properly applied on stainless steel sheets, is considered in compliance with the requirements of Section 0.1 herein. A maximum Ra of 32 micro in. (0.8 microm), when measured according to the recommendations in ANSI/ASME B46.1 - Surfaces Texture, is considered to be equivalent to a No. 4 finish.^{*5}

H

DRAWINGS

These drawings are intended to demonstrate general principles only, and are not intended to limit individual ingenuity. The design used should conform with the sanitary requirements set forth in these 3-A Sanitary Standards. The following examples are included in this Appendix:

	3-A Drawing
Page	Number
754	3-A-59-00-01
755	3-A-59-00-02
756	3-A-59-00-03
756	3-A-59-00-04
757	3-A-59-00-05
757	3-A-59-00-06
	754 755 756 756 756 757

*5 Available from ASTM, 1916 Race St., Philadelphia, PA 19103-1187 (215-299-5400) (Use most current edition).

⁵ Available from the American Society of Mechanical Engineers, 345 E 47th Street, New York, NY 10017-2392 (212-705-7722).

These standards are effective November 21, 1993 at which time the 3-A Sanitary Standards for Fittings Used on Milk and Milk Products Equipment and Used on Sanitary Lines Conducting Milk and Milk Products, Number 08-17D Rev. 08-19D, (Automatic Positive Displacement Sampler) Parts I and 11 are rescinded and become null and void.


3-A Standard Sanitary Fittings 3-A-59-00-01

POSITIVE DISPLACEMENT SAMPLER


THE INTERNAL DESIGN SHOWN IS INTENDED TO DEMON-STRATE GENERAL PRINCIPLES ONLY AND IS NOT INTENDED TO LIMIT INDIVIDUAL INGENUITY, THE DESIGN SHALL CON-FORM WITH THE GENERAL SANITARY REQUIREMENTS SET FORTH IN THIS 3-A SANITARY STANDARD AND SPECIFIC RE-QUIREMENTS FOR AIR OPERATED POSITIVE DISPLACEMENT SAMPLERS.

- 4	 BODY SEAL - ROD REAR 	i is	 SEAL - PLUNGER SEAL - HEAD 	ю ю	 PLUNGER HEAD
7.	7. CLAMP	8	8. BARRELL	ю.	9. PISTON
10.	10. CAPSCREW	11.	11. SEAL - PISTON	12.	12. LOCKWASHER
13.	13. SEAL - ROD FRONT				


NOTE:




754 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993




2





756 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993



3-A Standard Sanitary Fittings 3-A-59-00-05

DESCRIPTION	ITEM
MEASURING CAP	1
DIAPHRAGM	2
CHECK VALVE	3
CLAMP	4
BODY	5
SEAL	6
SET SCREW	7
ADJUSTMENT NUT	8
POP VALVE	9
SPRING	10
DISCHARGE CAP SPRING TENSIONER	11

3-A Standard Sanitary Fittings 3-A-59-00-06

showing bevels for passage of fluid.

DESCRIPTION	ITEM
MEASURING CAP	1
DIAPHRAGM	2
CHECK VALVE	3
CLAMP	4
BODY	5
SEAL	6
SET SCREW	7
ADJUSTMENT NUT	8
POP VALVE	9
SPRING	10
DISCHARGE CAP SPRING TENSIONER	11

DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993 757

Coming Events

1994

January

•3-5, Milling for Cereal Chemists, sponsored by the American Association of Cereal Chemists, will be held in Manhattan, KS. For more information, contact Marie McHenry, AACC Short Course Coordinator, 3340 Pilot Knob Road, St. Paul, MN 55121-2097, USA. Telephone: (612)454-7250; FAX (612)454-0766.

•12-15, 1994 U.S. Dairy Forum, sponsored by the International Dairy Foods Association, will be held at the Doral Resort and Country Club, Miami, FL. For more information contact IDFA, 888-16th Street, NW, 2nd Floor, Washington, DC 20006; (202)296-4250; FAX (202)331-7820.

•25-28, Water Activity: Theory, Management, and Food Applications, sponsored by the American Association of Cereal Chemists, will be held in St. Paul, MN. For more information, contact Marie McHenry, AACC Short Course Coordinator, 3340 Pilot Knob Road, St. Paul, MN 55121-2097, USA. Telephone: (612)454-7250; FAX (612)454-0766.

February

•22, Georgia Association of Food and Environmental Sanitarians Annual Meeting will be held at the Holiday Inn Airport North in Atlanta, Georgia. The subject for the meeting will be "Hot Topics in Food Safety." For more information contact Mark Harrison at (706)542-2286.

March

•7-10, Better Process Control School. For more information please contact Robert Price (916/752-2194) or Pamela Tom (916/752-3837), Food Science and Technology Department, University of California, Davis, CA 95616-8598, FAX: (926)752-4759.

•16, Annual Food Industry Conference will be sponsored by the Food Science Department at Purdue University. For more information contact James V. Chambers, Food Science Department, Smith Hall, Purdue University, West Lafayette, IN 47907, Phone: (317)494-8279.

April

•11-13, Microbiology and Engineering of Sterilization Processes will be given at the St. Paul Campus of the University of Minnesota. For further information, contact Dr. William Schafter, course coordinator, Department of Food Science and Nutrition, 1334 Eckles Avenue, St. Paul, MN 55108, (612)624-4793.

•12-13, Carolina's Association of Milk, Food and Environmental Sanitarians will meet in Greenville, SC. For more information, contact Beth Johnson at (803)935-6201.

•18-21, Purdue Better Process Control School will be sponsored by the Food Science Department at Purdue University. For more information contact James V. Chambers, Food Science Department, Smith Hall, Purdue University, West Lafayette, IN 47907, Phone: (317)494-8279.

May

•7-12, Food Structure Annual Meeting will be held at the Holiday Inn Downtown City Hall, Toronto, Ontario, Canada. For more information, please contact Dr. Om Johari, SMI, Chicago (AMF O'Hare), IL 60666-0507, USA (or call 708-529-6677, FAX: 708-980-6698).

758 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993

•18-21, Purdue Better Process Control School will be sponsored by the Food Science Department at Purdue University. For more information contact James V. Chambers, Food Science Department, Smith Hall, Purdue University, West Lafayette, IN 47907, Phone: (317)494-8279.

•25-27, International Conference on Food Physics, sponsored by the International Society of Food Physicists and the Editorial Board of Journal of Food Physics, will be held at the University of Horticulture and Food Industry, Budapest, Hungary. For further information contact A. S. Szabo, President of the Organizing Committee, H-1118 Budapest, Somloi Street 14-16, Phone: 361-1850-666/470, Fax: 361-166-6220.

July

•8-15, Rapid Methods and Automation in Microbiology International Workshop XIV, to be held at Kansas State University, Manhattan, KS. For more information contact Dr. Daniel Y. C. Fung at (913)532-5654, FAX (913)532-5681. A mini-symposium will occur on July 8th and 9th.

•31-August 3, 81st Annual Meeting of the International Association of Milk, Food and Environmental Sanitarians will be held at the Hyatt Regency Hotel, San Antonio, TX. For more information contact: Julie Heim — Registration; Scott Wells — Exhibits; at (800)369-6337 (US), (800)284-6336 (Canada), or (515)276-3344.

October

•12-13, Iowa Association of Milk, Food and Environmental Sanitarians Annual Meeting will be held at the Best Western Starlite Village (formerly the Ramada Hotel), Waterloo, IA. For more information call Dale Cooper at (319)927-3212.

To insure that your meeting time is published, send announcements at least 90 days in advance to: IAMFES, 200W Merle Hay Centre, 6200 Aurora Avenue, Des Moines, IA 50322.

ADVERTISING INDEX
Atkins Technical, Inc
Bentley Instruments, Inc
BioTrace, Inc Inside Front Cover
Brevis Corp
Charm Sciences, Inc
Dairy and Food Labs, Inc
Electro-Steam Generator Corp
Envirocon International, Inc
Food and Dairy Quality Management Institute
Food Processors Institute
Gardex Chemicals Ltd
IMC Instruments, Inc
McGlaughlin Oil Company
Meritech, Inc
Microcheck, Inc
Nelson-Jameson, Inc
New Jersey Laboratories
VICAM

BUSINESS EXCHANGE "CLASSIFIEDS"

L. J. Bianco & Associates	
The Crombie Company	
DQCI Service Inc.	
Environmental Systems Service, Ltd.	
Ingman Labs, Inc.	
Michelson Laboratories, Inc.	

IAMFES

٠

	International A	Association of Milk, Food a	nd Environmental Sanita	arians, Inc.
		IAMFES B	ooklets	
Qty.	L			Total \$
	Procedures to Inves \$5.00/member; \$7.5	stigate Waterborne Illness 50/non-member		
	Procedures to Inves \$5.00/member; \$7.5	stigate Foodborne Illness - ne 50/non-member	w 4th Edition	
	Procedures to Inves \$5.00/member; \$7.5	stigate Arthropod-borne and F 50/non-member	odent-borne Illness	
	Procedures to Imple \$5.00/member; \$7.5	ement the Hazard Analysis Cr 50/non-member	itical Control Point System	
	Pocket Guide To Da \$.50/member; \$.75/	airy Sanitation /non-member (minimum order	of 10) (\$2.50 shipping for each order of 10)	
	Multiple copies av	ailable at reduced prices.		Subtotal
			Add \$1.50 for first item. \$.	Shipping 75 for each additional item Booklet Total
Qty.		3-A Sanitary	Standards	Total \$
	Complete set 3-A D \$33 member; \$49.5			
	Complete set 3-A D \$48 member; \$72 n	Dairy & Egg Standards		
	3-A Egg Standards \$28 member; \$42 n			
	3-A Dairy & Egg Sta			
	\$44 member; \$66 n	on-member		Subtotal
				U.S. Shipping Add \$3.25 for each item
				Shipping Outside U.S.
				Add \$8.25
			3-A Sanit	tary Standards Total
PRIN	T OR TYPE A	LL AREAS MUST BE CO	OMPLETED IN ORDER	TO BE PROCESSED
Name			Company Name	
Job Title			Office Ph	hone #
Address				
City		State/Province	Co	ountry Zip
				T MUST BE ENCLOSE RDER TO PROCESS
MAIL ENTIRE FORM	110:			CHECK OR MONEY ORDER MASTER CARD
IAMFES	CENTRE			VISA
200W MERLE HAY			_	AMERICAN EXPRESS
DES MOINES, IA 5	0322		_	J. S. FUNDS on U. S. BA
(\$25.00 minimum Charg				
OR USE YOUR CHA 1-800-284-6336 (Can	RGE CARD 1-800-36	9-6337 (US)	EXP. DAT	ΓΕ
515-276-3344	FAX 515-276-8	655	YOUR SIG	GNATURE
		DAIRY.	FOOD AND ENVIRONMEN	TAL SANITATION/DECEMBER 1993

IAMFES

International Association of Milk, Food and Environmental Sanitarians, Inc.

MEMBERSHIP APPLICATION

MEMBERSHIP

- Membership Plus \$80 (Includes Dairy, Food and Environmental Sanitation and the Journal of Food Protection)
- Membership with Dairy, Food and Environmental Sanitation \$50
- Check here if you are interested in information on joining your state/province chapter of IAMFES

SUSTAINING MEMBERSHIP

Membership with BOTH journals \$450 Includes exhibit discount, July advertising discount, company monthly listing in both journals and more.

STUDENT MEMBERSHIP

- □ Membership Plus including BOTH journals \$40
- □ Membership with Dairy, Food and Environmental Sanitation \$25
- □ Membership with the Journal of Food Protection \$25

*Student verification must accompany this form

Surface	POSTAGE CHARGES: Outside the U.S. add \$22.50 per journal shipping OR
AIRMAIL	\$95 per journal AIRMAIL rate. U.S. funds only, drawn on U.S. Bank.

Name	Compan	y Name		
Job Title			Office Phone #	
Address			FAX #	
City	State/Province		_ Country	Zip
Renewal	New Membership/Subscription		PAYMENT N IN ORD	AUST BE ENCLOSED ER TO PROCESS
MAIL ENTIRE FORM TO: IAMFES 200W MERLE HAY CENTRE 6200 AURORA AVENUE DES MOINES, IA 50322		CHECK (MASTER VISA AMERIC/		U.S. FUNDS on U.S. BANK
OR USE YOUR CHARGE CA (800)284-6336 (Canada) 515-276-3344 FAX 515-276-8655	RD (800)369-6337 (US)	EXP. DATE		

760 DAIRY, FOOD AND ENVIRONMENTAL SANITATION/DECEMBER 1993

This publication is available in microform.

University Microfilms International reproduces this publication in microform: microfiche and 16mm or 35mm film. For information about this publication or any of the more than 13,000 titles we offer, complete and mail the coupon to: University Microfilms International, 300 N. Zeeb Road, Ann Arbor, MI 48106. Call us toll-free for an immediate response: 800-521-3044. Or call collect in Michigan, Alaska and Hawaii: 313-761-4700.

University Microfilms International

Press	e send information ab	out these titles
	tion	
Address		
	State	

How Does It Feel When You're Always Right?



...Ask Any Charm Test User.

Because after all the years, after millions of tests, only Charm Tests are consistently accurate, repeatable, and reliable. No extra testing. No second guessing.

When you have to rely on a single test, there's only one test to rely on.

Nothing works like a Charm.

CHARM SCIENCES INC. 36 FRANKLIN STREET MALDEN MA 02148 USA

617 322-1523 FAX 617 322-3141

Please circle No. 185 on your Reader Service Card

